# SEGMENTING MULTIVARIATE TIME SERIES WITH INERTIAL HMMS

George D. Montañez (Carnegie Mellon University) | Saeed Amizadeh (Yahoo! Labs) | Nikolay Laptev (Yahoo! Labs)

Motivation

Yahoo! monitors millions of time series each day, looking for changes in the signals, seeking to understand them.

Goal: Given a multivariate time series, find where systematic changes occur and map segments to a small number of states.

Hidden Markov Models

- Work well for segmenting sequential data.
- However, may over-segment.
- We need to impose state-persistence, i.e., few state changes over time.

Inertial HMMs

Two models which impose state persistence through a change to the likelihood model and corresponding expectation maximization (EM) update equations.

| MAP Inertial HMM	Pseudo-Observation Inertial HMM
• Include Dirichlet prior on transition matrix. • Governed by a strength parameter, ς	• Alter the complete data-likelihood to include fictional self-transition observations. • Governed by strength parameter, ς.

$$\mathbf{A}_{ij} \propto \begin{cases} ((T-1)^{\varsigma} - 1) + B_T & i = j \\ B_T & i \neq j \end{cases}$$

Dataset

- 45D human activity accelerometer data
  - Activities included jumping, playing basketball, rowing, ascending stairs and walking.
  - Created 100 time series consisting on different combinations of activities and segmentations, 10K time steps each series.
  - Tested inertial methods performed vs standard HMM and Sticky HDP-HMM of Fox et al.

Evaluation Metrics

- Evaluated using:
  - Accuracy (for best permutation of labels)
  - Variation of Information
  - Number of Segments Difference (not shown)
  - Segment Number Ratio (not shown)

Sticky HDP-HMM

- State-of-the-art Bayesian hierarchical Dirichlet process hidden Markov model.
- Used publically available HDP-HMM toolbox, with default parameters for priors.
- κ – parameter, for "stickiness" of states.
- Truncation parameter *L* set to correct number of states.
- Sensitive to prior parameter values (see Results).

Results

Method	Accuracy	Var. of Info.
Standard HMM	0.79	0.38
Sticky HDP-HMM (**κ** = 100.0)	0.59	0.97
MAP Inertial HMM (ς = 33.5)	**0.94**	**0.14**
PsO Inertial HMM (ς = 49.0)	**0.94**	0.15

Results

MAP Inertial HMM – Example Segmentation

Extensions

- Automated parameter selection for inertial HMMs.
  - Used to select parameters in Results section.
- Online learning of inertial HMM model.

Main Advantages

- Works well on synthetic and real-world data.
- Very simple (change single update equation).
- Computationally efficient.
- Only two parameters, one automatically selected.
- Does not suffer from extreme sensitivity to parameter settings, as does sticky HDP-HMM.

Conclusion

- Simple modification of standard HMMs performs well on unsupervised segmentation task.
- Strongly outperforms state-of-the-art sticky HDP-HMM with default parameters.

References

- Emily B Fox, Erik B Sudderth, Michael I Jordan, Alan S Willsky, et al., *A sticky HDP-HMM with application to speaker diarization*, The Annals of Applied Statistics 5 (2011), no. 2A, 1020–1056.

YAHOO! LABS