# Automata Theory - Programming Assignment Part 1 Report


## Question 1

All of the code for the Question 1 problems depends on lindenmayer.browser.js.

#### 1.1 "I'm a mirrorball"

q1/src/p1-1.html contains the code used to generate this problem.

Using 9 iterations, The output image for this problem is generated at q1/images/i1.png.



#### 1.2 "Is that a tree?"

q1/src/p1-2.html contains the code used to generate this problem.

Using 4 iterations, The output image for this problem is generated at q1/images/i2.png.



### 1.3 "Is that a tree?"

q1/src/p1-3.html contains the code used to generate this problem.

Using 4 iterations, The output images for this problem are generated at q1/images/i31.png-i35.png.



### 1.3 "Content without context is noise"

q1/src/p1-4.html contains the code used to generate this problem.

Using 9 iterations, The output images for this problem are generated at q1/images/i4.png.

## Question 2

## 2.1 Figure 1: Stick Plant

The JSON for the L-system is given in q2/1.json.

**Ideas and Approaches**: First thought on seeing fig 1.a was that the first iteration will look something like a long central line with a branch right and a branch left further on. On trying to render this, I noticed that the top most end was a little short and so I added another alphabet that just extends it a little more and managed to generate a render that closely resembles the figure.

# 2.2 Figure 2: Santa K(l)osh

The JSON for the L-system is given in q2/2.json.

**Ideas and Approaches**: fig 2.a didn't lend me much help but fig 2.b was rather helpful in that you could see the overall structure a little better since the details were less clear. On my first attempt, I generated a kind of zigzag pattern that only zigzags up and with the middle zag bigger. This, on some more iteration, ended up with a rather accurate render.