Computing Coursework 2018

Planning

Initial transcript

Client

so basically, Crypto Exchanges have APIs

I was wondering if it would be possible to create a desktop app that collates all of these into one manageable portfolio

I cannot find a windows PC version of any manager out there

and certainly not one that imports using the Apis provided by the exchanges

Me

hmm like information on the current exchange rate?

Client

yeah, and pulls the current amount of stock you hold in each coin

bittrex currently have one that I can use on an iOS app

Me

hmmm interesting - I mean it would need to integrate with wallets which would be more complex -> though why not just use a website to look up this stuff?

Client

I have 5 different exchanges

about 10 coins on each,

keeping the value of each and the percentage profit is a nightmare

especially if I'm day trading

I just need a better way of keeping track

Me

hmmm okay

would be interesting to work on - let me just have a look at the apis out there

Client:

Alrighty

Me:

so I just got bittrix on my phone and I see the market you mean - you sure there's no one of these for windows already?

Client:

They provide an API, which I have found only one app that can use it

There's one company called Delta which could potentially be releasing something

Just wondering what your thoughts on the whole situation were

Me:

I saw hmmm - i'll have a look at making a simple PoC and see how long it takes to integrate stuff together - looks like a fun project - and delta looks pretty good - I'm surprised no ones released a desktop version...

Client:

So am I, I would have thought they would release desktop before iOS or apps

Me:

mhm

I guess mobile is such a big market atm?

[...]

Design transcript

[...]

Client Brief

A fer the ninial trai crntt the clneit trvineee a rrne vutlnie v the trveuctp

> A desktop applica t oo wicw allo s me to vie my curreot por t olios aod balaoce of bitcoios aod various otwer cryptocurreocies. I ould like it to automa t cally update itw twe curreot meao price of twe bitcoio to otwer curreocies. I ould like it to be customisable, stylisw aod easy to use. Addi t ooally, I aot it iotegrated itw as maoy di f ereot curreocy excwaoges as possible to maximise its usage.

MVP Plan

A mninmum inarle trveuct tlai – my nitertretaivi v the clneit' requnremeit p

```
1   !e "tvt ra ee at tlncaivi
#   Arnlnty tv ma"e a tvr$vlnv
    a   Arnlnty tv aee a %allet&e'chai(e& nmtle amvuit v cvni
        n   Arnlnty tv remvie %allet & chai(e nmtle amvuit v ninial cvni
    r   Arnlnty tv %atch cvni (ani & all relaiie tv the ninial nitut
)   *vv"ut curreite'chai(e rate
    a   +ut tvrt vr muli tle e'chai(e
        n   Aiera(e
        nn  ,niaice
        nnn ,n$lyer
        ni  ,n$nie'
        i   ,nthumr
        in  ,nt amt
        inn ,n-re'
        innn .vniie t
```

n' .vnivie
' /ea'
'n /emninini
'nn Ontrtc
'nnn 1vrrnt
'ni 1ra"ei
'i *nqun
'in 2vlvine'
'inn 345
r Allv%ni(chai(ni(lvcal curreicy cviier nvi
6 +ecurnty
a /vv(le Accvuit ra ee
n 7%v actvr auth
nn 2a %vre
8 Aialyic
a 7hn n tv aialy e %hat acivi haie reei ta"ei ni the attlncaivi9
: *ncei ni(
a 7he clneit ha u((e tee he vily %n he the attlncaivi tv e'n t9 Oe %vule re %nlIni(tv teie mviey vr nt9 7hvu(h ha aeenivially niencatee that nt %vule re ;ie tv ell vi9<vr thn requnremeit=%vule ieee tv nitrveuce a lncei e erier v=cai cvitrvl %hv n authvrn ee&ha tane vr the attlncaivi aie %hv ha i't9

Similar product research

=i the anm v ma"ni(my attlncaivi the mv t releiait aie tv ivt reniieit niieitee trveuct 9= lvv"ee at maiy nmnlar trveuct acrv en>ereit tla$vrm p

Coin Ticker iPhone - https://itunes.apple.com/gb/app/coin-ticker-bitcoin-altcoin/id636476147?mt=8
.vni ic"er vrn2hvie trvinee maiy eature

Cryptolio - https://github.com/larion/cryptolio
7ermnial ra ee cryttv curreicy tvr$vlnv

CryptoCompare - https://www.cryptocompare.com/portfolio/

General development model

7hrvu(hvut the eeielvtmeit v thn attlncaivi=haie vttee tv chvv e a tnral mveel v eeielvtmeit9 7hn allv% me tv create a iery eetanlee tlai tv hv% the %vr" iece ary tv the cvur e%vr" requnremeit aie aeenivially reni(arle tv eeielvt the re t attlncaivi tv nrle eurni(the hvrt eeielvtmeit %niev%9=t al v allv% me tv eialuate my attlncaivi ter vrmaice at the eie v the eeielvtmeit chai(e9



igure ! "piral model developmeot # $l%A%l& ' (oe)* +l ,)-. /

Technologies needed

Language Choice

7here are maiy lai(ua(e aianlarle that %vule aeequately ;t the requnremeit v the trv?ect aie vr clneit9 *ai(ua(e uch a .@ are %ell "iv%i vr reni(arle tv cvte %nth ee "tvt /A= iery %ell aie are u ee vr a iarnety v lar(e trv?ect [.=7A7=BC /nt1D El #F8G]9 Haia aeeniviallyn %ell "iv%i e tecnally %nth nt Haia<5 rame%vr"9 7heren aeenivially a relaiie ie%cvmer tv ee "tvt A= ee n(i callee 4lectrviH+9

C# / WPF - https://Aocsmiccooso tmcoi/en-.s/Aotnet/romiewoo//wpr//etn/-stmoteA/cntooA.c on-to-wpr-cn-!s

7hn rame%vr"n a 3niev% ceitrnc Ithvu(hcrv tla$vrm %ayv trvineni(eitertrn eleiel ee "tvt attlncaivi 9

Advantages

+ 3ell uttvrtee& Juch evcumeitaivi
+ Kery %ell u ee

Disadvantages

– On(her learini(vierheae
– .lv ee +vurce
– Le trnciie ee n(i& tructure

"m!m / "m!mF#

7hn n acrv tla$vrm attrvach v trvineni(ee "tvt attlncaivi u ni(thenr tre crntiie 'ml ra ee mar"ut lai(ua(e9

Advantages

+ 3ellM tructuree lai(ua(e maee tv ;t BB2

Disadvantages

– *earini(vierheae %nth the 'ml lai(ua(e
– Oareer tv ma"e lvv" iaiie Icaiivt iaturally emree iaiie A=elemeit

- .lv ee +vurce
- Cvtvrnvu ly rae eentvr vr the A= Ihv%eier nmtrviee receitly
- Haia ha lvi(cvmtnle ime %hnch ma"e ratne eeielvtmeit hareer eiei %nth vi the rui cla %attni(

$%ectoon - https://e%ectoon&smoo//

7hn rame%vr" ceitre arvuie reni(cvmtletely crv tla$vrm aie ?u t trvineni(ni e>ect a chrvmnum rrv% er %niev% aianlarle tv reieer aiy mveeri 07 J *&.++&Haia+crntt9 [.=7A7=BC 4le1G El #F8G]

Advantages

+ Kery ea y tv etut
+ .rv tla$vrm
+ .ai ill acce lv%er leiel B+ eature
+ <amnlnar techivlv(ne
+ Btei +vurce

Disadvantages

- Oa lar(e LA J vierheae [.=7A7=BC Kar1: El #F8G]
- *ar(er ;le nNe [.=7A7=BC Kar1: El #F8G]
- Oareer tv ma"e lvv" iaiie Icaiivt iaturally emree iaiie A= elemeit

Conc%.scon

=i the eie= relneie 4lectrviH+n the re t chvnce tv re arle tv runle the at tlncaivi the clneit ieee 9 7hn n eue tv nt lv% learini(vierheae aie ea y crv Mtla$vrm cvmtairnlnty9 7hn %nll re nmtvrtait a alv% learini(vierheae ei ure the re t cvee cai re %rn-ei qunc"ly aie eOcneitly9 Aeeniviallyp ni ai a(e %nth a ter aie a ter cvmtuter p the vMcallee Qrlvat' %e (et rvm emreeeni(e>eciiely a chrvme rrv% er %nthni vur at tlncaivi n mni(atee9 7hn n e tecnally true a vur at tlncaivi' mv t nitei nie ta " %nth uievurteely etchni(eata rvm ai A2= – %hnch n uiln"ely tv lv% ev%i the %hvle cvmtuter9

APIs

Le earchni(the A2= P= %n h tv u e tv (et each rnt v eata uch a curreicy rate &cryttvcurreicy e'chai(e rate etc9 Oere' vme= haie vuie eurni(the tlaiini(ta(ep

- h-tp&&;'er9nv&

Boilerplate comparison

3hei creaii(ee "tvt at tlncaivi %nth electrvi there cai re alvt v etut ni term v trvterly n vlaii(the reieerer rvm the mani trvce Itv treieit vther trv(ram ni?ecii(cvee 9 Aeeniviallyp nt n helt ul tv u e a JK. rame%vr" uch a LeactH+ vr Ai(ular tv nmtrvie eeielvtmeit ime aie treieit rul" ni the html cveera e9 7hei there' the trvrlem v maia(ni(tate ni lar(e trv(ram %hnch n (eierally evie thrvu(h lnrrarne In"e reeu' %hnch haie enrect rnieni(nitv Ai(ular vr Leact I ee reeu'Mreact 9

Bie %ell "iv%i re vurce vr electrvi rvnlertlate n the Ra%e vmeMelectrviS retv ntvry %hnch In t tvvl that u e electrviP tvvl vr electrviPa %ell a rvnlertlate p
h-t p&&(nthur9cvm& niere vrhu &a%e vmeMelectrvi@rvnlertlate

=t hv% a e% uch a electrviMiueP electrviMreactMrvnlertlate aie vther 9 7hvu(h iue aie ai(ular rvth haie themr v%i uinque rvnler tlate =am mv t amnlnar %nth LeactH+ v=vttee vr the electrviM reactMrvnlertlate9=t cvme %nth maiy aeiaita(e uch a hvt mveule relvaeni(lallv%ni(mveule tv re %attee vut eurni(eeielvtmeit 9 Aeenivially<lv%H+ tv treieit taic tyte errvr Pntal v ha a runltMni electrvi tac"a(er tv ea nly trveuce my att a ai ni tallni(ntem9

Style choices

Testing framework

Hardware and software requirements

7he hare%are aie vf%are requnremeit are nmtvrtait tv aialy e e tecnally relaiie tv the clneit' requnremeit 9 <rvm trniate cvi ultaivi %nth the clneit they haie tatee hv% they are u ni(a relaiie mveeri cvmtuter %nth 3niev% 1F9 Jaiy thv eniie ii(ni ie% cryttvcurreicne are ln"ely tv haie mvre mveeri cvmtuter 9

7he ra e requnremeit vr electrvi are a relv%p



igure , "upported systems # $l%A%l& ' 0le!1 +l ,) - . /

Jy attlncaivi %vule ivt requnre aiy tecnal aeenivial requnremeit vi tvt v 4lectrviH+' vie e'cett vr tv nrly aie niteriet cvi iiecivi tv etch the eata9 0v%eierPnt %vule re arle tv rui %nthvut nt aie %vule haie (race ul ee(raeaivi v cviteit [.=7A7=BC 3) .18 El #F8G]9

Conclusion

@@ 0v% my JK2 aie (eieral trveuct n vliarle u ni(the techivlv(ne =haie chv ei

@@ 2rvrlem that %nll re hare tv vlie

Basic Layout design

=ee n(iee a ra nc vierine% v %hat=%aitee the att tv lvv" ln"e %hmch n hv%i relv%9



igure *2 3* A basic desigo of wat twe applicatoo migwt look like

.vlvur u ee vr mvc"utp

Area	.vlvur l@Oe'
*ef nee rar rac"(rvuie	@1.1G68
At arrv% lef neerar vrecvlvur	@6A,<6F
!v%i arrv% lef neerar vrecvlvur	@,<6#6F
2aelvc" lef nee cvlvur vrecvlvur	@<<4)G<
7e't cvlvur lef neerar	@!G.!<#
,ac"(rvuie cvlvur mani area rlvc"	@!G!G!,

7hn ee n(in heainly ur?ectv chai(e a the att n tu hee thrvu(h eeielvtmeit9

Aeenivially?=mveellee ai ncvi vr the attlncaivi ra ee vi the 3n"nmeena cryttvcurreicy lv(v a hv%i relv%p



igure * 4etoucwed cryptocurreocy logo 5 'e Applicatoo logo

.vlvur +tecn;caivi vr lv(vp

Area	.vlvur l@Oe'
7vt rn(ht nee (raenei t tvt	@<<8#48
,v-vm lef nee (raenei t tvt	@<:!#6#

Tests needed for MVP

7e t iame	7e t !e crntivi	JK2 +tec
,a nc *vae	7he attlncaivi lvae ut	
A=4'n t	7he A=n tre eitni the reieeree attlncaivi	

Name Choice

7hn may eem ln"e a trninal ta " vr ai attlncaivi9 Ov%eierPnt cvule re ar(uee that the iame ha ai nmtact vi the clneit ine% vi the ;ial trveuct9

.vi neeree iame ieee tv reTect the iature v the attlncaivi reni(p

- Jveeri
- .ryttvcurreicy
- 2vr$vlnv
- +lee"
- 4a y tv u e
- +ecure
- +a e

.vi neeree iame p

- .ryttvlnv
  - 2vrtmaitua are clnchU aie ivi\mveeri rut e>eciie
  - CAJ4 .*A+Op h-t p&&(nthur9cvm&larnvi&cryttvlnv
- .ryttv ,ueey
  - Bierly rneielyP eve i't eem ecureV
  - CAJ4 .*A+Op h-tp&&%%%9mycryttvrueey9cvm&
- ,nt2vr$vlnv
  - =mtlne vily vr rntcvni – vr re t erie rntcvni9

=i the eie=eecneee .ryttvlnv vuieee the re t hv%eier nt hae a iame cla h %nth a termnial ra ee cryttv curreicy tvr$vlnv9 +vP=eecneee tv chai(e nt ln(htly nitv .ryttvlnum9 3hnch ma"e nt vuie mvre trv e nvialaiea e>eciie9

Problem splitting



Development

Testing

Testing Needed

Evaluation

Testing

Bibliography

,vehmP #FF69 ile6"piral model 7(oewm, !8119.svg : ; ikimedia $ommoos. [Bilnie]
Aianlarle atp h-t p&&cvmmvi 9%n"nmeena9vr(&%n"n&<nlep+tnralWmveelWI,vehmPW1XDD 9 i(
[Acce ee F6 F# #F1D]9

4lectrvi H+P #F1G9 Olectroo < (uild cross platorm desktop apps itw =ava"cript, >%?@, aod $""..
[Bilnie]
Aianlarle atp h-t p&&electrvi? 9vr(&

4lectrv i H+P #F1D9 "upported *A*la t orms < *0*lectroo. [B i l n i e]
A ia n la r le at p h - t p&&electrv i ? 9vr(&evc &tutvr n al& u t t vrtee W tla$vrm
[Acce ee F6 F# #F1D]9

/ n thur = ic P #F1D9 %reodiog *$B* repositories oo *C*it>ub today. [B i l n i e]
A ia n la r le at p h - t p&&(n thur 9cvm&tre i e n i (&cY#)
[Acce ee F6 F# #F1D]9

Kar n vu P #F1 : 9 Ask > ' 6 ; wy *5* ; wy ' ot *D*se *0*lectroo*E* < >acker ' e s. [B i l n i e]
A ia n la r le at p h - t p&&i e% 9ycvm r n iatvr 9cvm&n temV n eZ1#11X#GD
[Acce ee F6 F# #F1G]9

3) . P #F18 9 *C*raceful degrada t oo versus progressive eowaocemeot *: ; 2$;* iki. [B i l n i e]
A ia n la r le at p h - t p&&%%%9%)9vr(&%n"n&/race ul W ee(raeaiviW ier u W trv(re n ie W eihaicemeit
[Acce ee F6 F# #F1D]9