Computing Coursework 2018

Planning

Initial transcript

Client

so basically, Crypto Exchanges have APIs

I was wondering if it would be possible to create a desktop app that collates all of these into one manageable portfolio

I cannot find a windows PC version of any manager out there

and certainly not one that imports using the Apis provided by the exchanges

Me

hmm like information on the current exchange rate?

Client

yeah, and pulls the current amount of stock you hold in each coin

bittrex currently have one that I can use on an iOS app

Me

hmmm interesting - I mean it would need to integrate with wallets which would be more complex -> though why not just use a website to look up this stuff?

Client

I have 5 different exchanges

about 10 coins on each,

keeping the value of each and the percentage profit is a nightmare

especially if I'm day trading

I just need a better way of keeping track

Me

hmmm okay

would be interesting to work on - let me just have a look at the apis out there

Client:

Alrighty

Me:

so I just got bittrix on my phone and I see the market you mean - you sure there's no one of these for windows already?

Client:

They provide an API, which I have found only one app that can use it

There's one company called Delta which could potentially be releasing something

Just wondering what your thoughts on the whole situation were

Me:

I saw hmmm - i'll have a look at making a simple PoC and see how long it takes to integrate stuff together - looks like a fun project - and delta looks pretty good - I'm surprised no ones released a desktop version...

Client:

So am I, I would have thought they would release desktop before iOS or apps

Me:

mhm

I guess mobile is such a big market atm?

[...]

Design transcript

[...]

Client Brief

Afer the minial traiwcrnttw the cheit tryineee a rme vuthie v the tryeucto

A desktop application wick allo is me to vie my curreot portiolios and balance of bitcoios and various otwer cryptocurreocies. I ould like it to automatically update itwitwe curreot mean price of two bitcoio to otwer curreocies. I ould like it to be customisable, stylisw and easy to use. Additionally, I and it into the activity as many different curreocy excwanges as possible to maximise its usage.

MVP Plan

A mninmum inarle trveuct tlai - my nitertretaivi v the clneit'w requiremeitwp

- 1 ! ew"tvt rawee attlncaivi
- # ArnInty tv ma"e a tvr\$vInv
 - a ArnInty tv aee a %allet&e' chai (e&wnmtle amvuit v cvni
 - ArnInty tv remvie %allet & chai (e wnmtle amvuit v ninial cvni
 - r ArnInty tv %atch cvni (ani & all relaiie tv the ninial nitut
-) *vv"ut curreit e'chai (e ratew
 - a +uttvrt vr mulitle e'chai(ew
 - n Aiera(e
 - nn , niaice
 - nn ,n\$lyer
 - ni ,n\$nie'
 - i , nthum r
 - in , ntwam t
 - in , n-re'
 - innn . vniiewt
 - n' .vnivie
 - ' /ea'

- 'n /emnini
- 'nn Ontrtc
- 'nnn 1vrrnt
- 'ni 1ra"ei
- 'i *nqun
- 'in 2vlvine'
- 'im 345
- r Allv%ni(chai(ni(lvcal curreicy cviierwnvi
- 6 +ecurity
 - a /vv(le Accvuit rawee
 - n 7%v actvr auth
 - nn 2aww%vre
- 8 Aialyicw
 - a 7hnw nw tv aialywe %hat aciviw haie reei ta"ei ni the at tlncaivi9
- : *nceiwni(
 - a 7he clneit haw wu((ewtee he vily %nwhew the attlncaivitve'nwt9 Oe %vule re %nllni(tv wteie mviey vrnt9 7hvu(h haw aeenivially niencatee that nt %vule re; ie tv well vi9 <vr thnw requiremeit = %vule ieee tv nitrveuce a linceiwe werier wv = cai cvitrvl %hv nw authvrnwee & haw tane vr the attlncaiviaie %hv hawi't9

Similar product research

=i the anm v ma"ni(my at the ivi the mvwt releiait aie tv ivt reniieit niieitee trveuctw9 = lvv"ee at maiy wnmnlar trveuctw acrvww en>ereit tla\$vrmwp

Coin Ticker iPhone -

https://itunes.apple.com/gb/app/coin-ticker-bitcoin-altcoin/id636476147?mt=8

. vni ic"er vrn2hvie trvineew maiy eaturew


Cryptolio - https://github.com/larion/cryptolio

7ermnial rawee cryttv curreicy tvr\$vlnv

CryptoCompare - https://www.cryptocompare.com/portfolio/

General development model

7hrvu(hvut the eeielvtmeit v thnw attlncaivi = haie vttee tv chvvwe a wtnral mveel v eeielvtmeit9 7hnw allv%w me tv create a iery eetanlee tlai tv whv% the %vr" iecewwary tv the cvurwe%vr" requnremeitw aie aeen ivially reni (arle tv eeielvt the rewt attlncaivi tvwwnrle eurni (the whvrt eeielvtmeit %niev%) =t alwv allv%w me tv eialuate my attlncaiviw ter vrmaice at the eie v the eeielvtmeit chai (e)



igure / 'piral model development #\$1 \$\text{\$A \$\text{\$A

Technologies needed

Language Choice

There are maiy lai (ua(ew aianlar le that % vule aeequately; t the requirement with trv?ect aie vr cline it % *ai (ua(ew wuch aw . @ are %ell "iv%i vr reni (arle tv cvte %nth eew"tvt / A=w iery %ell aie are uwee vr a iarnety v lar(e trv?ectw [. =7A7=BC /nt1D El #F8G] % Haia aeen ivially nw %ell "iv%i ewtechally %nth ntw Haia<5 rame%vr" 9 There nw aeen ivially a relaiie ie%cvmer tv eew "tvt A= eewn(i callee 4lectrviH+9

C#/WPF-<u>htps://ocsmiccoosotmcoi/en-.s/otnet/romiewoo//wpr//etn/-stmote/cntoo.con-to-wpr-cn-/s</u>

7hnw rame%vr" nw a 3niev%w ceitrnc Ithvu(h crvww tla\$vrm %ay v trvineni(eitertrnwe leiel eew"tvt at tlncaiviw9

Advantages

- + 3ell wut tvrtee&J uch evcume i ta i v i
- + Kery %ell uwee

Disadvantages

- On(her learini (vierheae)
- Ivwee +vurce
- Lewtrnciie eewn(i & wtructure

m.m / m.mF#

7hnw nw a crvww tla\$vrm attrvach v trvineni(eew"tvt attlncaiviw uwni(thenr trewcrntiie 'ml rawee mar"ut lai(ua(e9

Advantages

+ 3ellMvtructuree lai (ua (e maee tv ; t BB2

Disadvantages

- *earini (vierheae %nth the 'ml lai (ua(e)
- Oareer tv ma"e lvv" iaiie Icaiivt iaturally em ree iaiie A=elemeitw

- Ivwee +vurce
- Cvtvrnvuwly rae eentvr vr the A= Ihv%eier nmtrviee receitly
- Haia haw lvi (cvmtnle imew %hnch ma"e ratne eeielvtmeit hareer eiei %nth vi the rui claww w%attni (

Section - htps://esectionsmoo//

7hnw rame%vr" ceitrew arvuie reni(cvmtletely crvww tla\$vrm aie?uwt trvineni(ni e>ect a chrvmnum rrv%wer %niev% aianlarle tv reieer aiy mveeri O7J *&. ++&Haia+crntt9 [.=7A7=BC 4le1G El #F8G]

Advantages

- + Kery eawy tv wetu t
- + .rvww tla\$vrm
- + .ai will acceww lv%er leiel B+ eaturew
- + <amnlar tech i vlv (new
- + Btei+vurce

Disadvantages

- Oaw lar(e LAJ vierheae [. =7A7=BC Kar1: El #F8G]
- *ar(er; le wnNe [. =7A7=BC Kar1: El #F8G]
- Oareer tv ma"e lvv" iaiie lcaiivt iaturally em ree iaiie A=elemeitw

Conc #scon

=i the eie = relneie 4lectrviH+ nw the rewt chvnce tv re arle tv runle the attlncaivi the clneit ieeew9 7hnw nw eue tv ntw lv% learini (vierheae aie eawy crvwwMtla\$vrm cvmtairnlnty9 7hnw %nll re nmtvrtait aw a lv% learini (vierheae ei wurew the rewt cvee cai re %rn-ei qunc"ly aie eOcneitly9 Aeen iviallyP ni ai a(e %nth awter aie awter cvmtuterwP the wvMcallee @rlvat' %e (et rvm emreeeni (e>eciiely a chrvme rrv%wer %nthni vur attlncaivi nw mni (atee9 7hnw nw ewtecnally true aw vur attlncaivi'w mvwt niteiwnie taw" %nth uievurteely etchni (eata rvm ai A2=- %hnch nw uiln"ely tv wlv% ev%i the %hvle cvmtuter9

APIs

Lewearchni (the A2=wP = %nwh tv uwe tv (et each rnt v eata wuch aw curreicy ratew&cryttvcurreicy e'chai (e ratew etc9 Oere'w wvme = haie vuie eurni (the tlaiini (wta(ep

h - tp&&; 'er9nv&

Boilerplate comparison

Shei creaii(eew"tvt attlncaiviw %nth electrvi there cai realvt v wetut ni termw v trvterly nwvlaii(the reieerer rvm the mani trvceww ltv treieit vther trv(ramw ni?ecii(cvee 9 AeeniviallyP nt nw helt ul tv uwe a J K. rame%vr" wuch aw LeactH+ vr Ai(ular tv nm trvie eeielvtmeit ime aie treieit rul" ni the html cveerawe9 7hei there'w the trvrlem v maia(ni(wtate ni lar(e trv(ramw %hnch nw (eierally evie thrvu(h Inrramew In"e reeu' %hnch haie enrect rnieni(wnitv Ai(ular vr Leact lwee reeu' Mreact 9

Bie %ell "iv%i rewvurce vrelectrvi rvnlertlatew nw the Ra%ewvmeMelectrvi Sretvwntvry %hnch lnwtw tvvlw that uwe electrvi Ptvvlw vrelectrvi Paw %ell aw rvnlertlatewp

h-twp&&(nthur9cvm&wnierewvrhuw&a%ewvmeMelectrvi@rvnlertlatew

=t whv%w a e% wuch aw electrviMiuef electrviMreactMrvnlertlate aie vtherw9 7hvu(h iue aie ai (ular rvth haie thenr v% i uinque rvnler tlatew = am mvwt amnlnar %nth LeactH+ wv = vttee vr the electrviM reactMrvnlertlate9 =t cvmew %nth maiy aeiaita(ew wuch aw hvt mveule relvaeni(lallv%ni(mveulew tv re w%attee vut eurni(eeielvtmeit 9 AeeniviallyP < lv%H+ tv treieit wtaic tyte errvrwP nt alwv haw a runltMni electrvi tac"a(er tv eawnly trveuce my att aw ai niwtallni(ntem9

Style choices

Testing framework

Hardware and software requirements

The hare%are aie wvf%are requiremeitw are imtvrtait tv aialywe ewtechally relaiie tv the clieit'w requiremeitw <rvm trniate cviwultaivi %ith the clieit they haie wtatee hv% they are uwni(a relaiie mveeri cvmtuter %ith 3niev%w 1F9 Jaiy thvwe niiewii(ni ie% cryttvcurreicnew are limely tv haie mvre mveeri cvmtuterw)

The rawe requirement with violent are aw rely with the raw rely wi

Supported Platforms

Following platforms are supported by Electron:

macOS

Only 64bit binaries are provided for macOS, and the minimum macOS version supported is macOS 10.9.

Windows

Windows 7 and later are supported, older operating systems are not supported (and do not work).

Both ia32 (x86) and x64 (amd64) binaries are provided for Windows. Please note, the ARM version of Windows is not supported for now.

Linux

The prebuilt ia32 (i686) and x64 (amd64) binaries of Electron are built on Ubuntu 12.04, the arm binary is built against ARM v7 with hard-float ABI and NEON for Debian Wheezy.

Whether the prebuilt binary can run on a distribution depends on whether the distribution includes the libraries that Electron is linked to on the building platform, so only Ubuntu 12.04 is guaranteed to work, but following platforms are also verified to be able to run the prebuilt binaries of Electron:

- Ubuntu 12.04 and later
- Fedora 21
- Debian 8

igure, "upported systems #\$1%A \$1& ' ae!1 A ,)-. /

Jyattlncaivi %vule ivt require aiy wtechal aeenivial requiremeitw vi tvt v 4lectrviH+'w view e'cett vrtvwwnrly aie niteriet cviiecivi tv etch the eata9 Ov%eierPnt %vule re arle tv rui %nthvut nt aie %vule haie (race ul ee(raeaivi v cviteit [.=7A7=BC 3). 18 El #F8G]9

Conclusion

- @@ Ov% my J K2 aie (eieral trveuct nw wvliarle uwni (the techivlv(new = haie chvwei
- @@ 2rvrlemw that %II re hare tv wylie

Basic Layout design

= eewn(iee a rawnc vierine% v %hat = %aitee the att tv lvv" ln"e %hnch nw whv%i relv%9



igure 23A basic desigo of wat twe applicat oo migwt look like

. vlvurw uwee vr mvc"utp

Area	. vlvur l@Oe'
*ef wnee rar rac"(rvuie	@1. 1G68
At arrv% lef weerar	@6A, <6F
vrecvlvur	
! v%i arrv% lef weerar	@, <6#6F
vrecvlvur	
2aelvc" le f wee cvlvur	@<<4)G<
vrecvlvur	
7e't cvlvur lef wneerar	@! G. ! <#
, ac"(rvuie cvlvur ma₁i area	@! G! G! ,
rlvc"w	

7hnw eewn(i nw heainly wur?ect tv chai(e aw the att nw tuwhee thrvu(h eeielvtmeit9

AeeniviallyP = mveellee aincvi vr the attlncaivi rawee vi the 3n"nmeena cryttvcurreicy lv(v aw whv%i relv%p



igure *-∕etoucwed cryptocurreocy logo 5 'e Applicatoo logo

.vlvur + tecn; caivi vrlv(vp

Area	. vlvur l@Oe'
7vt m(ht wnee (raeneit wtvt	@<<8#48
, v-vm lef wnee (raeneit wtvt	@<:!#6#

Tests needed for MVP

7ewt iame	7ewt!ewcrntivi	J K2 +tec
, awnc *vae	7he attlmcaivi Ivaew ut	
A=4'nwtw	7he A=nw treweitni the	
	reieeree atthcaivi	

Name Choice

7hnw may weem In"e a trainal taw" vrai at tlacaivi9 Ov%eierPat cvule rear(uee that the iame haw ai nm tact vi the claeitw ine% vi the; ial trveuct9


. viwneeree iamew ieee tv reTect the iature v the attlncaivi reni(p

- J veeri
- .ryttvcurreicy
- 2vr\$vlnv
- +lee"
- 4awy tv uwe
- +ecure
- +a e

.viwneeree iamewp

- ryttvlnv
 - o 2vrtmaituaw are clnchU aie iviMmveeri rut e>eciie
 - O CAJ 4. *A+Op h-twp&&(nthur9cvm&larnvi&cryttvlnv
- . ryttv , ueey
 - o Bierly meielyPevewi't weem wecureV
 - O CAJ 4. *A+Op h-tp&&%%9mycryttvrueey9cvm&
- nt2vr\$vlnv
 - o =mtlnewvily vrrntcvni vrrewt weriew rntcvni9
- =i the eie = eecneee . ryttvlnv wvuieee the rewt hv%eier nt hae a iame clawh %nth a termnial rawee cryttv curreicy tvr\$vlnv9 +vP = eecneee tv chai(e nt wln(htly nitv . ryttvlnum9 3 hnch ma"ew nt wvuie mvre trv ewwnvial aie aw e>eciie9

Problem splitting



Development

Testing

Testing Needed

Fvaluation

Testing

Bibliography

, vehmP #FF69 ile / piral model / oewm, 18119.svg : ikimedia sommoos. [Bilnie] Aianlarle atp h - twp&&cvmmviw9%n"nmeena9vr(&%n"n&<nlep+tnralWmveelWI, vehmPW1XDD 9wi([Accewwee F6 F# #F1D]9

4lectrv i H+P #F1G9 \mathcal{A} ectroo < \mathcal{A} (uild cross pla t orm desktop apps itw -ava 'cript, > % ? \mathscr{A} , and \mathscr{S} "".. [Bihie]

Aianlarle atp h - twp&&electrvi?w9vr(&

4lectrviH+P #F1D9 'upported Aatorms < Aectroo. [Bilnie] Aianlarle atp h- twp&&electrvi?w9vr(&evcw&tutvrnal&wuttvrteeMtla\$vrmw [Accewwee F6 F# #F1D]9

/nthur = icP #F1D9 % repositories oo cît > ub today. [Bilnie] Aianlarle atp h-twp&&(nthur9cvm&treieni(&cY#) [Accewwee F6 F# #F1D]9

Karnvuw #F1: 9 Ask > '6' wy 5' wy 'ot \triangle se \triangle ectroo \triangle < >acker 'e s. [Bilnie] A ianla rle atp $\frac{h-twp\&\&ie\%w9ycvmrniatvr9cvm&ntemVneZ1#11X#GD}{h-twp&\&ie\%w9ycvmrniatvr9cvm&ntemVneZ1#11X#GD}$

3). P#F189 Gaceful degradatoo versus progressive eowaocemeot // 25 iki. [Bilnie]
Aianlarle atp h-twp&&%%%%)9vr(&%n"n&/race ulWee(raeaiviWierwuwWtrv(rewwnieWeihaicemeit
[Accewwee F6 F# #F1D]9