ttbar Analysis Status NTUA 28/5/2020

George Bakas, Ioannis Papakrivopoulos





Mass Fit

- Contamination is not only from ttbar:
 - Subdominant bkgs contamination of CR as shown in Contamination plots
 - By looking at the Loose WP when inverting the btagging requirement:
 - Ttbar contamination is much lower
 - Subdominant bkg contamination is not affected much
- Mass fit results (fit only the 2btag region) by removing ttbar and subdominant bkg contributions from the data CR:
 - QCD = Data Ttbar Subdominant in CR
- Simultaneous fit without removing the contributions of the ttbar and subdominant bkgs
 - We let the fit do this for us
 - We leave b-tagging efficiency free to check that the result is compatible with what we have found from MC
- Solution (?): find a Subdominant bkg dominated region and perform a simultaneous fit in three regions:
 - Signal Region (ttbar dominated)
 - Control Region 1 (QCD dominated)
 - Control Region 2 (Subdominant bkg dominated)
- All things shown today (except slide 5) use the previous btagging selection:
 - Medium b-tag WP for both Signal and Control Region



Signal Selection


Variables	Selected Cut
pT (both leading jets)	> 400 GeV
Njets	> 1
N leptons	= 0
eta (both leading jets)	< 2.4
mJJ	> 1000 GeV
jetMassSoftDrop (only for fit)	(50,300) GeV
Top Tagger	> 0.2
B tagging (2 btagged jets)	> Medium WP
Signal Trigger	

Control Region Selection

Variables	Selected Cut
pT (both leading jets)	> 400 GeV
Njets	> 1
N leptons	= 0
eta (both leading jets)	< 2.4
mJJ	> 1000 GeV
jetMassSoftDrop (only for fit)	(50,300) GeV
Top Tagger	> 0.2
B tagging (0 btagged jets)	< Medium WP
Control Trigger	




Contamination Plots Medium WP (CR, SR)







Contamination Plots Medium WP SR, Loose WP CR












Mass Fit – Template fit results 2017





- Medium WP for both SR and CR
- This happens also for using the Medium btag WP for SR and the Loose btag WP for the CR
- This is same for 2018
- 2016 not very sensitive because we have very few statistics → Control trigger with 1.67 pb-1



Simple Mass Fit 2016


- Both SR and Control Region use the Medium btag WP.
- Intuition is to remove the ttbar and subdominant bkg contribution from the data Control Region

$$QCD_0(m^t) = D_0(m^t) - T_0(m^t) - Sub_0(m^t)$$

	Floating Parameter	FinalValue +/-	Error
-	 kMassResol	9.2245e-01 +/-	2 720 02
	kMassScale	9.9906e-01 +/-	
	kQCD 2b	6.8926e-02 +/-	
	nFitBkg_2b	2.5236e+02 +/-	
	nFitQCD_2b	2.9886e+03 +/-	1.73e+02
	nFitSig2b	5.2694e+03 +/-	1.65e+02

Signal strength: r = 0.671244

A RooPlot of "mTop"




Simple Mass Fit 2017

A RooPlot of "mTop"

Floating Parameter	FinalValue +/-	Error
kMassResol kMassScale kQCD_2b nFitBkg_2b nFitQCD_2b	1.0768e+00 +/- 9.8571e-01 +/- 1.4907e-02 +/- 1.0582e+02 +/- 2.4252e+03 +/-	2.64e-03 5.33e-03
nFitSig2b	4.7140e+03 +/-	1.45e+02

Signal strength: r = 0.54567




Simple Mass Fit 2018

A RooPlot of "mTop"

Floating Parameter	FinalValue +/-	Error
kMassResol kMassScale kQCD_2b nFitBkg_2b nFitQCD_2b	1.7555e+02 +/- 4.4847e+03 +/-	1.93e-03 3.50e-03 2.75e+02 3.13e+02
nFitSig2b	7.6642e+03 +/-	1.93e+02

Signal strength: r = 0.620045



0 btag

A RooPlot of "mTop"

Simultaneous Mass Fit Results 2016

Template fit: for the QCD bkg (CR) we subtract nothing from data

5.2320e+03 +/-

4.92e+02

- Do not impose a gaussian around 75 GeV
- b-tagging efficiency free in fit

Floating Parameter FinalValue +/- Error btagEff 2 9.9760e-01 +/- 4.10e-01 kMassResol 9.2001e-01 +/-2.73e-02 kMassScale 9.9876e-01 +/-2.03e-03 kQCD 2b 8.1748e-02 +/- 6.63e-02 nFitBkg 0b 3.55e+01 2.0172e+02 +/nFitBkg 2b 3.42e+01 1.9419e+02 +/nFitQCD 0b 4.7059e+03 +/-7.37e+01 nFitQCD 2b 3.1083e+03 +/-1.53e+02


N0_observed = 0.0301517, N2_observed = 5206.89


Ntt expected: 7999.61 Ntt observed: 5206.92

Signal strength r: 0.650896

nFitSig

Singal strength r in 2btag: 0.663284





2 btag



Consistent with what we have found: 0.6056


Floating Parameter FinalValue +/- Error

btagEff 2 6.2072e-01 +/- 6.11e-02 kMassResol 1.0641e+00 +/-3.83e-02 kMassScale 9.8394e-01 +/-2.60e-03 kQCD_2b 1.8390e-02 +/- 6.33e-04 nFitBkg_0b 3.3426e+03 +/- 6.15e+02 nFitBkg_2b 2.1336e+02 +/- 4.46e+01 nFitQCD 0b 1.5713e+05 +/- 9.94e+02 nFitQCD_2b 2.3790e+03 +/- 1.41e+02 1.2070e+04 +/- 2.38e+03 nFitSig

N0_observed = 1736.32, N2_observed = 4650.58

Ntt expected: 13425 Ntt observed: 6386.91

Signal strength r: 0.475747



Consistent with what we have found: 0.6339


Floating Parameter FinalValue +/- Error

btagEff 2 6.4771e-01 +/-3.92e-02 kMassResol 1.0201e+00 +/-2.91e-02 kMassScale 9.8907e-01 +/-1.93e-03 kQCD_2b 1.6331e-02 +/- 4.28e-03 nFitBkg 0b 3.4235e+03 +/-5.95e+02 nFitBkg 2b 3.4162e+02 +/- 7.58e+01 1.7113e+05 +/- 8.78e+02 nFitQCD 0b nFitQCD 2b 4.4199e+03 +/-1.90e+02 nFitSig 1.8018e+04 +/-2.20e+03

N0_observed = 2236.29, N2_observed = 7559.18

Ntt expected: 17721.3 Ntt observed: 9795.47

Signal strength r: 0.55275



- Simultaneous Mass Fit Results 2016
 - Template fit: for the QCD bkg (CR) we subtract nothing from data
 - Gaussian around 75 GeV
 - b-tagging efficiency free in fit


Floating Parameter FinalValue +/- Error btagEff_2 9.9729e-01 +/-2.87e-02 kMassResol 9.1788e-01 +/-2.72e-02 kMassScale 2.03e-03 9.9835e-01 +/kQCD 2b 9.0137e-02 +/-7.70e-02 nFitBkg_0b 2.0172e+02 +/-3.81e+01 nFitBkg_2b 1.9417e+02 +/-2.84e+01 nFitQCD_0b 4.7064e+03 +/-7.37e+01 nFitQCD 2b 3.1218e+03 +/-1.53e+02 nFitSig 5.2199e+03 +/-2.35e+02

N0_observed = 0.0383764, N2_observed = 5191.63

Ntt expected: 7999.61 Ntt observed: 5191.67

Signal strength r: 0.64899

Singal strength r in 2btag: 0.66134




A RooPlot of "mTop"

Floating Parameter FinalValue +/- Error btagEff 2 8.3385e-01 +/- 1.37e-02 kMassResol 1.0846e+00 +/- 3.77e-02 kMassScale 9.8545e-01 +/- 2.62e-03 kQCD_2b 1.6843e-02 +/- 5.91e-03 nFitBkg_0b 3.3424e+03 +/- 1.23e+02 nFitBkg_2b 2.1330e+02 +/- 4.63e+01 nFitQCD 0b 1.5869e+05 +/- 4.11e+02 nFitQCD_2b 2.3312e+03 +/- 1.35e+02 6.7648e+03 +/- 1.42e+02 nFitSig

N0_observed = 186.739, N2_observed = 4703.65

Ntt expected: 13425 Ntt observed: 4890.39

Signal strength r: 0.364275



```
Floating Parameter
                     FinalValue +/- Error
        btagEff 2
                     8.3701e-01 +/- 7.74e-02
       kMassResol
                     1.0310e+00 +/- 2.85e-02
       kMassScale
                     9.9022e-01 +/- 1.92e-03
          kQCD_2b
                     1.5372e-02 +/- 3.80e-03
       nFitBkg_0b
                     3.4235e+03 +/- 1.18e+02
       nFitBkg 2b
                     3.4167e+02 +/- 6.86e+01
       nFitQCD 0b
                      1.7309e+05 +/- 5.32e+02
       nFitQCD 2b
                     4.3611e+03 +/-
                                    1.80e+02
          nFitSig
                      1.0883e+04 +/-
                                     2.04e+03
```

```
N0_observed = 289.116, N2_observed = 7624.71
```

Ntt expected: 17721.3 Ntt observed: 7913.83

Signal strength r: 0.446571

