



## 1. Description

### 1.1. Project

|                 |  |
|-----------------|--|
| Project Name    | Driver_ADC_SingleChannel_Interru<br>ptConversionMode |
| Board Name      | NUCLEO-F429ZI  |
| Generated with: | STM32CubeMX 6.8.0                                    |
| Date            | 04/27/2023   |

### 1.2. MCU

|                |               |
|----------------|---------------|
| MCU Series     | STM32F4       |
| MCU Line       | STM32F429/439 |
| MCU name       | STM32F429ZITx |
| MCU Package    | LQFP144       |
| MCU Pin number | 144           |

### 1.3. Core(s) information

|         |               |
|---------|---------------|
| Core(s) | Arm Cortex-M4 |
|---------|---------------|



### 3. Pins Configuration

| Pin Number<br>LQFP144 | Pin Name<br>(function after<br>reset) | Pin Type | Alternate<br>Function(s) | Label |
|-----------------------|---------------------------------------|----------|--------------------------|-------|
| 6                     | VBAT                                  | Power    |                          |       |
| 8                     | PC14/OSC32_IN                         | I/O      | RCC_OSC32_IN             |       |
| 9                     | PC15/OSC32_OUT                        | I/O      | RCC_OSC32_OUT            |       |
| 16                    | VSS                                   | Power    |                          |       |
| 17                    | VDD                                   | Power    |                          |       |
| 25                    | NRST                                  | Reset    |                          |       |
| 30                    | VDD                                   | Power    |                          |       |
| 31                    | VSSA                                  | Power    |                          |       |
| 32                    | VREF+                                 | Power    |                          |       |
| 33                    | VDDA                                  | Power    |                          |       |
| 34                    | PA0/WKUP                              | I/O      | ADC1_IN0                 |       |
| 38                    | VSS                                   | Power    |                          |       |
| 39                    | VDD                                   | Power    |                          |       |
| 51                    | VSS                                   | Power    |                          |       |
| 52                    | VDD                                   | Power    |                          |       |
| 61                    | VSS                                   | Power    |                          |       |
| 62                    | VDD                                   | Power    |                          |       |
| 71                    | VCAP_1                                | Power    |                          |       |
| 72                    | VDD                                   | Power    |                          |       |
| 83                    | VSS                                   | Power    |                          |       |
| 84                    | VDD                                   | Power    |                          |       |
| 94                    | VSS                                   | Power    |                          |       |
| 95                    | VDD                                   | Power    |                          |       |
| 105                   | PA13                                  | I/O      | SYS_JTMS-SWDIO           |       |
| 106                   | VCAP_2                                | Power    |                          |       |
| 107                   | VSS                                   | Power    |                          |       |
| 108                   | VDD                                   | Power    |                          |       |
| 109                   | PA14                                  | I/O      | SYS_JTCK-SWCLK           |       |
| 120                   | VSS                                   | Power    |                          |       |
| 121                   | VDD                                   | Power    |                          |       |
| 130                   | VSS                                   | Power    |                          |       |
| 131                   | VDD                                   | Power    |                          |       |
| 138                   | BOOT0                                 | Boot     |                          |       |
| 143                   | PDR_ON                                | Reset    |                          |       |
| 144                   | VDD                                   | Power    |                          |       |



## 5. Software Project

### 5.1. Project Settings

| Name                              | Value  |
|-----------------------------------|--|
| Project Name                      | Driver_ADC_SingleChannel_InterruptConversionMode |
| Project Folder                    | C:\Users\George                                  |
| Toolchain / IDE                   | STM32CubeIDE                                     |
| Firmware Package Name and Version | STM32Cube FW_F4 V1.27.1                          |
| Application Structure             | Advanced   |
| Generate Under Root               | Yes  |
| Do not generate the main()        | No   |
| Minimum Heap Size                 | 0x200  |
| Minimum Stack Size                | 0x400  |

### 5.2. Code Generation Settings

| Name  | Value                                 |
|---|---------------------------------------|
| STM32Cube MCU packages and embedded software                    | Copy only the necessary library files |
| Generate peripheral initialization as a pair of '.c/.h' files   | No                                    |
| Backup previously generated files when re-generating            | No                                    |
| Keep User Code when re-generating                               | Yes                                   |
| Delete previously generated files when not re-generated         | Yes                                   |
| Set all free pins as analog (to optimize the power consumption) | No                                    |
| Enable Full Assert  | No                                    |

### 5.3. Advanced Settings - Generated Function Calls

| Rank | Function Name      | Peripheral Instance Name |
|------|--------------------|--------------------------|
| 1    | SystemClock_Config | RCC                      |
| 2    | MX_GPIO_Init       | GPIO                     |
| 3    | MX_ADC1_Init       | ADC1                     |

## 6. Power Consumption Calculator report

### 6.1. Microcontroller Selection

|           |               |
|-----------|---------------|
| Series    | STM32F4       |
| Line      | STM32F429/439 |
| MCU       | STM32F429ZITx |
| Datasheet | DS9405_Rev9   |

### 6.2. Parameter Selection

|             |     |
|-------------|-----|
| Temperature | 25  |
| Vdd         | 3.3 |

### 6.3. Battery Selection

|                   |                 |
|-------------------|-----------------|
| Battery           | Li-SOCL2(A3400) |
| Capacity          | 3400.0 mAh      |
| Self Discharge    | 0.08 %/month    |
| Nominal Voltage   | 3.6 V           |
| Max Cont Current  | 100.0 mA        |
| Max Pulse Current | 200.0 mA        |
| Cells in series   | 1               |
| Cells in parallel | 1               |

## 6.4. Sequence


|                               |             |                           |
|-------------------------------|-------------|---------------------------|
| <b>Step</b>                   | Step1       | Step2                     |
| <b>Mode</b>                   | RUN         | STOP UDM (Under Drive)    |
| <b>Vdd</b>                    | 3.3         | 3.3                       |
| <b>Voltage Source</b>         | Battery     | Battery                   |
| <b>Range</b>                  | Scale1-High | No Scale                  |
| <b>Fetch Type</b>             | FLASH       | n/a                       |
| <b>CPU Frequency</b>          | 180 MHz     | 0 Hz                      |
| <b>Clock Configuration</b>    | HSE PLL     | Regulator LP Flash-PwrDwn |
| <b>Clock Source Frequency</b> | 4 MHz       | 0 Hz                      |
| <b>Peripherals</b>            |             |                           |
| <b>Additional Cons.</b>       | 0 mA        | 0 mA                      |
| <b>Average Current</b>        | 57 mA       | 100 $\mu$ A               |
| <b>Duration</b>               | 0.1 ms      | 0.9 ms                    |
| <b>DMIPS</b>                  | 225.0       | 0.0                       |
| <b>Ta Max</b>                 | 97.48       | 104.99                    |
| <b>Category</b>               | In DS Table | In DS Table               |

## 6.5. Results

|               |                   |                 |             |
|---------------|-------------------|-----------------|-------------|
| Sequence Time | 1 ms              | Average Current | 5.79 mA     |
| Battery Life  | 24 days, 10 hours | Average DMIPS   | 225.0 DMIPS |

## 6.6. Chart





## 7. Peripherals and Middlewares Configuration

### 7.1. ADC1

**mode: IN0**

#### 7.1.1. Parameter Settings:

##### **ADCs\_Common\_Settings:**

Mode Independent mode

##### **ADC\_Settings:**

Clock Prescaler PCLK2 divided by 2

Resolution 12 bits (15 ADC Clock cycles)

Data Alignment Right alignment

Scan Conversion Mode Disabled

Continuous Conversion Mode Disabled

Discontinuous Conversion Mode Disabled

DMA Continuous Requests Disabled

End Of Conversion Selection EOC flag at the end of single channel conversion

##### **ADC\_Regular\_ConversionMode:**

Number Of Conversion 1

External Trigger Conversion Source Regular Conversion launched by software

External Trigger Conversion Edge None

Rank 1

Channel Channel 0

Sampling Time **480 Cycles \***

##### **ADC\_Injected\_ConversionMode:**

Number Of Conversions 0

##### **WatchDog:**

Enable Analog WatchDog Mode false

### 7.2. RCC

#### **Low Speed Clock (LSE) : Crystal/Ceramic Resonator**

#### 7.2.1. Parameter Settings:

##### **System Parameters:**

VDD voltage (V) 3.3

Instruction Cache Enabled

Prefetch Buffer Enabled

Data Cache Enabled

Flash Latency(WS) 3 WS (4 CPU cycle)

**RCC Parameters:**

|                                |          |
|--------------------------------|----------|
| HSI Calibration Value          | 16       |
| TIM Prescaler Selection        | Disabled |
| HSE Startup Timeout Value (ms) | 100      |
| LSE Startup Timeout Value (ms) | 5000     |

**Power Parameters:**

|                               |                                 |
|-------------------------------|---------------------------------|
| Power Regulator Voltage Scale | Power Regulator Voltage Scale 3 |
| Power Over Drive              | Disabled                        |

**7.3. SYS**

**Debug: Serial Wire**

**Timebase Source: SysTick**

**\* User modified value**

## 8. System Configuration

### 8.1. GPIO configuration

| IP   | Pin            | Signal         | GPIO mode   | GPIO pull/up pull down      | Max Speed | User Label |
|------|----------------|----------------|-------------|-----------------------------|-----------|------------|
| ADC1 | PA0/WKUP       | ADC1_IN0       | Analog mode | No pull-up and no pull-down | n/a       |            |
| RCC  | PC14/OSC32_IN  | RCC_OSC32_IN   | n/a         | n/a                         | n/a       |            |
|      | PC15/OSC32_OUT | RCC_OSC32_OUT  | n/a         | n/a                         | n/a       |            |
| SYS  | PA13           | SYS_JTMS-SWDIO | n/a         | n/a                         | n/a       |            |
|      | PA14           | SYS_JTCK-SWCLK | n/a         | n/a                         | n/a       |            |

### 8.2. DMA configuration

nothing configured in DMA service

## 8.3. NVIC configuration

### 8.3.1. NVIC

| Interrupt Table                         | Enable | Preenmption Priority | SubPriority |
|---|--------|----------------------|-------------|
| Non maskable interrupt                  | true   | 0                    | 0           |
| Hard fault interrupt                    | true   | 0                    | 0           |
| Memory management fault                 | true   | 0                    | 0           |
| Pre-fetch fault, memory access fault    | true   | 0                    | 0           |
| Undefined instruction or illegal state  | true   | 0                    | 0           |
| System service call via SWI instruction | true   | 0                    | 0           |
| Debug monitor                           | true   | 0                    | 0           |
| Pendable request for system service     | true   | 0                    | 0           |
| System tick timer                       | true   | 0                    | 0           |
| ADC1, ADC2 and ADC3 global interrupts   | true   | 0                    | 0           |
| PVD interrupt through EXTI line 16      | unused |                      |             |
| Flash global interrupt                  | unused |                      |             |
| RCC global interrupt                    | unused |                      |             |
| FPU global interrupt                    | unused |                      |             |

### 8.3.2. NVIC Code generation

| Enabled interrupt Table                 | Select for init sequence ordering | Generate IRQ handler | Call HAL handler |
|---|-----------------------------------|----------------------|------------------|
| Non maskable interrupt                  | false                             | true                 | false            |
| Hard fault interrupt                    | false                             | true                 | false            |
| Memory management fault                 | false                             | true                 | false            |
| Pre-fetch fault, memory access fault    | false                             | true                 | false            |
| Undefined instruction or illegal state  | false                             | true                 | false            |
| System service call via SWI instruction | false                             | true                 | false            |
| Debug monitor                           | false                             | true                 | false            |
| Pendable request for system service     | false                             | true                 | false            |
| System tick timer                       | false                             | true                 | true             |
| ADC1, ADC2 and ADC3 global interrupts   | false                             | true                 | true             |

\* User modified value

## 9. System Views

### 9.1. Category view

#### 9.1.1. Current

## 10. Docs & Resources

| Type                    | Link  |
|-------------------------|---|
| BSDL files              | <a href="https://www.st.com/resource/en/bsdl_model/stm32f427-437_429-439_bsd1.zip">https://www.st.com/resource/en/bsdl_model/stm32f427-437_429-439_bsd1.zip</a>   |
| IBIS models             | <a href="https://www.st.com/resource/en/ibis_model/stm32f427-437_429-439_ibis.zip">https://www.st.com/resource/en/ibis_model/stm32f427-437_429-439_ibis.zip</a>   |
| System View Description | <a href="https://www.st.com/resource/en/svd/stm32f4_svd.zip">https://www.st.com/resource/en/svd/stm32f4_svd.zip</a>   |
| BSDL files              | <a href="https://www.st.com/resource/en/bsdl_model/stm32f427-437_429-439_bsd1.zip">https://www.st.com/resource/en/bsdl_model/stm32f427-437_429-439_bsd1.zip</a>   |
| IBIS models             | <a href="https://www.st.com/resource/en/ibis_model/stm32f427-437_429-439_ibis.zip">https://www.st.com/resource/en/ibis_model/stm32f427-437_429-439_ibis.zip</a>   |
| System View Description | <a href="https://www.st.com/resource/en/svd/stm32f4_svd.zip">https://www.st.com/resource/en/svd/stm32f4_svd.zip</a>   |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32-stm8_embedded_software_solutions.pdf">https://www.st.com/resource/en/product_presentation/stm32-stm8_embedded_software_solutions.pdf</a>   |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32_eval-tools_portfolio.pdf">https://www.st.com/resource/en/product_presentation/stm32_eval-tools_portfolio.pdf</a>   |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32_stm8_functional-safety-packages.pdf">https://www.st.com/resource/en/product_presentation/stm32_stm8_functional-safety-packages.pdf</a>   |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32-stm8_software_development_tools.pdf">https://www.st.com/resource/en/product_presentation/stm32-stm8_software_development_tools.pdf</a>   |
| Training Material       | <a href="https://www.st.com/resource/en/sales_guide/sg_sc2154.pdf">https://www.st.com/resource/en/sales_guide/sg_sc2154.pdf</a>   |
| Flyers                  | <a href="https://www.st.com/resource/en/flyer/flstm32nucleo.pdf">https://www.st.com/resource/en/flyer/flstm32nucleo.pdf</a>   |
| Flyers                  | <a href="https://www.st.com/resource/en/flyer/flstmcsuite.pdf">https://www.st.com/resource/en/flyer/flstmcsuite.pdf</a>   |
| Flyers                  | <a href="https://www.st.com/resource/en/flyer/flstm32trust.pdf">https://www.st.com/resource/en/flyer/flstm32trust.pdf</a>   |
| Flyers                  | <a href="https://www.st.com/resource/en/flyer/flstm32gui.pdf">https://www.st.com/resource/en/flyer/flstm32gui.pdf</a>   |
| Product Certifications  | <a href="https://www.st.com/resource/en/certification_document/stm32_authentication_can.pdf">https://www.st.com/resource/en/certification_document/stm32_authentication_can.pdf</a>   |
| Application Notes       | <a href="https://www.st.com/resource/en/application_note/an1181-electrostatic-discharge-sensitivity-measurement-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an1181-electrostatic-discharge-sensitivity-measurement-stmicroelectronics.pdf</a> |

Application Notes [https://www.st.com/resource/en/application\\_note/an1709-emc-design-guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an1709-emc-design-guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2606-stm32-microcontroller-system-memory-boot-mode-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2606-stm32-microcontroller-system-memory-boot-mode-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2834-how-to-get-the-best-adc-accuracy-in-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2834-how-to-get-the-best-adc-accuracy-in-stm32-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2867-oscillator-design-guide-for-stm8afals-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2867-oscillator-design-guide-for-stm8afals-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3154-can-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3154-can-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3997-audio-playback-and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3997-audio-playback-and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3998-pdm-audio-software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3998-pdm-audio-software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf)



- Application Notes [https://www.st.com/resource/en/application\\_note/an4013-stm32-crossseries-timer-overview-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4013-stm32-crossseries-timer-overview-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4031-using-the-stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4031-using-the-stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4073-how-to-improve-adc-accuracy-when-using-stm32f2xx-and-stm32f4xx-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4073-how-to-improve-adc-accuracy-when-using-stm32f2xx-and-stm32f4xx-microcontrollers-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4229-how-to-implement-a-vocoder-solution-using-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4229-how-to-implement-a-vocoder-solution-using-stm32-microcontrollers-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4230-stm32-microcontroller-random-number-generation-validation-using-the-nist-statistical-test-suite-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4230-stm32-microcontroller-random-number-generation-validation-using-the-nist-statistical-test-suite-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4277-using-stm32-device-pwm-shutdown-features-for-motor-control-and-digital-power-conversion-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4277-using-stm32-device-pwm-shutdown-features-for-motor-control-and-digital-power-conversion-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4488-getting-started-with-stm32f4xxx-mcu-hardware-development-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4488-getting-started-with-stm32f4xxx-mcu-hardware-development-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4547-migrating-from-stm32f407xx417xx-to-stm32f427xx429xx437xx439xx-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4547-migrating-from-stm32f407xx417xx-to-stm32f427xx429xx437xx439xx-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4640-peripherals-interconnections-on-stm32f4057xx-stm32f4157xx-stm32f42xxx-stm32f43xxx-stm32f446xx-and-stm32f469479xx-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4640-peripherals-interconnections-on-stm32f4057xx-stm32f4157xx-stm32f42xxx-stm32f43xxx-stm32f446xx-and-stm32f469479xx-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf)

- Application Notes [https://www.st.com/resource/en/application\\_note/an4658-migration-of-applications-from-stm32f429439-lines-to-stm32f446-line-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4658-migration-of-applications-from-stm32f429439-lines-to-stm32f446-line-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4660-migration-of-microcontroller-applications-from-stm32f42xxxf43xxx-devices-to-stm32f7-series-devices-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4660-migration-of-microcontroller-applications-from-stm32f42xxxf43xxx-devices-to-stm32f7-series-devices-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4675-migration-of-microcontroller-applications-from-stm32f42xxxstm32f43xxx-to-stm32f469xxstm32f479xx-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4675-migration-of-microcontroller-applications-from-stm32f42xxxstm32f43xxx-to-stm32f469xxstm32f479xx-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4759-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4759-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-microcontrollers-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4838-managing-memory-protection-unit-in-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4838-managing-memory-protection-unit-in-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4850-stm32-mcus-spreadspectrum-clock-generation-principles-properties-and-implementation-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4850-stm32-mcus-spreadspectrum-clock-generation-principles-properties-and-implementation-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4861-lcdtft-display-controller-ltcd-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4861-lcdtft-display-controller-ltcd-on-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4879-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4879-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4908-stm32-usart-automatic-baud-rate-detection-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4908-stm32-usart-automatic-baud-rate-detection-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4989-stm32-](https://www.st.com/resource/en/application_note/an4989-stm32-)

microcontroller-debug-toolbox-stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an4995-using-an-electromyogram-technique-to-detect-muscle-activity-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4995-using-an-electromyogram-technique-to-detect-muscle-activity-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5020-digital-camera-interface-dcml-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5020-digital-camera-interface-dcml-on-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5036-thermal-management-guidelines-for-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5036-thermal-management-guidelines-for-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5073-receiving-spdif-audio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5073-receiving-spdif-audio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5225-usb-typec-power-delivery-using-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5225-usb-typec-power-delivery-using-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5543-enhanced-methods-to-handle-spi-communication-on-stm32-devices-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5543-enhanced-methods-to-handle-spi-communication-on-stm32-devices-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5156-introduction-to-stm32-microcontrollers-security-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5156-introduction-to-stm32-microcontrollers-security-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an1202\\_freertos\\_guide-for\\_related\\_Tools\\_freertos-guide-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an1202_freertos_guide-for_related_Tools_freertos-guide-stmicroelectronics.pdf)

& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an1602\\_semihosting\\_in\\_for\\_related\\_Tools\\_truestudio-how-to-do-semihosting-in-truestudio-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an1602_semihosting_in_for_related_Tools_truestudio-how-to-do-semihosting-in-truestudio-stmicroelectronics.pdf)

& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an1801\\_stm32cubeprog\\_for\\_related\\_Tools\\_rammer\\_in\\_truestudio-installing-stm32cubeprogrammer-in-truestudio-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an1801_stm32cubeprog_for_related_Tools_rammer_in_truestudio-installing-stm32cubeprogrammer-in-truestudio-stmicroelectronics.pdf)

& Software

Application Notes [https://www.st.com/resource/en/application\\_note/atollic\\_editing\\_keyboard\\_for\\_related\\_Tools\\_-\\_shortcuts-atollic-editing-keyboard-shortcuts-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/atollic_editing_keyboard_for_related_Tools_-_shortcuts-atollic-editing-keyboard-shortcuts-stmicroelectronics.pdf)  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/iar\\_to\\_atollic\\_truестudio\\_for\\_related\\_Tools\\_-\\_migration\\_guide-truестudio-for-arm-migration-guide-iar-embedded-workbench-to-truестudio-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/iar_to_atollic_truестudio_for_related_Tools_-_migration_guide-truестudio-for-arm-migration-guide-iar-embedded-workbench-to-truестudio-stmicroelectronics.pdf)  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/stm32cubemx\\_installation\\_in\\_truестudio-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/stm32cubemx_installation_in_truестudio-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an2656-stm32f10xxx-lcd-glass-driver-firmware-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2656-stm32f10xxx-lcd-glass-driver-firmware-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an2790-tft-lcd-interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2790-tft-lcd-interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3078-stm32-inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3078-stm32-inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3116-stm32s-adc-modes-and-their-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3116-stm32s-adc-modes-and-their-applications-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3174-implementing-receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3174-implementing-receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-microcontrollers-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3241-qvga-tftlcd-direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3241-qvga-tftlcd-direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3307-guidelines-for-obtaining-iec-60335-class-b-certification-for-any-stm32-application-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3307-guidelines-for-obtaining-iec-60335-class-b-certification-for-any-stm32-application-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an3965-](https://www.st.com/resource/en/application_note/an3965-)

for related Tools    [stm32f40xstm32f41x-inapplication-programming-using-the-usart-  
& Software            stmicroelectronics.pdf](#)

Application Notes   for related Tools    stm32f4discovery-board-firmware-using-a-usb-key-stmicroelectronics.pdf  
& Software

Application Notes   for related Tools    software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf  
& Software

Application Notes   for related Tools    with-stemwin-library-stmicroelectronics.pdf  
& Software

Application Notes   for related Tools    obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-  
& Software            application-stmicroelectronics.pdf

Application Notes   for related Tools    nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf  
& Software

Application Notes   [---

Page 20](https://www.st.com/resource/en/application_note/an4502-stm32-<br/>for related Tools    smbuspmbus-embedded-software-expansion-for-stm32cube-</a></p></div><div data-bbox=)

|  |   |
|--|---|
| & Software   | stmicroelectronics.pdf  |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4657-stm32-inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4657-stm32-inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4666-parallel-synchronous-transmission-using-gpio-and-dma-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4666-parallel-synchronous-transmission-using-gpio-and-dma-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4678-full-duplex-spi-emulation-for-stm32f4-microcontrollers-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4678-full-duplex-spi-emulation-for-stm32f4-microcontrollers-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4701-proprietary-code-readout-protection-on-microcontrollers-of-the-stm32f4-series-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4701-proprietary-code-readout-protection-on-microcontrollers-of-the-stm32f4-series-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4758-proprietary-code-readout-protection-on-stm32l4-stm32l4-stm32g4-and-stm32wb-series-mcus-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4758-proprietary-code-readout-protection-on-stm32l4-stm32l4-stm32g4-and-stm32wb-series-mcus-stmicroelectronics.pdf</a>                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4759-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-microcontrollers-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4759-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-microcontrollers-stmicroelectronics.pdf</a> |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4841-digital-signal-processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4841-digital-signal-processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4968-proprietary-code-read-out-protection-pcrop-on-stm32f72xxx-and-stm32f73xxx-microcontrollers-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4968-proprietary-code-read-out-protection-pcrop-on-stm32f72xxx-and-stm32f73xxx-microcontrollers-stmicroelectronics.pdf</a>                       |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5054-secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5054-secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5056-integration-guide-for-the-xcubesbsfu-stm32cube-expansion-package-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5056-integration-guide-for-the-xcubesbsfu-stm32cube-expansion-package-stmicroelectronics.pdf</a>   |

|  |   |
|--|---|
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5360-getting-started-with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5360-getting-started-with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5361-getting-started-with-projects-based-on-dualcore-stm32h7-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5361-getting-started-with-projects-based-on-dualcore-stm32h7-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf</a>                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5394-getting-started-with-projects-based-on-the-stm32l5-series-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5394-getting-started-with-projects-based-on-the-stm32l5-series-in-stm32cubeide-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5418-how-to-build-a-simple-usbp-d-sink-application-with-stm32cubemx-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5418-how-to-build-a-simple-usbp-d-sink-application-with-stm32cubemx-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5426-migrating-graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-550-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5426-migrating-graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-550-stmicroelectronics.pdf</a>   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5464-position-control-of-a-three-phase-permanent-magnet-motor-using-xcubemcsdk-or-xcubemcsdkful-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5464-position-control-of-a-three-phase-permanent-magnet-motor-using-xcubemcsdk-or-xcubemcsdkful-stmicroelectronics.pdf</a>                           |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5564-getting-started-with-projects-based-on-dualcore-stm32wl-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5564-getting-started-with-projects-based-on-dualcore-stm32wl-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf</a>                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5698-adapting-the-xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-other-safety-standards-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5698-adapting-the-xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-other-safety-standards-stmicroelectronics.pdf</a> |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5731-stm32cubemx-and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5731-stm32cubemx-and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf</a>   |
| Errata Sheets  | <a href="https://www.st.com/resource/en/errata_sheet/es0206-stm32f427437-and-stm32f429439-line-limitations-stmicroelectronics.pdf">https://www.st.com/resource/en/errata_sheet/es0206-stm32f427437-and-stm32f429439-line-limitations-stmicroelectronics.pdf</a>   |
| Datasheet  | <a href="https://www.st.com/resource/en/datasheet/dm00071990.pdf">https://www.st.com/resource/en/datasheet/dm00071990.pdf</a>   |
| Programming<br>Manuals                               | <a href="https://www.st.com/resource/en/programming_manual/pm0214-stm32-cortexm4-mcus-and-mpus-programming-manual-stmicroelectronics.pdf">https://www.st.com/resource/en/programming_manual/pm0214-stm32-cortexm4-mcus-and-mpus-programming-manual-stmicroelectronics.pdf</a>   |
| Reference<br>Manuals                                 | <a href="https://www.st.com/resource/en/reference_manual/rm0090-stm32f405415-stm32f407417-stm32f427437-and-stm32f429439-">https://www.st.com/resource/en/reference_manual/rm0090-stm32f405415-stm32f407417-stm32f427437-and-stm32f429439-</a>   |

|                               |   |
|-------------------------------|---|
|                               | <a href="#">advanced-armbased-32bit-mcus-stmicroelectronics.pdf</a>   |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-foc-sdk-v40-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-foc-sdk-v40-stmicroelectronics.pdf</a> |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf</a>                                     |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf</a>   |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf</a>                       |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf</a>                       |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf</a>                         |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf</a> |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf</a>                   |