Magit Cheatsheet v0.1

Mark Davidson

June 7, 2011

Buffers		History	
M-x magit-status Magit's status buffer		l History	
\$	magit-process buffer	L Verbose history	
g	reload status buffer	C-u l History segment	
		RET Inspect commit	
Section Visibility		a Stage current commit on your branch	
TAB Toggle visibility of current section		A Commit current commit on your current branch	
S-TAB Toggle visibility of current section and its children		C-w Copy sha1 of current commit into kill ring	
1,2,3,4 Expand current section to the corresponding level of detail - $1,2,3$ or 4		= Show differences between current and marked commits	
M-1,2,3,4 Expand all sections to the corresponding level of detail - 1,2,3 or 4		Make current commit	
		. Unmark current commit if marked	
		C-u Unmake marked commit from anywhere	
Untracked Files		Reflogs	
\mathbf{s}	Add untracked file to staging area	h Browse reflog from HEAD	
i	Add file to .gitignore	H Browse reflog from chosen point	
C-u i	Prompt for file/directory to add to .gitignore		
I Add file to .git/in ignore	Add file to .git/info/exclude instead of .git-	Diffing	
	ignore	d Show changes between working tree and HEAD	
Staging and Committing		D Show changes between two arbitrary revisions	
\mathbf{S}	Stage current hunk	a Apply current changes to working tree	
u	Unstage current hunk	v Apply current changes to working tree in re-	
\mathbf{S}	Stage all hunks	verse	
U	Unstage all hunks	Tagging	
k	Discard uncommitted changes		
\mathbf{c}	Prepare for commit	t Make lightweight tag	
C-c C-c Execute commit		T Prepare annotated tag	

C-C C-a Make the next commit an amend

C-c C-c Commit annotated tag

Resetting

x Reset your current head to chosen revision

X Reset working tree and staging area to most recent commit state

Merging

m Initiate manual merge

M Initiate automatic merge

R Initiate of continue a rebase

Stashing

z Create new stash

Z Create new stash and maintain state

RET View stash

a Apply stash

A Pop stash

k Drop stash

Rewriting

r s Start a rewrite

v Revert a given commit

r t remove bookkeeping information from buffer

r a Abort rewriting

r f Finish rewriting

r * Toggle the * mark on pending commit

r.. Toggle the .. mark on pending commit

Branching

b Switch to different branch

B Create and switch to new branch

Pushing and Pulling

P git push

C-u P git push to specified remote repository

f git remote update

F git pull

Wazzup

W Show summary of how other branches relate to current branch

i Toggle ignore branch

C-U w Show all branches including ignored ones

Interface with Subversion

N r git svn rebase

N c git svn dcommit

Originally based on magit cheatsheet from http://daemianmack.com/magit-cheatsheet.html