

PROGRAMMING LAB

(20MCA131)

LAB RECORD

Submitted in partial fulfilment of the requirements for the award of the degree
of Master of Computer Applications of A P J Abdul Kalam Technological
University

Submitted by:

GEORGEKUTTY BIJU (SJC22MCA-2027)



MASTER OF COMPUTER APPLICATIONS
ST. JOSEPH'S COLLEGE OF ENGINEERING AND
TECHNOLOGY, PALAI

CHOONDACHERRY P.O, KOTTAYAM

KERALA

February 2023

ST. JOSEPH' S COLLEGE OF ENGINEERING AND TECHNOLOGY, PALAI

(An ISO 9001: 2015 Certified College)

CHOONDACHERRY P.O, KOTTAYAM KERALA



CERTIFICATE

This is to certify that the Programming Lab Record (20MCA131) submitted by **GEORGEKUTTY BIJU (SJC22MCA-2027)** student of First semester MCA at **ST. JOSEPH'S COLLEGE OF ENGINEERING AND TECHNOLOGY, PALAI** in partial fulfilment for the award of Master of Computer Applications is a bonafide record of the lab work carried out by him under our guidance and supervision. This record in any form has not been submitted to any other University or Institute for any purpose.

Asst.Prof. Alex Jose

Faculty In- Charge

Asst.Prof. Anish Augustine K

(HoD In Charge-MCA)

Submitted for the End Semester Examination held on _____

Examiner 1:

Examiner 2:

DECLARATION

I GEORGEKUTTY BIJU (SJC22MCA-2027), do hereby declare that the Programming Lab Record (20 MCA 131) is a record of work carried out under the guidance of Mr.Alex Jose, Asst.Professor ,Department of Computer Applications, SJCET, Palai as per the requirement of the curriculum of Master of Computer Applications Programme of A P J Abdul Kalam Technological University, Thiruvananthapuram. Further, I also declare that this record has not been submitted, full or part thereof, in any University / Institution for the award of any Degree / Diploma.

Place: Choondacherry
Date :

GEORGEKUTTY BIJU
(SJC22MCA-2027)

CONTENT

Sl. No.	Program List	Page No.
1	Display future leap years from current year to a final year entered by user	1
2	List comprehensions	2
3	Count the occurrences of each word in a line of text	4
4	Prompt the user for a list of integers. For all values greater than 100, store 'over' instead	5
5	Store a list of first names. Count the occurrences of 'a' within the list	6
6	Lists of integers	7
7	Get a string from an input string where all occurrences of first character replaced with '\$', except first character	9
8	Create a string from given string where first and last characters exchanged	10
9	Accept the radius from user and find area of circle	11
10	Find biggest of 3 numbers entered	12
11	Accept a file name from user and print extension of that	13
12	Create a list of colors from comma-separated color names entered by user. Display first and last colors	14
13	Accept an integer n and compute n+nn+nnn	15
14	Print out all colors from color-list1 not contained in color-list2	16
15	Create a single string separated with space from two strings by swapping the character at position 1	17
16	Sort dictionary in ascending and descending order	18
17	Merge two dictionaries	19
18	Find GCD of 2 numbers	20
19	From a list of integers, create a list removing even numbers	21
20	Program to find the factorial of a number	22
21	Generate Fibonacci series of N terms	23
22	Find the sum of all items in a list	24
23	Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect	25

	square	
24	Display the given pyramid with step number accepted from user	26
25	Count the number of characters (character frequency) in a string	27
26	Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly	28
27	Accept a list of words and return length of longest Word	29
28	Construct pattern using nested loop	30
29	Generate all factors of a number	32
30	Write lambda functions to find area of square, rectangle and triangle	33
31	Work with built-in packages	34
32	Create a package graphics with modules rectangle, circle and sub-package 3D graphics with modules cuboid and sphere	35
33	Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area	38
34	Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank	40
35	Create a class Rectangle with private attributes length and width. Overload '<' operator to compare the area of 2 rectangles	42
36	Create a class Time with private attributes hour, minute and second. Overload '+' operator to find sum of 2 time	44
37	Create a class for Book Publisher and performance inheritance	46
38	Write a Python program to read a file line by line and store it into a list	48
39	Program to copy odd lines of one file to other	49
40	Write a Python program to read each row from a given csv file and print a list of strings	50
41	Write a Python program to read specific columns of a given CSV file and print the content of the columns	51
42	Write a Python program to write a Python dictionary to a csv file. After writing the CSV file read the CSV file and display the content	52

Program :1

Aim: Display future leap years from current year to a final year entered by user.

Source Code:

```
c= int(input("enter the current year"))
f= int(input("enter the final year"))
print("leap years are :")
for i in range (c,f) :
    if(i%4==0) and (i%100!=0) or (i%400==0) :
        print(i)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/1.py
enter the current year2022
enter the final year2030
leap years are :
2024
2028
```

Program :2

Aim: List comprehensions:

- (a) Generate positive list of numbers from a given list of integers
- (b) Square of N numbers
- (c) Form a list of vowels selected from a given word
- (d) List ordinal value of each element of a word (Hint: use ord() to get ordinal values)

Source Code:

(a) list1 = [1, -2, 3, -4, 5, 6, -7, 8, -9, 10]

```
print("list1 : ", list1)
```

```
print("Positive numbers : ")
```

```
for num in list1:
```

```
    if num >= 0:
```

```
        print(num)
```

(b) list2 = [1, 2, 3, 4, 5, 34, 6, 78, 4, 8]

```
print("list1 : ", list2)
```

```
print("square of list1 : ")
```

```
for n in list2:
```

```
    print(n**2)
```

(c) V=['a','e','i','o','u']

```
word=input("enter the word")
```

```
s=[i for i in word if i in V]
```

```
print(s)
```

(d) word=input("enter the word")

```
j=[ord(x) for x in word]
```

```
print(j)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/2.py
list1 : [1, -2, 3, -4, 5, 6, -7, 8, -9, 10]
Positive numbers :
1
3
5
6
8
10
list1 : [1, 2, 3, 4, 5, 34, 6, 78, 4, 8]
square of list1 :
1
4
9
16
25
1156
36
6084
16
64
enter the wordhello
['e', 'o']
enter the wordwelcome
[119, 101, 108, 99, 111, 109, 101]
```


Program :3

Aim: Count the occurrences of each word in a line of text.

Source Code:

```
a = input("Enter a sentence : ")  
b = input("Enter a word : ")  
print("occurrences of the word", a.count(b))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/3.py  
Enter a sentence : welcome to python  
Enter a word : welcome  
occurrences of the word 1  
  
Process finished with exit code 0
```

Program :4

Aim: Prompt the user for a list of integers. For all values greater than 100, store 'over' instead.

Source Code:

```
n= int(input("enter the numbers of values"))  
a=[]  
for i in range(0,n):  
    c=int(input("enter the value"))  
    if c >100:  
        a.append("over")  
    else:  
        a.append(c)  
print(a)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/4.py  
enter the numbers of values4  
enter the value34  
enter the value55  
enter the value123  
enter the value300  
[34, 55, 'over', 'over']  
  
Process finished with exit code 0
```

Program :5

Aim: Store a list of first names. Count the occurrences of 'a' within the list

Source Code:

```
list = str(['a', 'appu', 'ramu'])  
  
print("list : ", list)  
  
count = list.count("a")  
  
print("Occurance of 'a' = ", count)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/5.py  
list :  ['a', 'appu', 'ramu']  
Occurance of 'a' =  3  
  
Process finished with exit code 0
```

Program :6

Aim: Enter 2 lists of integers. Check

- (a) Whether list are of same length
- (b) whether list sums to same value
- (c) whether any value occur in both

Source Code:

```
list1 = [1, 2, 45, 78, 98]
list2 = [3, 6, 87, 9, 12, 5]
print(list1, "list1 : ")
print(list2, "list2 : ")
print("length of list1 = ", len(list1))
print("length of list2 = ", len(list2))
if len(list1) == len(list2):
    print("length of list are same")
else:
    print("not same length")
print("sum of list1 = ", sum(list1))
print("sum of list2 = ", sum(list2))
if sum(list1) == sum(list2):
    print("sum of two lists are same")
else:
    print("sum of list not same")
check = any(item in list1 for item in list2)
print("any value occur in both : ", check)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/6.py
[1, 2, 45, 78, 98] list1 :
[3, 6, 87, 9, 12, 5] list2 :
length of list1 = 5
length of list2 = 6
not same length
sum of list1 = 224
sum of list2 = 122
sum of list not same
any value occur in both : False
```

Program :7

Aim: Get a string from an input string where all occurrences of first character replaced with '\$', except first character.

[eg: onion -> oni\$n]

Source Code:

```
x1 = str(input("Enter a string : "))  
firstchar = x1[0]  
x1 = x1.replace(firstchar, '$')  
x1 = firstchar+x1[1:]  
print(x1)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/7.py  
Enter a string : onion  
oni$n  
  
Process finished with exit code 0
```

Program :8

Aim: Create a string from given string where first and last characters exchanged.

[eg: python -> nythop]

Source Code:

```
tr1 = input("Enter a string :")  
exch_string = str1[-1]+str1[1:-1]+str1[0]  
print(exch_string)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/8.py  
Enter a string :python  
nythop
```

Program :9

Aim: Accept the radius from user and find area of circle.

Source Code:

```
from math import pi  
  
r=int(input("enter the radius:"))  
  
print("area of circle=",pi*r*r)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/9.py  
enter the radius:5  
area of circle= 78.53981633974483  
  
Process finished with exit code 0  
|
```


Program :10

Aim: Find biggest of 3 numbers entered.

Source Code:

```
a= int(input("enter the first number"))
b= int(input("enter the second number"))
c= int(input("enter the third number"))

if (a>=b) and (b>=c):
    print(a,"is greater")
elif (b>=a ) and (b>=c) :
    print(b,"is greater")
else :
    print(c,"is greater")
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/10.py
enter the first number10
enter the second number5
enter the third number25
25 is greater
```

```
Process finished with exit code 0
```

Program :11

Aim: Accept a file name from user and print extension of that.

Source Code:

```
file=input("INPUT FILENAME:")  
fext=file.split(".")  
print(fext)  
print(fext[-1])
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/11.py  
INPUT FILENAME:program.py  
['program', 'py']  
py  
  
Process finished with exit code 0  
|
```

Program :12

Aim: Create a list of colors from comma-separated color names entered by user. Display first and last colors.

Source Code:

```
color=input("ENTER COLORS SEPERATED BY COMAS:")  
co_list=color.split(',')  
print(co_list)  
print("FIRST COLOR:",co_list[0])  
print("LAST COLOR:",co_list[-1])
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/12.py  
ENTER COLORS SEPERATED BY COMAS:red,blue,green,yellow  
['red', 'blue', 'green', 'yellow']  
FIRST COLOR: red  
LAST COLOR: yellow  
  
Process finished with exit code 0
```

Program :13

Aim: Accept an integer n and compute $n+nn+nnn$.

Source Code:

```
n = int(input("enter the number"))  
  
print(n+n*n+n*n*n)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/13.py  
enter the number5  
155  
  
Process finished with exit code 0
```

Program :14

Aim: Print out all colors from color-list1 not contained in color-list2.

Source Code:

```
color_list1 = set(["Black", "Green", "Blue", "White"])
color_list2 = set(["Red", "Orange", "Black", "White"])
print("color-list1 not contained in color-list2 are : ")
print(color_list1.difference(color_list2))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/14.py
color-list1 not contained in color-list2 are :
{'Blue', 'Green'}

Process finished with exit code 0
```

Program :15

Aim: Create a single string separated with space from two strings by swapping the character at position 1.

Source Code:

```
a=str(input("enter the str1"))  
b=str(input("enter the str2"))  
print(a.replace(a[0],b[0])+' '+b.replace(b[0],a[0]))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/15.py  
enter the str1welcome  
enter the str2hello  
helcome wello  
  
Process finished with exit code 0
```

Program :16

Aim: Sort dictionary in ascending and descending order.

Source Code:

```
fruits = {'Apple': 2, 'Orange': 14, 'Pinapple': 31, 'Watermelon': 61, 'Grapes': 10}

l=list(fruits.items())

l.sort()

print('Ascending order is : ', l)

l=list(fruits.items())

l.sort(reverse=True)

print('Descending order is : ', l)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/16.py
Ascending order is : [('Apple', 2), ('Grapes', 10), ('Orange', 14), ('Pinapple', 31), ('Watermelon', 61)]
Descending order is : [('Watermelon', 61), ('Pinapple', 31), ('Orange', 14), ('Grapes', 10), ('Apple', 2)]

Process finished with exit code 0
```

Program :17

Aim: Merge two dictionaries.

Source Code:

```
dict1={1:"apple",2:"orange",3:"banana"}
```

```
dict2={4:"plum",5:"cherry"}
```

```
dict1.update(dict2)
```

```
print(dict1)
```

Output :

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/17.py  
{1: 'apple', 2: 'orange', 3: 'banana', 4: 'plum', 5: 'cherry'}
```

```
Process finished with exit code 0
```


Program :18

Aim: Find gcd of 2 numbers.

Source Code:

```
import math

a = int(input("Enter number a : "))

b = int(input("Enter number b : "))

print("GCD of", a, "and", b, "is", math.gcd(a, b))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/18.py
Enter number a : 10
Enter number b : 20
GCD of 10 and 20 is 10

Process finished with exit code 0
```

Program :19

Aim: From a list of integers, create a list removing even numbers.

Source Code:

```
list1=[1,2,3,4,5,6,7,8,9,10]
```

```
for i in list1:
```

```
    if i % 2==0 :
```

```
        list1.remove(i)
```

```
print(list1)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/19.py  
[1, 3, 5, 7, 9]
```

```
Process finished with exit code 0
```

Program :20

Aim: Program to find the factorial of a number

Source Code:

```
n=int(input("Enter the number"))  
  
fact=1  
  
for i in range(1,n+1):  
  
    fact=fact*i  
  
print(n,"! =",fact)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/20.py  
Enter the number5  
5 ! = 120  
  
Process finished with exit code 0
```

Program :21

Aim: Generate Fibonacci series of N terms

Source Code:

```
n=int(input("Enter the number"))  
fib=0  
print("Fibonacci SERIES:")  
for i in range(0,n+1):  
    fib=fib+i  
    print(fib)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/21.py  
Enter the number5  
Fibonacci SERIES:  
0  
1  
3  
6  
10  
15  
  
Process finished with exit code 0
```

Program :22

Aim: Find the sum of all items in a list

Source Code:

```
a=[32,322,234,46,7,6]  
print(sum(a))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/22.py  
647  
  
Process finished with exit code 0
```

Program :23

Aim: Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.

Source Code:

```
lower = int(input("Enter lower limit:"))  
upper = int(input("Enter upper limit:"))  
list = [i for i in range(lower, upper+1) if i**.5 == int(i**.5)]  
print(list)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/23.py  
Enter lower limit:5  
Enter upper limit:25  
[9, 16, 25]  
  
Process finished with exit code 0  
|
```

Program :24

Aim: Display the given pyramid with step number accepted from user.

Eg: N=4

```
1
2 4
3 6 9
4 8 12 16
```

Source Code:

```
n=4
for i in range(1,n+1):
    for j in range(1,i+1):
        print(i*j,end=" ")
    print("")
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/24.py
1
2 4
3 6 9
4 8 12 16

Process finished with exit code 0
```

Program :25

Aim: Count the number of characters (character frequency) in a string.

Source Code:

```
list="Web programming using php"
newlist=[i for i in list.casefold()]
dict={ }.fromkeys(newlist,0)
for i in list.casefold():
    if i in dict:
        dict[i]=dict[i]+1
print(list)
print(dict)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/25.py
Web programming using php
{'w': 1, 'e': 1, 'b': 1, ' ': 3, 'p': 3, 'r': 2, 'o': 1, 'g': 3, 'a': 1, 'n': 2, 'i': 2, 'n': 2, 'u': 1, 's': 1, 'h': 1}
Process finished with exit code 0
```


Program :26

Aim: Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'

Source Code:

```
n=input("Enter a string")
if n[len(n)-3:]!="ing" :
    print(n+"ing")
else:
    print(n+"ly")
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/26.py
Enter a stringstring
stringly

Process finished with exit code 0
|
```

Program :27

Aim: Accept a list of words and return length of longest word.

Source Code:

```
list=["Hello","World","programming","python","data structure"]  
  
print(list)  
  
a=0  
  
for i in list:  
  
    a=len(i)if len(i)>a else a  
  
print(a)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/27.py  
['Hello', 'World', 'programming', 'python', 'data structure']  
14  
  
Process finished with exit code 0
```

Program :28

Aim: Construct following pattern using nested loop

```
*  
  
* *  
  
* * *  
  
* * * *  
  
* * * * *  
  
* * * *  
  
* * *  
  
* *  
  
*
```

Source Code:

```
n=5;  
  
for i in range(n):  
  
    for j in range(i):  
  
        print ('* ', end="")  
  
    print("")  
  
for i in range(n,0,-1):  
  
    for j in range(i):  
  
        print('* ', end="")  
  
    print("")
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/28.py

*
* *
* * *
* * * *
* * * * *
* * * *
* * *
* *
*

```

Process finished with exit code 0

Program :29

Aim: Generate all factors of a number.

Source Code:

```
num = int(input("Enter the number:"))  
list = [i for i in range(1, num+1)if num % i == 0]  
print("factors of number=", list)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/29.py  
Enter the number:5  
factors of number= [1, 5]  
  
Process finished with exit code 0
```

Program :30

Aim: Write lambda functions to find area of square, rectangle and triangle.

Source Code:

```
print("Area of rectangle")
l=int(input("length"))
b=int(input("breadth"))
c=lambda x,y: x*y
print("Area of rectangle:"+str(c(l,b)))
print("Area of square")
s=int(input("side of square"))
c=lambda x: x*x
print("Area of Square:"+str(c(s)))
print("Area of triangle")
l=int(input("base"))
b=int(input("height"))
c=lambda x,y: .5*x*y
print("Area of Square:"+str(c(l,b)))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/30.py
Area of rectangle
length4
breadth3
Area of rectangle:12
Area of square
side of square4
Area of Square:16
Area of triangle
base2
height4
Area of Square:4.0

Process finished with exit code 0
```

Program :31

Aim: Work with built-in packages

Source Code:

```
import statistics

print("The value of pi is", math.pi)

seconds = time.time()

print("Seconds since epoch (the point where time begins). =", seconds)

li = [1, 2, 3, 3, 2, 2, 2]

print("The average of list values is : ", end="")

print(statistics.mean(li))

local_time = time.ctime(seconds)

print("Local time:", local_time)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/built.py
The value of pi is 3.141592653589793
Seconds since epoch (the point where time begins). = 1674193860.403376
The average of list values is : 2.142857142857143
Local time: Fri Jan 20 11:21:00 2023

Process finished with exit code 0
```

Program :32

Aim: Create a package graphics with modules rectangle, circle and sub-package 3D-graphics with modules cuboid and sphere. Include methods to find area and perimeter of respective figures in each module. Write programs that finds area and perimeter of figures by different importing statements. (Include selective import of modules and import * statements)

Source Code:**graphpack.py**

```
from graphics.dgraphics import cuboid,sphere
```

```
r=int(input("Enter the radius of circle:"))
```

```
circle.areac(r)
```

```
circle.peric(r)
```

```
l=int(input("Enter the length of rectangle:"))
```

```
b=int(input("Enter the breadth of rectangle:"))
```

```
rectangle.arear(l,b)
```

```
rectangle.perir(l,b)
```

```
l1=int(input("Enter the length of cuboid:"))
```

```
b1=int(input("Enter the breadth of cuboid:"))
```

```
h1=int(input("Enter the height of cuboid:"))
```

```
cuboid.areacub(l1,b1,h1)
```

```
cuboid.pericub(l1,b1,h1)
```

```
r1=int(input("Enter the radius of sphere:"))
```

```
sphere.areas(r1)
```

```
sphere.peris(r1)
```

graphics**circle.py**

```
def arear(l,b):
```



```
a=l*b  
  
print("Area of Rectangle is:",a)  
  
def perir(l,b):  
  
    p=2*(l+b)  
  
    print("Area of Rectangle is:",p)
```

rectangle.py

```
def arear(l,b):  
  
    a=l*b  
  
    print("Area of Rectangle is:",a)  
  
def perir(l,b):  
  
    p=2*(l+b)  
  
    print("Area of Rectangle is:",p)
```

cuboid.py

```
def areacub(l,b,h):  
  
    a = 2*((l*b) + (b*h) + (h*  
  
    print("Area of Cuboid is:", a)  
  
def pericub(l,b,h):  
  
    p = 4*(l+b+h)  
  
    print("Perimeter of Cuboid is:", p)
```

Sphere.py

```
def areas(r):  
  
    a = 4*3.14*r*r  
  
    print("Area of Sphere is:", a)  
  
def peris(r):
```

```
p = 6.2832*r  
print("Perimeter of Sphere is:", p)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/graphpack.py  
Enter the radius of circle:4  
Area of Circle is: 50.24  
Perimeter of Circle is: 25.12  
Enter the length of rectangle:3  
Enter the breadth of rectangle:4  
Area of Rectangle is: 12  
Area of Rectangle is: 14  
Enter the length of cuboid:4  
Enter the breadth of cuboid:3  
Enter the height of cuboid:5  
Area of Cuboid is: 94  
Perimeter of Cuboid is: 48  
Enter the radius of sphere:6  
Area of Sphere is: 452.15999999999997  
Perimeter of Sphere is: 37.6992  
  
Process finished with exit code 0  
|
```

Program :33

Aim: Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area.

Source Code:

```
class rect:

    def __init__(self,l,b):

        self.a1=l

        self.a2=b

    def area(self):

        self.m=self.a1*self.a2

    def peri(self):

        self.n=2*(self.a1 + self.a2)

    def disp(self):

        print("Area of rectangle:", self.m)

        print("Perimeter of rectangle:", self.n)

    def compare(self,obj2):

        if self.m == obj2.m:

            print("Areas are equal")

        elif self.m > obj2.m:

            print("Area1 is greater than Area2")

        else:

            print("Area2 is greater than Area1")

l1=int(input("Enter length1:"))

b1=int(input("Enter breadth1:"))

l2=int(input("Enter length2:"))

b2=int(input("Enter breadth2:"))
```

```
obj1=rect(l1,b1)
obj2=rect(l2,b2)
obj1.area()
obj1.peri()
obj2.area()
obj2.peri()
obj1.disp()
obj2.disp()
obj1.compare(obj2)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/32.py
Enter length1:3
Enter breadth1:4
Enter length2:4
Enter breadth2:5
Area of rectangle: 12
Perimeter of rectangle: 14
Area of rectangle: 20
Perimeter of rectangle: 18
Area2 is greater than Area1

Process finished with exit code 0
|
```

Program :34

Aim: Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.

Source Code:

```
class bank:
```

```
    def __init__(self,a,n,t,b):
```

```
        self.ac = a
```

```
        self.name = n
```

```
        self.type = t
```

```
        self.bal = b
```

```
    def depo(self,a1):
```

```
        self.bal += a1
```

```
        print("Balance:",self.bal)
```

```
    def widthdraw(self,a2):
```

```
        if self.bal<a2:
```

```
            print("Invalid")
```

```
        else:
```

```
            self.bal -= a2
```

```
            print("Balance:",self.bal)
```

```
    def disp(self):
```

```
        print("Acc No:",self.ac)
```

```
        print("Name:", self.name)
```

```
        print("Acc Type:", self.type)
```

```
        print("Acc Balance:", self.bal)
```

```
a = int(input("Enter acc no:"))
```

```
n = input("Enter name:")
```

```
t = input("Enter acc type:")
b = int(input("Enter balance:"))
obj1 = bank(a, n, t, b)
obj1.disp()
a1 = int(input("Enter the amount to deposite:"))
obj1.depo(a1)
a2 = int(input("Enter the amount to widthdraw:"))
obj1.widthdraw(a2)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/33.py
Enter acc no:123456789
Enter name:kishor
Enter acc type:savings
Enter balance:2500
Acc No: 123456789
Name: kishor
Acc Type: savings
Acc Balance: 2500
Enter the amount to deposit:200
Balance: 2700
Enter the amount to widthdraw:700
Balance: 2000

Process finished with exit code 0
```

Program :35

Aim: Create a class Rectangle with private attributes length and width. Overload '<' operator to compare the area of 2 rectangles.

Source Code:

```
class Rectangle:

    def __init__(self, l, b):

        self._l1 = l

        self._b1 = b

    def area(self):

        area1 = self._l1 * self._b1

        return area1

    def __lt__(self, obj):

        if (self.area() < obj.area()):

            return "The area of Rectangle1 is less than Rectangle2"

        else:

            return "The area of Rectangle2 is less than Rectangle1"

print("RECTANGLE 1")

l = int(input("Enter the length of rectangle1:"))

b = int(input("Enter the breadth of rectangle1:"))

obj1 = Rectangle(l,b)

print("The area is:")

print(obj1.area())

print("RECTANGLE 2")

l=int(input("Enter the length of rectangle2:"))

b=int(input("Enter the breadth of rectangle3:"))

obj2 = Rectangle(l,b)
```

```
print("The area is:")  
print(obj2.area())  
print("Now Comparing The Rectangles")  
print(obj1 < obj2)
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/34.py  
RECTANGLE 1  
Enter the length of rectangle1:3  
Enter the breadth of rectangle1:4  
The area is:  
12  
RECTANGLE 2  
Enter the length of rectangle2:4  
Enter the breadth of rectangle3:4  
The area is:  
16  
Now Comparing The Rectangles  
The area of Rectangle1 is less than Rectangle2  
  
Process finished with exit code 0  
.
```


Program :36

Aim: Create a class Time with private attributes hour, minute and second. Overload '+' operator to find sum of 2 time.

Source Code:

```
class Time:

    def __init__(self, h, m, s):

        self._h1 = h

        self._m1 = m

        self._s1 = s

    def __add__(self, x):

        sum1 = self._h1 + x._h1

        sum2 = self._m1 + x._m1

        sum3 = self._s1 + x._s1

        if sum3 >= 60:

            sum3 = sum3 - 60

            sum2 =sum2 + 1

        if sum2 >= 60:

            sum2 = sum2 - 60

            sum1 = sum1 + 1

        print(sum1, ":", sum2, ":", sum3);

print("TIME 1")

h1 = int(input("Enter the hour in time1:"))

m1 = int(input("Enter the minute in time1:"))

s1 = int(input("Enter the second in time1:"))

obj1 = Time(h1, m1, s1)

print("TIME 2")
```

```
h2 = int(input("Enter the hour in time2:"))
m2 = int(input("Enter the minute in time2:"))
s2 = int(input("Enter the second in time2:"))
obj2 = Time(h2, m2, s2)
print("The sum of both time are:")
obj1 + obj2
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/35.py
TIME 1
Enter the hour in time1:2
Enter the minute in time1:15
Enter the second in time1:2
TIME 2
Enter the hour in time2:3
Enter the minute in time2:15
Enter the second in time2:22
The sum of both time are:
5 : 30 : 24

Process finished with exit code 0
|
```

Program :37

Aim: Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no_of_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding.

Source Code:

```
class Publisher:

    def __init__(self,name1):

        self.name=name1

    def show(self):

        pass

class Book(Publisher):

    def __init__(self,title1,author1,name1):

        self.title=title1

        self.author=author1

        Publisher.__init__(self,name1)

    def show(self):

        pass

class Python(Book):

    def __init__(self,p,no,title1,author1,name1):

        self.price=p

        self.no_of_pages=no

        Book.__init__(self,title1,author1,name1)

    def show(self):

        print('Book title:',self.title)

        print('Author:',self.author)

        print('Publisher:',self.name)
```

```
print('Price: Rs.',self.price)

print('No of pages:',self.no_of_pages)

P1=Python(700,300,'Programming with Python','GV Rossum','ABC Books')

P1.show()
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/36.py
Book title: Programming with Python
Author: GV Rossum
Publisher: ABC Books
Price: Rs. 700
No of pages: 300

Process finished with exit code 0
```

Program :38

Aim: Write a Python program to read a file line by line and store it into a list.

Source Code:

```
def fread(fname):  
  
    with open(fname) as f:  
  
        c = f.readlines()  
  
    print(c)  
  
fread("demo.txt")
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/37.py  
['Python\n', 'Interpreted high-level language.\n', 'Python is object oriented programming language\n']  
  
Process finished with exit code 0
```

Program :39

Aim: Python program to copy odd lines of one file to other

Source Code:

```
a = open("demo.txt", "r")
b = open("t", "w")
c = a.readlines()
d = len(c)
for i in range(0, d):
    if i % 2 == 0:
        b.write(c[i])
    else:
        pass
b.close()
b = open("t", "r")
e = b.read()
print(e)
a.close()
b.close()
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/38.py
Python
Python is object oriented programming language

Process finished with exit code 0
```

Program :40

Aim: Write a Python program to read each row from a given csv file and print a list of strings.

Source Code:

```
import csv

with open("csv3.csv", newline="") as csvfile:

    d = csv.reader(csvfile, delimiter=',', quotechar='"')

    for i in d:

        print(' '.join(i))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/39.py
ROLLNO,STUDENTNAME,MOOC, COURSE, 1,Date, of, Joining,No:of, Weeks
27,Georgekutty, Biju,Introduction, to, internet, of, things, ,,12, weeks
28,Gokul, Biju,"DBMS,The, Joy, of, Computing, using, Python",,"8, weeks,12, weeks"
29,Gokul, Sali, Rajan,Introduction, to, internet, of, things,,12, weeeeks

Process finished with exit code 0
```

Program :41

Aim: Write a Python program to read specific columns of a given CSV file and print the content of the columns.

Source Code:

```
import csv

with open("csv3.csv", newline="") as csvfile:

    d = csv.DictReader(csvfile)

    print("ROLL NO STUDENT NAME")

    print("-----")

    for i in d:

        print(i['ROLLNO'], i['STUDENTNAME'])
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/40.py
ROLL NO STUDENT NAME
-----
27 Georgekutty Biju
28 Gokul Biju
29 Gokul Sali Rajan

Process finished with exit code 0
```


Program :42

Aim: Write a Python program to write a Python dictionary to a csv file. After writing the CSV file read the CSV file and display the content.

Source Code:

```
import csv

field_name = ['No', 'Company', 'Car Model']

car = [{ 'No': 1, 'Company': 'Ferrari', 'Car Model': 'GH'},
        { 'No': 2, 'Company': 'BMW', 'Car Model': 'X5'},
        { 'No': 3, 'Company': 'Maruti Suzuki', 'Car Model': 'Swift'},
        { 'No': 4, 'Company': 'Audi', 'Car Model': 'RS7'},
        { 'No': 5, 'Company': 'Toyota', 'Car Model': 'Fortuner'}]

with open('b.csv', 'w') as csvfile:

    write = csv.DictWriter(csvfile, fieldnames=field_name)

    write.writeheader()

    write.writerows(car)

with open('b.csv', newline='') as csvfile:

    d = csv.reader(csvfile, delimiter=',')

    for r in d:

        print(', '.join(r))
```

Output:

```
/home/sjcet/.virtualenvs/pythonProject/bin/python /home/sjcet/PycharmProjects/python/41.py
No,Company,Car Model
1,Ferrari,GH
2,BMW,X5
3,Maruti Suzuki,Swift
4,Audi,RS7
5,Toyota,Fortuner

Process finished with exit code 0
```