



TryNex Lifestyle

DEPLOYMENT PIPELINE REPORT

CI/CD workflows, GitHub Actions, Render API, Cloudflare Pages, and rollback strategy

Generated: May 14, 2026 · Confidential · trynexshop.com

Developer pushes to GitHub (replit-sync !' PR !' main)

!" GitHub Actions CI triggered

CI: pnpm install --frozen-lockfile

CI: pnpm run typecheck (tsc --noEmit all packages)

CI: pnpm run build (storefront + API server)

!" CI passes !' merge to main allowed

PARALLEL DEPLOY: Render API + Cloudflare Pages

Render: scripts/render-build.sh !' esbuild !' node dist/index.mjs

Cloudflare Pages: vite build !' dist/ !' CDN deploy

!" Health checks

Render: GET /api/healthz !' 200 required within 30s

Pages: DNS propagation !' Cloudflare routes !' Live

!" LIVE IN PRODUCTION

GITHUB ACTIONS WORKFLOWS

deploy.yml	Triggers on push to main !' deploys Render + Pages in parallel
ci.yml	Runs on every PR: typecheck + build verification
Branch protection	main branch — force push blocked, PR required, CI must pass
Current push target	replit-sync branch (PR to merge into main)
PR URL	github.com/georgelsmith333-hub/trynex-liestyle/pull/new/replit-sync

Service ID	srv-d7b774mdqaus73carp70
Plan	Free tier (spins down after 15min inactivity)
Build command	bash scripts/render-build.sh
Start command	node --enable-source-maps artifacts/api-server/dist/index.mjs
Health check path	/api/healthz
Health check timeout	30 seconds
Auto-deploy	On push to main branch via render.yaml
Deploy hook set	No (can be configured in Render dashboard !' Deploy Hook)

Project name	trynex-lifestyle-shop
Build command	pnpm --filter @workspace/trynex-storefront run build
Build output	artifacts/trynex-storefront/dist/
SPA fallback	dist/404.html = dist/index.html (all unmatched routes)
Rocket Loader	Disabled via data-cfasync="false" on all script tags
Custom domain	trynexshop.com + www.trynexshop.com (Cloudflare DNS)
SSL/TLS	Cloudflare Full (Strict) — end-to-end encryption

- Render: Dashboard !' Deploys tab !' click any previous deploy !' Rollback
- Cloudflare Pages: Dashboard !' Pages !' Deployments !' select previous !' Set as active
- Database: Run reverse migration from lib/db/migrations/ if schema changed

- Git: Revert PR merge commit and push to main !' auto-redeploys
- Replit: Checkpoint system allows rolling back workspace to any checkpoint

NODE_ENV	production	Required
DATABASE_URL	Replit PostgreSQL URL (auto)	Required
DATABASE_URL_MAIN	Neon main connection string	Required for failover
DATABASE_URL_TRYNEX_DB	Neon secondary	Optional
DATABASE_FAILOVER	Neon last-resort	Optional
JWT_SECRET	Customer token signing (32+ chars)	Required
ADMIN_JWT_SECRET	Admin token signing (32+ chars, different)	Required
ADMIN_PASSWORD	Admin panel password	Required
UPSTASH_REDIS_REST_TOKEN	Redis cache token	Recommended
UPSTASH_REDIS_REST_URL	Redis REST endpoint URL	Recommended
R2_ACCOUNT_ID	Cloudflare account ID	Required for uploads
R2_ACCESS_KEY_ID	R2 S3-compatible key	Required for uploads
R2_SECRET_ACCESS_KEY	R2 secret key	Required for uploads
CLOUDFLARE_API_TOKEN	For sitemap pinging + R2 mgmt	Optional
RENDER_API_KEY	For admin deployment panel	Optional
GITHUB_TOKEN	For deployment push from admin	Optional
SMTP_HOST/USER/PASS	Email notifications	Optional
TELEGRAM_BOT_TOKEN	Order alert webhooks	Optional