

Dynamic System Modeling & PID Controller Design for a Molten Salt Microreactor

Sam J. Root

University of Idaho • Idaho Falls Center for Higher Education
Department of Nuclear Engineering and Industrial Management

December 6th, 2023



University of Idaho

Department of Nuclear Engineering
and Industrial Management

Experience

B.S Chemical Engineering (2015-2019) - Michigan Technological University
M.S. Nuclear Engineering (2021-2023) - University of Idaho - NRC Fellow
Modeling and Simulation Intern at Idaho National Lab

Select Publications

Root, S. J., et al., 2023. Thermodynamic analysis on xenon stripping to shorten restart time in molten salt microreactors.

Nuclear Engineering and Design 414, 112606

Root, S. J., et al., 2023. Cyber hardening of nuclear power plants with real-time nuclear reactor operation, 1. preliminary operational testing.

Progress in Nuclear Energy 162, 104742

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

- 1 The Molten Salt Nuclear Battery
- 2 Process Control Engineering
- 3 Reactor Characterization
- 4 Results and Analysis
- 5 Conclusions

1 The Molten Salt Nuclear Battery

2 Process Control Engineering

3 Reactor Characterization

4 Results and Analysis

5 Conclusions

Gen-IV

- Complete re-designs
- Smaller footprint
- Deployability
- Versatility

Molten Salt Reactors

Microreactors

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Gen-IV

Molten Salt Reactors

- High temperature
- Low pressure
- High specific heat

Microreactors

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Gen-IV

Molten Salt Reactors

Microreactors

- Less than 50 MW
- Assembly line manufacturing
- Deliver/installation vs. construction

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis


Conclusions

References

Fuel/Primary Coolant

- Self-Contained liquid fueled molten salt micro-reactor
- 10 year design
- 10 MWth using HALEU UF_4 dissolved in $FLiNaK$
- Natural circulation driven

Control Drums



Simplified schematic drawing of an MSNB

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis


Conclusions

References

Fuel/Primary Coolant

Control Drums

- Criticality is manipulated using axial control drums
- Neutron absorber plate covering cylinders of neutron reflector
- Drums are rotated to point more absorber towards the core to insert negative control reactivity



MsNB Control Drums

Neutronics [3]

- Control drums give a uniform axial and radial flux profile for all reactivity insertions
- Control drum vs. reactivity curve is sinusoidal

Thermal Hydraulics [4]

Process Control

[3] Peterson, J., 8 2019. An analysis of the nuclear characteristics of a molten salt microreactor.
Master's thesis, University of Idaho

[4] Carter, J. P., 2022. Multi-physics investigation of a natural circulation molten salt micro-reactor that utilizes an experimental in-pile device to improve core physics and system thermal-hydraulic performance.
Ph.D. thesis, University of Idaho

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Neutronics [3]

Thermal Hydraulics [4]

- Transient simulations can be reduced to 1D and still correspond to STAR-CCM+
- Stable autonomous load following for relatively small ramp function power demand transients

Process Control

[3] Peterson, J., 8 2019. An analysis of the nuclear characteristics of a molten salt microreactor.
Master's thesis, University of Idaho

[4] Carter, J. P., 2022. Multi-physics investigation of a natural circulation molten salt micro-reactor that utilizes an experimental in-pile device to improve core physics and system thermal-hydraulic performance.
Ph.D. thesis, University of Idaho

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Neutronics [3]

Thermal Hydraulics [4]

Process Control

- Design controller *compliment* the autonomous capabilities provided by the passive feedback mechanisms
- Allow larger faster, more aggressive power changes
- Return MSNB to steady-state operation faster

[3] Peterson, J., 8 2019. An analysis of the nuclear characteristics of a molten salt microreactor. Master's thesis, University of Idaho

[4] Carter, J. P., 2022. Multi-physics investigation of a natural circulation molten salt micro-reactor that utilizes an experimental in-pile device to improve core physics and system thermal-hydraulic performance. Ph.D. thesis, University of Idaho

1 The Molten Salt Nuclear Battery

2 Process Control Engineering

- Control Theory
- Transport Delay Problem

3 Reactor Characterization

4 Results and Analysis

5 Conclusions

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering


Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Control Theory



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery


Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



$$u(t) = \underbrace{K_P e(t)}_{\text{Proportional}} + K_I \underbrace{\int_0^t e(t) dt}_{\text{Integral}} + K_D \underbrace{\frac{de(t)}{dt}}_{\text{Derivative}}$$

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

$$u(t) = \underbrace{K_P e(t)}_{\text{Proportional}} + \underbrace{K_I \int_0^t e(t) dt}_{\text{Integral}} + \underbrace{K_D \frac{de(t)}{dt}}_{\text{Derivative}}$$

Proportional

- Control output is manipulated in proportion to the error defined by the proportional gain constant
- High gain yields an aggressive controller that is prone to overshooting the set-point
- Low gain may result in steady-state offset

Integral

Derivative

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

$$u(t) = \underbrace{K_P e(t)}_{\text{Proportional}} + \underbrace{K_I \int_0^t e(t) dt}_{\text{Integral}} + \underbrace{K_D \frac{de(t)}{dt}}_{\text{Derivative}}$$

Proportional

Integral

- Considers cumulative error to help eliminate steady-state offset
- As the process variable settles around the set-point, the cumulative error approaches a constant value and the effect of the integral controller diminishes.

Derivative

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

$$u(t) = \underbrace{K_P e(t)}_{\text{Proportional}} + \underbrace{K_I \int_0^t e(t) dt}_{\text{Integral}} + \underbrace{K_D \frac{de(t)}{dt}}_{\text{Derivative}}$$

Proportional

Integral

Derivative

- Estimates the time rate of change of the error to dampen overshoot
- Backs-off the proportional response when the process variable rapidly approaches the set-point
- Can be difficult to tune

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering


Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Transport Delay Problem



Simplified block diagram of two primary passive feedback mechanisms in an MSNB

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Doppler broadening

- Resonance peaks lower and broaden with increased temperature
- High kinetic energy of target nucleus introduces more relative uncertainty of the center-of-mass energy [5, Ch. 7]
- More epithermal neutrons absorbed by ^{238}U etc. [6, Ch. 6]

Thermal Expansion

[5] Kerlin, T. W. et al., 2019. Dynamics and Control of Nuclear Reactors. Knoxville, Tennessee: Elsevier Inc

[6] Duderstadt, J. J. et al., 1976. Nuclear Reactor Analysis. New York, NY: Wiley & Sons, first edition

Doppler broadening


Thermal Expansion

- Increased temperature leads to lower heavy metal density and smaller macroscopic fission cross-section at high temperature [3]
- Similar to moderator thinning in LWRs

[3] Peterson, J., 8 2019. An analysis of the nuclear characteristics of a molten salt microreactor. Master's thesis, University of Idaho

Delayed Neutron Precursors

- Most fission events release daughter neutrons *promptly*
- Sometimes, unstable nuclides which decay by neutron emission are produced instead
- $t_{1/2}$ from less than a second to over a minute [7, Ch. 6]



Flowing Fuel

[7] Lamarsh, J. R. et al., 2001. Introduction to Nuclear Engineering. Upper Saddle River, New Jersey: Prentice Hall, third edition

Delayed Neutron Precursors

Flowing Fuel

- Precursors produced near the core exit and long lived precursors may emit their neutrons outside of the core
- These neutrons are effectively lost from the fission chain reaction [5, Ch. 3]
- Larger power transport requires a higher flow rate
- Greater delayed neutron losses
- Negative feedback

[5] Kerlin, T. W. et al., 2019. Dynamics and Control of Nuclear Reactors. Knoxville, Tennessee: Elsevier Inc

Dynamics associated with anticipated transients

- Natural circulation flow mode
- Passive feedback mechanisms
- Transport delays separating heat exchanger and core

Thought Experiment

- Step increase in power demand to a steady-state critical MSNB
- Set-point is instantaneously equal to heat exchanger power consumption
- Ideal controller which produces rapid load following with minimal overshoot

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery


Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions


References



Simplified schematic drawing of a natural circulation MSNB

Main Operational Control Problem - Transport Delay

Immediate Response



Simplified schematic drawing of a natural circulation MSNB

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization


Results and
Analysis

Conclusions

References

Main Operational Control Problem - Transport Delay

Heat Exchanger Perturbation



Simplified schematic drawing of a natural circulation MSNB

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization


Results and
Analysis

Conclusions

References

Main Operational Control Problem - Transport Delay

Core Perturbation



Simplified schematic drawing of a natural circulation MSNB

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery


Process
Control
Engineering

Reactor Char-
acterization


Results and
Analysis

Conclusions

References



Pre-Filter on a step-function



Pre-Filter on a ramp-function

1 The Molten Salt Nuclear Battery


2 Process Control Engineering

3 Reactor Characterization

- Neutronics Modeling
- Process Simulation

4 Results and Analysis

5 Conclusions



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering


Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Neutronics Modeling



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery



Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References



MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Criticality

- Set Pop 1,000,000 500 100 1
- Set Power 1e7 %10MWth

Burn-Up

- Set mcvol 10,000,000
- Set nbuf
- Set printm 1 1e-10
- Set inventory "all"

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Process Simulation

1 The Molten Salt Nuclear Battery

2 Process Control Engineering

3 Reactor Characterization

4 Results and Analysis

- Control-Reactivity Curve
- Controller Tuning
- Demand Response

5 Conclusions

Control-Reactivity Curve

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Controller Tuning

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References

Demand Response

- 1 The Molten Salt Nuclear Battery
- 2 Process Control Engineering
- 3 Reactor Characterization
- 4 Results and Analysis
- 5 Conclusions**

This work and my coursework is being completed under a Graduate Fellowship funded by Nuclear Regulatory Commission (NRC).

This research made use of the resources of the High Performance Computing Center at Idaho National Laboratory, which is supported by the Office of Nuclear Energy of the U.S. Department of Energy and the Nuclear Science User Facilities under Contract No. DE-AC07-05ID14517.



University of Idaho

Department of Nuclear Engineering
and Industrial Management

1. Root, S. J., et al., 2023. Thermodynamic analysis on xenon stripping to shorten restart time in molten salt microreactors. Nuclear Engineering and Design 414, 112606.
2. Root, S. J., et al., 2023. Cyber hardening of nuclear power plants with real-time nuclear reactor operation, 1. preliminary operational testing. Progress in Nuclear Energy 162, 104742.
3. Peterson, J., 8 2019. An analysis of the nuclear characteristics of a molten salt microreactor. Master's thesis, University of Idaho.
4. Carter, J. P., 2022. Multi-physics investigation of a natural circulation molten salt micro-reactor that utilizes an experimental in-pile device to improve core physics and system thermal-hydraulic performance. Ph.D. thesis, University of Idaho.
5. Kerlin, T. W. et al., 2019. Dynamics and Control of Nuclear Reactors. Knoxville, Tennessee: Elsevier Inc.
6. Duderstadt, J. J. et al., 1976. Nuclear Reactor Analysis. New York, NY: Wiley & Sons, first edition.
7. Lamarsh, J. R. et al., 2001. Introduction to Nuclear Engineering. Upper Sadle River, New Jersey: Pretice Hall, third edition.

MSNB
Modeling &
Control

Sam J. Root

The Molten
Salt Nuclear
Battery

Process
Control
Engineering

Reactor Char-
acterization

Results and
Analysis

Conclusions

References