QA Testing

**PharmLabs San Diego** Certificate of Analysis

Sample **Breeze 7-Hydroxymitragynine 200mg Original**

Sample ID **SD261009-012 (138537)** Matrix **Edible**

Tested for **Breeze Botanicals**

Sampled - Received **Oct 09th, 2026** Reported **Oct 16th, 2026**

Analyses executed Unit Mass (g) **0.5** Num. of Servings **4** Serving Size (g) **0.125**

## KTM - Kratom

Analyzed **Oct 13, 2026** | Instrument **HPLC VWD** | Method **SOP-KTM**

The expanded Uncertainty of the Kratom analysis is approximately ±**7.81**% at the 95% Confidence Level

| Analyte | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|---|---|---|---|---|---|---|
| 7-hydroxy Mitragynine (7HMG) | 0.008 | 0.025 | 40.01% | 400.18 | 50.02 | 200.09 |
| MGM-15 (MGM) | 0.018 | 0.054 | ND | ND | ND | ND |
| Mitragynine (MITG) | 0.007 | 0.02 | ND | ND | ND | ND |
| Speciogynine (SPEG) | 0.004 | 0.011 | ND | ND | ND | ND |
| Speciociliatine (SPCL) | 0.235 | 0.713 | ND | ND | ND | ND |

**UI** Unidentified
**ND** Not Detected
**N/A** Not Applicable
**NT** Not Reported
**LOD** Limit of Detection
**LOQ** Limit of Quantification
**<LOQ** Detected
**>ULOL** Above upper limit of linearity
**CFU/g** Colony Forming Units per 1 gram
**TNTC** Too Numerous to Count

PJLA Testing
Acc. #85368

DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368

Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr, Quality Assurance Manager
Fri, 16 Oct 2026 12:03:55 - 0700



PharmWare LABORATORY LIMS & ELN

PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, ecacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.