SYNTHETIC / HYPOTHETICAL TEST MATERIAL

Synthetic local-first presentation pipeline

A hypothetical systems design for evidence-preserving technical talks

S01 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Design the pipeline around evidence

Presentation tools can draft and arrange slides, while scientific review needs exact data mapping, source lineage, and explicit uncertainty.

Test question: Can independent render backends produce the same editable talk without changing the evidence meaning?

SYNTHETIC / HYPOTHETICAL · no empirical performance data

S02 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Separate evidence from presentation layout



Evidence status and source IDs travel beside the rendered deck.

Source manifest + QA check the inputs and rendered output.

S03 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Keep figures deterministic

Figure field	Hypothetical input
Load tier A	120 req/s
Load tier B	240 req/s
Load tier C	360 req/s

These values are synthetic fixture values, not benchmark results. A renderer must preserve the values exactly and label the units.

S04 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Layout intent should survive backend changes

Assertion

One claim per slide

Evidence

Show source and data

Review

Keep caveats visible

SYNTHETIC DESIGN EXAMPLE · no measured results

S05 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Track limitations as structured output

- Unsupported chart type → explicit warning
- Raster-only element → object-level editability report
- Missing source ID → build error
- Unverified evidence → visible pending state
- Provider call → explicit opt-in and cost boundary

S06 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Compare capabilities, not marketing labels

Check	Required evidence
Export	PPTX produced by local command
Editability	Text, shapes, charts inspected in package
Fidelity	Every rendered page reviewed
Lineage	Source IDs preserved in sidecar
Operations	Version, dependencies, external services logged

S07 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

A backend is useful only when its boundary is clear

Local renderer

Repeatable exports without model calls

AI service

Optional drafting, model/provider and cost disclosed

Scientific QA

Stays outside the renderer and checks every output

SYNTHETIC / HYPOTHETICAL ARCHITECTURE

S08 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED

Recommendation for this test

Keep the evidence ledger and chart data in a backend-neutral contract.

Use mature renderers through isolated adapters; promote one only after same-input, editable-object, and visual checks pass.

> **No backend comparison in this fixture establishes research performance.**

S09 · SYNTHETIC / HYPOTHETICAL · E_SYN_01 UNVERIFIED