



&



Integration Requirements



Table of Contents

[Integrations Overview](#)

[Paradox API](#)

[Job Feed](#)

[User Feed](#)

[Location Feed](#)

[Update Candidate: Status Changes](#)

[Interview Alerts \(Scheduling\)](#)

[Appendix](#)

[Field Definitions](#)

[Change Log](#)



Integrations Overview

This document summarizes the API connections needed between Sailpoint's Workday environment and Paradox to support the agreed-upon solution.

Any integration originating from Workday is Sailpoint's build/management responsibility (Workday → Paradox)

Any integration originating from Paradox is Paradox's build/management responsibility (Paradox → Workday)

Scope:

- SSO
- O365
- [User Feed](#)
- [Location Feed](#)
- [Job Feed](#)
- Update candidate (Workday -> Paradox)
- Update candidate (Paradox -> Workday)
- Send interview alert (Workday -> Paradox)
- Put Interview (Paradox -> Workday)
- Update candidate Disposition (Workday -> Paradox)

Paradox API

Documentation: <https://paradox.readme.io/>

Authentication: OAuth

<https://paradox.readme.io/reference/authentication>



Job Feed

Option	Decision
Delivery Method	Private URL
Data Format	XML

Required Fields:

- Job Title
- Job Req ID
- Job Location
 - Country
- Job Description
- Job Apply URL

Recommended Fields:

- Job Location
 - City
 - State
 - Zip Code
- Employment Type
- Employment Status
- Job Category



User Feed

Option	Decision
File Send Frequency	Daily
Delta or Full File	Full
File Encryption	None
File Naming Convention	{ClientName}_Paradox_User_Delta_List_yyy yMMdd_HHmmss.csv

Required Fields:

- Employee ID
- First name
- Last name
- Job title
- Email
- Action*
- User permission

Recommended Fields:

- Country
- Location ID
- Timezone



Location Feed

Option	Decision
File Send Frequency	Weekly
Delta or Full File	Full
File Encryption	None
File Naming Convention	{ClientName}_Paradox_Location_List_YYYYMMdd_hhmmss.csv

Required Fields:

- Location Name
- Location ID
- Country

Recommended Fields:

- Street Address
- Street Address 2
- City
- State/Province/Region
- Zip/Postal Code



Paradox Essential Connector

Direction: Workday → Paradox

Paradox API Documentation: [Create Candidate](#)

Triggers:

#	Trigger / Status Change	Action	Notes	External Value Mapping
1	<i>Review</i>	Updates candidate to ' <i>Candidate Received</i> ' in Paradox	Updates candidate's status in Paradox.	1
2	<i>Recruiter Screen</i>	Updates candidate to ' <i>Invite to Recruiter Screen</i> ' in Paradox	Updates candidate's status in Paradox.	2
3	<i>Manual Interview</i>	Updates candidate to ' <i>Manual Interview</i> ' in Paradox	Updates candidate's status in Paradox.	3
4	<i>Offer</i>	Updates candidate to ' <i>Offer</i> ' in Paradox	Updates candidate's status in Paradox.	4
5	<i>Ready For Hire</i>	Updates candidate to ' <i>Ready For Hire</i> ' in Paradox	Updates candidate's status in Paradox.	5

Sample request payload:

```
{
  "first_name": "John",
  "last_name": "Doe",
  "email": "johndoe@example.com",
  "phone": "+1 703-555-0101",
  "ex_id": 12345,
  "job_application_id": 619124,
  "use_application_id_for_identity": true,
  "job_req_id": 1044,
  "job_title": "Warehouse Operator (Forklift Operator Night Shift)",
  "primary_contact_method": 3,
  "use_paradox_status_map": true,
  "status_map_name": "181",
  "status_map_ex_id": "1789"
}
```

Notes:



- primary_contact_method field values will be derived from the Job Req country:
 - US = 3
 - Other countries = 1
- This integration uses the Paradox BoW essential scheduling connector. Please see the document “Deployment Guide - PDX Essential Scheduling” for configuration steps.



Paradox Disposition Connector

Direction: Workday → Paradox

Paradox API Documentation: [Create Candidate](#)

Triggers:

#	Trigger / Status Change	Action	Notes	External Value Mapping
1	<i>Dispositioned</i>	Updates candidate to ' <i>(Disposition Reason)</i> ' in Paradox	Updates candidate's status in Paradox	Workday disposition reason

Sample request payload:

```
{
  "name": "Eric Scott",
  "phone": "1-408-770-1035",
  "email": "35email@workday.net",
  "job_title": "Multiple Customer Service Career Opportunities!",
  "job_req_id": "E-00001",
  "ex_id": "JOB_APPLICATION-11-262",
  "job_application_id": "JOB_APPLICATION-11-262",
  "job_loc_code": "Chicago",
  "candidate_journey_status": "Disposition:Candidate Withdrew",
  "use_application_id_for_identity": true,
  "candidate_attribute_data": {
    "wd_disposition_reason": "Candidate Withdrew"
  }
}
```

Notes:

- Please see “Deployment Guide - PDX Disposition Connector” for configuration details
- Set schedule of integration to run every 24 hours (typically outside working hours).
- Set Mirror Disposition Reasons to “checked”/true.
- Sailpoint must provide PDX WD team with full list of disposition reasons.



Paradox Enhanced Connector

Direction: Workday → Paradox

Paradox API Documentation: [Send Interview Alerts](#)

Triggers:

#	Trigger / Status Change	Action	External Value Mapping
1	<i>Interview 1</i>	Updates candidate to ' <i>Invite to Interview 1</i> ' in Paradox and sends an interview request	1
2	<i>Interview 2</i>	Updates candidate to ' <i>Invite to Interview 2</i> ' in Paradox and sends an interview request	2
3	<i>Interview 3</i>	Updates candidate to ' <i>Invite to Interview 3</i> ' in Paradox and sends an interview request	3
4	<i>Interview 4</i>	Updates candidate to ' <i>Invite to Interview 4</i> ' in Paradox and sends an interview request	4
5	<i>Interview 5</i>	Updates candidate to ' <i>Invite to Interview 5</i> ' in Paradox and sends an interview request	5
6	<i>Code Signal Interview</i>	Updates candidate to ' <i>Invite to Code Signal Interview</i> ' in Paradox and sends an interview request	6

Sample request payload:

```
{  
  "first_name": "John",  
  "last_name": "Doe",  
  "email": "johndoe@example.com",  
  "phone": "+1 703-555-0101",  
}
```



```

"ex_id": 12345,
"job_application_id": 619124,
"use_application_id_for_identity": true,
"job_req_id": 1044,
"job_title": "Warehouse Operator (Forklift Operator Night Shift)",
"primary_contact_method": 3,
"use_paradox_status_map": true,
"status_map_name": "Workday-Interview-Launch",
"status_map_ex_id": "4",
"action": "interview",
"interview_type": 2,
"interview_duration": 30,
"interviewer_emails": "recruiter@company.com"
}

```

Notes:

- `action`: Hardcoded to “interview”
- See API documentation for `interview_type` values
- This integration uses the Paradox BoW enhanced scheduling connector. Please see the document “Deployment Guide - PDX Enhanced Scheduling” for configuration steps.

Update Candidate: Status Changes (Custom Object in Workday)

Direction: Paradox → Workday

Custom Object Creation Documentation: Paradox Technical Consultant to provide

Triggers:

#	Trigger / Status Change	Action	Notes
---	-------------------------	--------	-------



1	No Availability for Recruiter Screen	Updates candidate to ' No Availability for Recruiter Screen ' in Workday	This status triggers a custom object update in Workday
2	Recruiter Screen Request Expired	Updates candidate to ' Recruiter Screen Request Expired ' in Workday	This status triggers a custom object update in Workday
3	Recruiter Screen Request Canceled	Updates candidate to ' Recruiter Screen Request Canceled ' in Workday	This status triggers a custom object update in Workday
4	Recruiter Screen Scheduled	Updates candidate to ' Recruiter Screen Scheduled ' in Workday	This status triggers a custom object update in Workday
5	Recruiter Screen Canceled	Updates candidate to ' Recruiter Screen Canceled ' in Workday	This status triggers a custom object update in Workday
6	Recruiter Screen Complete	Updates candidate to ' Recruiter Screen Complete ' in Workday	This status triggers a custom object update in Workday
7	No Availability for Interview	Updates candidate to ' No Availability for Interview ' in Workday	This status triggers a custom object update in Workday
8	Interview Request Expired	Updates candidate to ' Interview Request Expired ' in Workday	This status triggers a custom object update in Workday
9	Interview Request Canceled	Updates candidate to ' Interview Request Canceled ' in Workday	This status triggers a custom object update in Workday
10	Interview Scheduled	Updates candidate to ' Interview Scheduled ' in Workday	This status triggers a custom object update in Workday
11	Interview Canceled	Updates candidate to ' Interview Canceled ' in Workday	This status triggers a custom object update in Workday
12	Interview Complete	Updates candidate to ' Interview Complete ' in Workday	This status triggers a custom object update in Workday
13	No Availability for Semi Automated Interview	Updates candidate to ' No Availability for Semi Automated Interview ' in Workday	This status triggers a custom object update in Workday
14	Semi Automated Interview Request Expired	Updates candidate to ' Semi Automated Interview Request Expired ' in Workday	This status triggers a custom object update in Workday
15	Semi Automated Interview Request Canceled	Updates candidate to ' Semi Automated Interview Request Canceled ' in Workday	This status triggers a custom object update in Workday



16	<i>Semi Automated Interview Scheduled</i>	Updates candidate to ' <i>Semi Automated Interview Scheduled</i> ' in Workday	This status triggers a custom object update in Workday
17	<i>Semi Automated Interview Canceled</i>	Updates candidate to ' <i>Semi Automated Interview Canceled</i> ' in Workday	This status triggers a custom object update in Workday
18	<i>Semi Automated Interview Complete</i>	Updates candidate to ' <i>Semi Automated Interview Complete</i> ' in Workday	This status triggers a custom object update in Workday

Notes:

- Sailpoint must provide Paradox with ISU
 - Security Domain - Candidate Data: Job Application
- Sailpoint must provide Paradox with Custom Object ID and Field ID
- See provided PDF "Custom Object Instructions" for custom object setup.

Put Interview Details

Direction: Paradox → Workday

Workday API Documentation: [Put Data](#)

Triggers:

#	Trigger / Status Change	Action	Notes
1	<i>Interview 1 Scheduled</i>	Completes "Schedule Interview" task in Workday	Interviewer(s), Date/Time, Timezone
2	<i>Interview 2 Scheduled</i>	Completes "Schedule Interview" task in Workday	Interviewer(s), Date/Time, Timezone
3	<i>Interview 3 Scheduled</i>	Completes "Schedule Interview" task in Workday	Interviewer(s), Date/Time, Timezone
4	<i>Interview 4 Scheduled</i>	Completes "Schedule Interview" task in Workday	Interviewer(s), Date/Time, Timezone
5	<i>Interview 5 Scheduled</i>	Completes "Schedule Interview" task in Workday	Interviewer(s), Date/Time, Timezone
6	<i>Code Signal Interview Scheduled</i>	Completes "Schedule Interview" task in Workday	Interviewer(s), Date/Time, Timezone



Notes:

- Sailpoint must provide Paradox with ISU
 - Security Domain - Candidate Data: Interview Schedule
 - ISU must have access to schedule interview task in Workday business process. ISU must be part of a user based security group that has assignment to the schedule interview task.

Dynamic Chat to Apply - Workday PUT Candidate

Direction: Paradox → Workday

Paradox API Documentation: Paradox to provide chat to apply setup instructions.

Triggers:

#	Trigger / Status Change	Action	Notes
1	<i>Capture Complete</i>	Creates candidate in 'Review' in Workday	This creates the candidate in Workday after applying through Paradox's chat to apply

Notes:

- Please see "Dynamic Chat to Apply Setup Instructions" for information on ISU setup and more technical detail on integration.



Appendix

Field Definitions

Paradox API Field	Description
ex_id	Workday Candidate ID
job_application_id	Workday JobApplication ID
use_application_id_for_identity	Hardcode to true
use_paradox_status_map	Hardcode to true
status_map_name	
status_map_ex_id	Workday Status ID

Change Log

This section outlines integration changes made during the project after BRD sign-off:

Date	Description of Change

