






BOARD CHARACTERISTICS

Copper layer count:	2	Board thickness:	1.6000 mm
Board overall dimensions:	52.5000 mm x 80.0000 mm		
Min track/spacing:	0.4000 mm / 0.2000 mm	Min hole diameter:	0.3000 mm
Copper finish:	None	Impedance control:	No
Castellated pads:	No	Press-fit pads:	No
Plated board edge:	No	Edge card connectors:	No

George Sleen		
UBC Sailbot		
Sheet:		
File: polaris-imu-pcb.kicad_pcb		
Title: POLARIS IMU		
Size: A5	Date: 2026-04-09	Rev: 0
KiCad E.D.A. 10.0.3		Id: 1/4





BOARD CHARACTERISTICS

Copper layer count:	2	Board thickness:	1.6000 mm
Board overall dimensions:	52.5000 mm x 80.0000 mm		
Min track/spacing:	0.4000 mm / 0.2000 mm	Min hole diameter:	0.3000 mm
Copper finish:	None	Impedance control:	No
Castellated pads:	No	Press-fit pads:	No
Plated board edge:	No	Edge card connectors:	No

George Sleen		
UBC Sailbot		
Sheet:		
File: polaris-imu-pcb.kicad_pcb		
Title: POLARIS IMU		
Size: A5	Date: 2026-04-09	Rev: 0
KiCad E.D.A. 10.0.3		Id: 3/4

