

Hotel Reservation Database System

B103 Databases and Big Data

George Topuria

Github:

Video Demonstration:

1 introduction

1.1 project overview

The main goal of this project is to design and demonstrate a hotel reservation database system using SQL. Hotels have to manage huge amounts of information regarding Rooms guest payments, reservations, services and more, so a well designed database is necessary to keep the information stored efficiently and consistently without extra steps and repetitions.

The hotel reservation database system was made to give a structured and effective way of managing basic hotel operations. This system allows the staff of the hotel to record information about guests, room types, payments and services during their stay.

1.2 project objectives

Our main objectives for this project are to:

Be able to hold hotel reservation data efficiently, and the ease of use to create a smooth list process.

Reduce data duplication, meaning unwanted repetitions of the same data.

Yo manage Rooms bookings, manage guests, and services.

Use SQL to create update insert delete and querying data.

Show joints, aggregations, triggers, stored procedures, constraints, and transactions.

1.3 chosen domain justification

The reason the hotel reservation system was chosen is because it is a realistic business environment with many entities and many relationships. This domain consist of guest, rooms,

bookings, payments and services making it perfect for demonstrating the abilities and functionality of SQL.

2 system design

2.1 main entities/tables


For this project, I made seven tables which will perfectly demonstrate the capabilities of our SQL and eliminate unnecessary repetition.

Guest table, this table stores guests, personal details, such as first and last names, phone numbers, email addresses, and registration dates. Room types table holds data about the room types, such as the name of the room, the description of the room, the base price, and the capacity. The room table holds information about specific rooms, such as room number, floor number, room status, and the room type. The bookings table stores all the information for reservations, such as the customer IDs room, check-in and check-out dates, booking dates, booking statuses, and the total price. The payments table holds information about the payments, such as the booking ID, payment date, amount, payment method, and status. The services table stores hotel services information such as the service name, the description of the service, and the price. And the booking services table holds information about the service ID, the booking ID, the quantity of service used, and the date the service was used.

2.2 ER diagram

This ER diagram shows the main tables, entities attributes, primary and foreign keys used in the hotel reservation database.

This ER diagram was made with dbdiagram.io



2.3 relationship relationships

Here are the relationship relationships shown on the ER diagram:

One guest can make many bookings.

One room type can describe many different hotel rooms.

One hotel room can appear in multiple bookings overtime.

One booking and have multiple payments.

One booking can have multiple services.

One service can be used in multiple bookings.

And the booking services table is there to solve the many to many relationship between bookings and services.

3 normalization and design justification

We have to abide by normalization because it is the specific guideline that helps us avoid repetition and fix errors/anomalies that we would have otherwise

3.1 first normal form

The database definitely satisfies the first normal form because each cell contains one value meaning no column stores. Multiple types of information and all records are identified uniquely through their primary keys.

3.2 second normal form

The database definitely satisfies the second normal form because the non-attributes are completely dependent on their respective primary keys. Guest information room, information booking information and payment information have their own dedicated tables.

3.3 third normal form

The database definitely satisfies the third normal form because non-attributes are not dependent on other non-attributes for example, room, descriptions or room prices are stored in the room types table instead of being duplicated in every room. This improves consistency and help us maintain efficiency without having repetitive information.

4 implementation

4.1 database creation

The database was created using the SQL create payable statement. Each table has his own appropriate primary key and has an established relationship with the foreign keys.

4.2 table creation

The main SQL features that were used to create tables was as follows;

Create table: for creating the table

Primary key: to signify that it is a primary key

Foreign key: to reference a primary key in another table

Not null: to make sure that the value is never null

Unique: to make sure it doesn't match with other units in the table

Check: to make sure that I will cross reference with a given constraint

Default: will signify to show a default message, if not told otherwise

Auto increment: to automatically assign a value that increases by one

Varchar: to be able to create a string limited to a certain number of characters

These are samples from the code being executed. Only the Guests and Bookings tables are displayed because they showcase; foreign keys, primary keys and constraints.

Guest_Id	First_Name	Last_name	Email	Phone_No	Country	Registration_Date
1	Nika	Japaridze	Nika@japar.com	1236769420	Georgia	2026-06-24
2	Gio	Topuria	Gio@topka.com	6767676767	Georgia	2026-06-24
3	Zuka	Mujiri	Zuka@mujir.com	420420420	Georgia	2026-06-24
4	Chelo	Iradze	Chelo@irad.com	60606060	Georgia	2026-06-24

Booking_Id	Guest_Id	Room_Id	Check_In_Date	Check_Out_Date	Booking_Date	Booking_Status	Total_Amount
1	1	1	2026-07-02	2026-07-04	2026-04-01	Pending	100.00
2	2	10	2026-06-02	2026-06-22	2026-02-10	Confirmed	2360.00
3	3	4	2026-04-02	2026-04-08	2026-01-20	Completed	185.00
4	4	5	2026-06-09	2026-06-15	2026-02-01	Cancelled	150.00

4.3 constraints

Some of the constraints used in our database are unique such as guest emails have to be unique, not null for example a room price must be greater than zero, check for for example, a booking check out date must be after the check-in date, varchar for example a booking status is limited to accept values that have been predetermined.

5 sample data

I inserted sample data into the guest room types, hotel rooms, bookings, payments services and booking services tables. The data was inserted in a specific order because of the foreign keys that require records to exist in the first place. For example, guests and room types were inserted because of bookings since bookings depended on already existing guests and Rooms.

The inserted data helps us demonstrate a realistic hotel operation with multiple room, types, guests, services and handling different bookings and payments

6 queries and results

After creating the database and inserting sample data, multiple SQ queries were developed to show data retrieval, filtering, sorting aggregation, and integration through joints

6.1 basic retrieval queries

For example, show all guests or show all hotel rooms or show all bookings.

This table demonstrates a retrieval queries showing all guests by filtering countries. In this case it was asked to show all from Georgia.

```
SELECT *  
  
from Guests  
  
WHERE Country = 'Georgia';
```

Guest_Id	First_Name	Last_name	Email	Phone_No	Country	Registration_Date
1	Nika	Japaridze	Nika@japar.com	1236769420	Georgia	2026-06-24
2	Gio	Topuria	Gio@topka.com	6767676767	Georgia	2026-06-24
3	Zuka	Mujiri	Zuka@muji.com	420420420	Georgia	2026-06-24
4	Chelo	Iradze	Chelo@irad.com	60606060	Georgia	2026-06-24

6.2 fitted queries

For example, show available rooms show guests from Georgia show confirmed bookings,

The table here demonstrates the fitted query retrieving all rooms where the status is “Available”.

```
SELECT *  
  
from hotel_rooms  
  
WHERE Status = 'Available';
```

Room_Id	Room_No	floor	Status	Room_Type_Id
3	112	1	Available	3
6	211	2	Available	6
7	212	2	Available	7
8	310	3	Available	8
9	311	3	Available	9

6.3 short inquiries

For example, room types by price that is descending or show gas alphabetically by their last names

This table demonstrates the shoty queries listing rooms by price descending.

```
select *
```

```
from Room_Types
```

```
Order BY room_Price DESC;
```

Room_Type_Id	Room_Type_Name	Description	Room_Price	Capacity
10	presidencial	biggest suite in the hotel	300.00	7
8	family room	a room with three beds	180.00	4
9	family room	a room with three beds	180.00	4
5	double room	a room with two beds	100.00	2
6	double room	a room with two beds	100.00	2
7	double room	a room with two beds	100.00	2
1	single room	a room with one bed	70.00	1
2	single room	a room with one bed	70.00	1
3	single room	a room with one bed	70.00	1
4	single room	a room with one bed	70.00	1

6.4 aggregation queries

For example count the total revenue or find the most expensive room type or count total guests or calculate the average room prices.

This table demonstrates the aggregation queries listing the total revenue.

```
select SUM(Amount) AS Revenue
```

```
FROM Payments;
```

Revenue
2835.00

6.5 join queries

For example show guest names with their bookings or show guest payment information or show services used in each booking or show bookings with room type and room.

This table demonstrates the join queries creating a table joining the guests and bookings tables; and another table by joining bookings, room and room types.

```
select
Guests.First_Name,
Guests.Last_Name,
bookings.booking_id,
bookings.check_in_date,
bookings.check_out_Date,
bookings.booking_status
From guests
join Bookings
on Guests.Guest_Id = Bookings.Guest_Id;
```

First_Name	Last_Name	booking_id	check_in_date	check_out_Date	booking_status
Nika	Japaridze	1	2026-07-02	2026-07-04	Pending
Gio	Topuria	2	2026-06-02	2026-06-22	Confirmed
Zuka	Mujiri	3	2026-04-02	2026-04-08	Completed
Chelo	Iradze	4	2026-06-09	2026-06-15	Cancelled

Booking_Id	Room_No	Room_Type_Name	Check_In_Date	Check_Out_Date
1	110	single room	2026-07-02	2026-07-04
2	410	presidencial	2026-06-02	2026-06-22
3	113	single room	2026-04-02	2026-04-08
4	210	double room	2026-06-09	2026-06-15

6.6 Grouping and having queries

For example, count bookings by status or revenue by payment method or counting rooms by type or payment methods with revenue greater than 100.’

This table demonstrates the grouping and having queries making a table with booking status and number of bookings with the same status.

Select

booking_status,

count(*) as number_of_bookings

from bookings

group by booking_status;

booking_status	number_of_bookings
Pending	1
Confirmed	1
Completed	1
Cancelled	1

The queries that have been implemented shows that the database was successful at:

Data retrieval

Data filtering

Data sorting

Group analysis

Multi table joints

Data aggregation

The results have shown that the database and the relationships are functioning as intended

7 advanced SQL features

To show furthermore, the capabilities of the database, some advanced SQL concepts were demonstrated.

7.1 stored procedure

The stored procedure is a procedure where getguestbookings retrieves all bookings for a selected guest ID. Stored procedures are useful because they are reusable highly efficient and very modular meaning it can convert to any situation.

```
238 Delimiter ;
239
240 insert into payments
241 (booking_id, payment_Date, amount, method, Payment_status)
242 VALUES
243 (1, '2026-04-02', 50.00, 'Card', TRUE);
244
245 Select * FROM Bookings;
246
247 Call GetGuestBookings(2);
```

7.2 trigger

A trigger is an automatic SQL action that is executed after the insert update or delete. The trigger I have installed makes it so a booking is updated to completed when a payment goes through

successfully, thus it will not have to be changed manually, making it more efficient than having to type it out yourself.

```
225 Delimiter //
```

```
226
```

```
227 CREATE trigger updatebookingafterpayment
```

```
228 after Insert on Payments
```

```
229 for each row
```

```
230 Begin
```

```
231 IF NEW.Payment_Status = TRUE THEN
```

```
232     Update bookings
```

```
233     Set booking_Status = 'Completed'
```

```
234     Where booking_id = NEW.booking_Id;
```

```
235 end if;
```

```
236 end //
```

```
237
```

```
238 Delimiter ;
```

Booking_Id	Guest_Id	Room_Id	Check_In_Date	Check_Out_Date	Booking_Date	Booking_Status	Total_Amount
1	1	1	2026-07-02	2026-07-04	2026-06-01	Completed	100.00
2	2	15	2026-08-02	2026-08-22	2026-02-10	Confirmed	2360.00
3	3	4	2026-04-02	2026-04-18	2026-01-20	Completed	185.00
4	4	5	2026-08-09	2026-08-15	2026-02-01	Cancelled	190.00

7.3 transaction

A transaction is an ACID property, ACID stand, stands for automatically consistently, isolation and durability. The transaction inserts a payment and then updates the related booking status at the same time, if the operation happens to fail, it has the option to be reset to maintain the database consistency.

```
249 START transaction;
```

```
250
```

```
251 insert into payments
```

```
252 (Booking_Id, payment_date, amount, Method, payment_Status)
```

```
253 VALUES
```

```
254 (2, '2026-06-01', 500.00, 'Card', TRUE);
```

```
255
```

```
256 update bookings
```

```
257 set booking_Status = 'completed'
```

```
258 where Booking_id = 2;
```

```
259
```

```
260 Commit;
```

8 challenges and solutions

8.1 foreign key order

One problem, I faced was that bookings could not be inserted before guests and Rooms existed and to figure this out I had to go through multiple errors and inconsistent tables.

The solution for this was to insert parent tables 1st which in this case was guest and room types before inserting my booking table.

8.2 foreign key placement

One of the biggest challenges, I faced was implementing foreign keys in tables, I could not figure out how to implement a foreign key within a different table and how to tell my database to refer to a primary key in a different table.

The solution was with SQL, I had to use refer to make my SQL understand that I was referring to a different primary key.

9 conclusion and future work

9.1 conclusion

The project successfully was able to design and implement a hotel reservation database using the SQL format. It confines within rules such as normalization and demonstrates constraints relationships, queries data, inserts, joints, triggers, stored procedures, and transactions.

The database was capable to support

Payment processing

Booking processing

Room processing

Guest management

Services

And the project was confiding in concepts, such as

Relational database design

Normalization

Key constraints

Foreign and primary keys

SQL queries both basic and advanced

Joints

Triggers

Start procedures

Transactions

With all these demonstrations, the project shows that it could be heavily reliable in a real world scenario.

9.2 future work

For this project to be used in a real life scenario, it would benefit with some enhancements.

Possible improvements could include:

A staff table

Room availability calendar

A loyalty system for the customers

Refund/cancellation logic

Indexes for more efficient searching

A more realistic payment status

These improvements would make the database even more efficient and ready for the real system.

10 reference

Works Cited

Connolly, Thomas, and Carolyn Begg. *GloBal EDITION Database Systems a Practical Approach to Design, Implementation, and Management SIXTH EDITION*.

“Dbdiagram.io - Database Relationship Diagrams Design Tool.” *Dbdiagram.io*, 2026, dbdiagram.io/d/DBMS-6a26d04325fc5bf036ba3be5. Accessed 24 June 2026.

“FREE AI-Enhanced Online MySQL Compiler - for Learning & Practice.” *Sqlfiddle.com*, 2024, sqlfiddle.com/mysql/online-compiler?id=01e99d0c-2cdb-495d-b29b-ceedd95874f5. Accessed 24 June 2026.

Microsoft. “Visual Studio Code.” *Visualstudio.com*, Microsoft, 2025, code.visualstudio.com/.

Oracle. “MySQL.” *Mysql.com*, Oracle, 2024, www.mysql.com/.

Physical Database Design.