DOINGG@UNION.EDU

DOING-LAB-NOTEBOOK

SELF

Contents

Home 9

Research 2026 - 488s and more! 9

Calendar 11

Calendar 11

488 Syllabus 13

Meeting Notes 27

Lab Meeting 10/15/26 29

Lab Meeting: Fall '26, Week 6 31

Lab Meeting 10/8/26 33

Lab Meeting: Fall '26, Week 5 35

Lab Meeting 9/17/26 37

Lab Meeting: Fall '26, Week 2 39

488 Descriptions 40

Lab Meeting 9/10/26 43

Lab Meeting: Fall '26, Week 1 45

488 Descriptions 46

Lab Meeting 7/28/26 49

Lab Meeting: Week 48 51

Lab Meeting 7/21/26 53

Lab Meeting: Week 47 55

Lab Meeting 7/15/26 57

Lab Meeting: Week 46 59

Lab Meeting 7/06/26 61

Lab Meeting: Week 45 63

Lab Meeting 6/29/26 65

Lab Meeting: Week 44 67

Lab Meeting 6/24/26 69

Lab Meeting: Week 43 71

Lab Meeting 6/15/26 73

Lab Meeting: Week 42 75

Weekly Notes 77

GD Week 42 79

GD Weekly Notes: Week 1 of Summer 26 81

Shared/Overall To-do 81

Phylo-learning To-do 81

Bio-xAI To-do 81

GD Week 43 83

GD Weekly Notes: Week 2 of Summer 26 85

Focus/Reading 85

Still in bookeeping mode / To-do / not yet to research notes .. 85

Shared/Overall To-do 85

Functional-learning To-do 85

Phylo-learning To-Do 86

Bio-xAI To-do 86

GD Week 45 87

GD Weekly Notes: Week 3-4 of Summer 26 89

Focus/Reading 89

Collaborations to boot up 89

Shared/Overall To-do 89

Functional-learning To-do 90

Phylo-learning To-Do 90

Bio-xAI To-do 90

GD Week 46 91

GD Weekly Notes: Week 4-5 of Summer 26 93

Focus/Reading 93

Collaborations - progress 93

Shared/Overall To-do 93

Functional-learning To-do 94

Phylo-learning To-Do 94

Bio-xAI To-do 94

GD Week 47 95

GD Weekly Notes: Week 6 of Summer 26 97

Focus/Reading 97

Collaborations - progress 97

Shared/Overall To-do 98

Functional-learning To-do 98

Phylo-learning To-Do 98

Bio-xAI To-do 98

GD Week 48 99

GD Weekly Notes: Week 7 of Summer 26 101

Focus/Reading 101

Collaborations - progress 101

Shared/Overall To-do 102

Functional-learning To-do 102

Phylo-learning To-Do 102

Bio-xAI To-do 102

Misc Notes 103

Onboarding 105

Doing-Comp-Bio Onboarding: updated 9/9/26 107

6 Jupyter Notebook Habits That Make Your Work Easy to Return To 109


6 Jupyter Notebook Habits That Make Your Work Easy to Return To 111

MT proposal 121

SP proposal 127

ES proposal 133

Home



The shared electronic lab notebook of the Doing Comp-Bio Lab.

Research 2026 - 488s and more!

Calendar

Calendar

(read only, edit in Google Calendar)

488 Syllabus

488 Syllabus

- check for updates! (All updated text in this posted version of the syllabus will supersede text from older versions.)

CSC488 - Captsone Project

1 CSC 488: Captsone Project

- Union College, Fall 2026
- Georgia Doing, PhD
- email: doingg@union.edu
- office: Steinmetz 217




Figure 1: Views of Biological Data.

2 COURSE BASICS

- Lab Meeting: Thursday 4:30 am - 5:30 pm
  - Location: ISEC 070
- Office Hours:
  - Location: Steinmetz 217
  - Tuesday 2:00 pm - 3:30 pm
  - Thursday 2:00 pm - 3:30 pm
  - subject to change, check course website for most up-to-date schedule
  - drop-in or schedule a 15 minute slot: https://calendar.app.google/RXiEQa9ZqiR2ETy16
  - by appointment for another time or over zoom

3 OVERVIEW

In CSC-488, you will complete a capstone project that applies your CS knowledge.

3.0.1 Section Topic: Assessing Explainability in Biological Data Mining – Georgia Doing

Mining biological data has been aided by machine learning models that are particularly good at picking up non-linear relationships, mirroring molecular mechanisms like positive and negative feedback loops and threshold effects. We will use post-hoc explainability algorithms to trace mined patterns and determine which result from artifice and which are testable, with the potential to uncover novel biology.

Individual projects with no prerequisites

4 LEARNING OUTCOMES

After successfully completing this course, you will be able to:

1. design and carry out a CS project from problem formulation to solution and evaluation.
   a. formulate and refine research questions related to the section topic and apply appropriate CS methods to address them;
   b. apply theoretical and practical techniques to develop in-depth solutions within a CS subfield; and
   c. analyze and evaluate the effectiveness of your solutions to such problems.

2. communicate technical concepts effectively to CS audiences in both written and oral forms.
    a. read and interpret publications in the relevant sub-field of CS;
    b. present a clear and coherent narrative of a project, including its motivation, methods, and outcomes;
    c. tailor communication style and content to the knowledge level and interests of the intended audience (senior computer science majors and faculty); and
    d. use LaTeX to produce technical documents that meet CS academic standards.

5 COURSEWORK

The course grade is split into two parts, process and products, each part being further broken down into subcategories. You will be graded individually, even if you are working as part of a group project. Link to the rubric. You will receive feedback from your instructor and other CS faculty at various points during the term. This includes a midterm check-in using the rubric following the elevator pitches in Week 4.

5.1 Process:

This encapsulates all the work you do to learn about the subject matter and apply your knowledge to solve the problem.

- See the rubric for details

5.1.1 Project Success (25%):

Your project will be evaluated on how effectively it defines and addresses a meaningful, non-trivial problem in computer science. A successful project will demonstrate thoughtful research design, technical execution, and analysis grounded in the CS literature and methods. Specifically, your work will be assessed based on the following:

1. Problem Definition: You clearly identify and refine a research question that is feasible, relevant to your section's topic, and appropriately scoped.
2. Research Design: You develop a methodology to answer your question, drawing on techniques, tools, or frameworks from prior CS research and literature.
3. Execution and Results: You follow your proposed methodology and produce meaningful results through implementation, experimentation, analysis, or other outcomes appropriate to your project type.

4. Analysis and Evaluation: You critically interpret your results, assess their limitations, and reflect on their implications in the context of your research question and the broader field.
5. Holistic Success: As a whole, your project successfully addresses the problem and demonstrates depth and completeness.

Projects may take many forms, including software prototypes, theoretical contributions, applied systems, or analytical studies.

5.1.2 Habits for Success (25%):

This is a 400-level course that satisfies the College's and the CS department's senior writing requirement. You will demonstrate professionalism and effective work habits throughout the research process: exhibit independence, initiative, and sustained effort in pursuing research goals; manage time and responsibilities effectively; collaborate constructively with others; and reflect on personal growth, setbacks, and learning throughout the project.

Your performance will be evaluated based on how well you demonstrate the following habits for success:

- Show persistence and dedication by making steady progress and maintaining consistent effort throughout the term.
- Approach obstacles independently and creatively, seeking help and resources proactively when needed.
- Apply both technical and theoretical knowledge and skills gained from previous CS courses effectively in your project work.
- Reflect critically on your accomplishments, learning from setbacks, and identifying areas for improvement.
- Actively revise and improve your work through multiple iterations based on feedback.
- Collaborate productively and respectfully with your peers, contributing constructively to group efforts if applicable.
- Attend all scheduled CS seminars to engage fully with the course community and learning opportunities.

These expectations support your growth as a capable and responsible computer scientist ready to tackle complex problems with initiative and intellectual maturity.

5.2 Products:

This encapsulates all the work to communicate what you have done. There are two components of this: two public presentations (20%) and the final report (30%).

5.2.1 Public Presentations:

You will present your work at two main stages of the project:

1. Elevator Pitch (5%):

- When: During CS seminar slot in Week 4
- Duration: 2 minutes for student presentation followed by 2 minutes Q&A.
- Format: Each student will give a short pitch introducing your proposed project, including the research question, its significance, and your initial plan. This will be an individual presentation. This is meant to help you clarify your direction early and get initial feedback from peers and instructors.
- Grading: The elevator pitch will be evaluated based on whether you:
  - present a clear and convincing story about your research question and how you plan to answer it, and
  - organize and deliver your presentation in a way that effectively reaches your intended audience.

2. Preliminary Exam & Showcase (15%):

- When:
  - Review: 20 minutes in Week 9 at a time you schedule
  - Showcase: 60 minutes in Week 10 during CS Seminar
- Format:
  - You will be assigned a CS faculty member different from your CSC 488 instructor to review the progress of your project.
  - You will schedule a meeting time with your faculty examiner and your 488 instructor to occur in Week 9. You are responsible for scheduling this: reach out to your assigned faculty examiner by Week 8 at the latest. Preliminary exam meetings will happen individually, even for group projects, but showcase posters may be common.
  - You will prepare a showcase poster communicating the progress you have made on your project so far. It is expected that your poster draft will contain results and analysis even if they are still preliminary. There are Latex and PPT poster templates available on the CS Thesis webpage.
  - At least 24 hours in advance of your preliminary exam, you will share a complete draft of your showcase poster with your faculty examiner.
  - During the meeting you will begin by briefly sharing (2-3 minutes) your project with the examiner. You can expect that your examiner will have reviewed your poster before your meeting.

  - You and the examiner will discuss your project. You will be asked detailed questions about it. The examiner will provide you with verbal feedback on both the state of the project, but also how you've communicated this in your poster and during the exam meeting.

  - You are expected to take detailed notes on the feedback you received and incorporate it into the final version of your showcase poster.
  - In Week 10 you will publicly present your finalized poster at the CS Seminar.

  - You will be asked to hang your showcase poster in public view in CS spaces around campus, e.g., the 2nd floor Steinmetz Hallway, Crochet, CAP, Pasta, or Olin 107.

- Grading: Your instructor will use both the outcome of your preliminary exam and your final showcase poster to determine your grade for this section based on whether you:

  - communicate a coherent and convincing argument grounded in evidence,
  - clearly present your project, including its methodology, results, and what those results mean,
  - articulate the contribution your project makes to the field or problem domain,
  - organize and deliver your presentation in a way that effectively reaches your intended audience, and
  - make appropriate changes to your poster and communication in response to the feedback you received.

5.2.2 Final Report (30%):

Due Date: Last day of finals week This report will document the complete research process, including background, methodology, results, and reflection. You must use the provided LaTeX template to format your final report. Your final report will be evaluated based on how effectively it does the following:

- tells a coherent and complete story of your project
- clearly states your research question
- explains your methodology in a detailed and understandable way
- clearly presents your results
- provides thoughtful analysis and well-supported conclusions
- uses relevant literature as evidence and context
- articulates the contribution your project makes to the field or problem domain
- organizes your writing in a logical and readable way
- targets the appropriate audience (computer science readers)
- uses appropriate technical writing style
- shows evidence of having been revised and improved through multiple rounds of editing and feedback

Please note: You are required to submit a title, abstract, and the final version of your report for inclusion of completed projects on our Computer Science website.

6 Requirements for Honors in Computer Science

To earn Departmental Honors in Computer Science, you must maintain a minimum 3.3 overall GPA and a 3.3 major GPA AND fulfill these two requirements in CSC 488:

- Grade: Earn an A- or higher in CSC 488 or IDM 488 / IDM 499.
- Oral Public Presentation: Deliver an oral presentation of your capstone project. Note: It has to be an oral presentation. Poster presentations do not qualify.
  - If you are completing your capstone project in Fall or Winter: You must present at the Steinmetz Symposium in the Spring term.
  - If you are completing your capstone project in Spring: Present at a separate, department-scheduled oral presentation during Week 10 of Spring term.

7 Alice P. and Donald C. Loughry (1952) Prize in Computer Science

Each year, the Alice P. and Donald C. Loughry (1952) Prize is awarded to the student who completes the best senior project in Computer Science. Your instructor may choose to nominate a student (or students) from the section for consideration. Nominations are based on the overall quality of your work, including:

- your final written report
- the technical depth and execution of your project
- presentation at preliminary exam with examiner and the extent to which examiner feedback was effectively integrated into the final project.
- final showcase presentation and public oral presentations

Note on Group Projects and Team Awards: If a group project is nominated and selected, the prize is awarded jointly to all team members. In cases where an individual team member's contribution significantly outpaces the rest of the group, the instructor may choose to nominate that specific student rather than the entire team.

8 Honor Code Statement:

Please review the official Union College honor code found here: https://www.union.edu/academic-affairs/honor-code.

In the world of CS research, you are free to build on the work of others, assuming that you appropriately credit them with it. In the case of software created by others, the situation is more complex. The license must permit reuse or derivation of the software for our academic purposes. You are expected to check the licenses of external software and ensure that our use of it is lawful before incorporating it into your project. You are encouraged and expected to (re)use the work that others have done. There are no limitations to the degree to which you can share code or writings with others in the course or collaborate to complete team goals. At the top of every source file or LATEX file, there should be a header comment mentioning all the contributors to the content of the file. If relevant, it should also include citations to all external sources used.

Your elevator pitch, final showcase, and report should contain appropriate citations of scholarly work and an acknowledgment of the work and aid others contributed to allow you to complete the task.

8.1 Generative AI

Understanding how to live and work with digital tools and platforms – from statistical software to data visualization tools to artificial intelligence tools – is an essential skill for all students in this day in age. An important part of using these tools is knowing their limits. Therefore, the use of Generative AI tools isn't allowed under any circumstances for manuscripts or code that is submitted for publication. In general, anything you submit to me for feedback, anything I read, should be from your own mind and be written by your own hand. However, in troubleshooting, I encourage you to use all the tools available to you (and that you are familiar enough with to use efficiently and effectively) to aid your learning. This includes artificial intelligence (AI) copy writing and chatbot tools such as ChatGPT, Humata.ai, DALL-E 2, and others. If you use these tools to generate text or code, you must keep track of what was generated, even if you edit it after, and what you wrote from scratch. If you are unsure of when Generative AI tools are acceptable, please consult with the professor.

Be aware that large language models like ChatGPT reproduce the inaccuracies and biases of the data they are trained on. They can provide you with results that are racist and sexist or simply false. They are also known to "hallucinate," as they synthesize, reassemble, and present information in convincing ways while misrepresenting reality. It is your responsibility to evaluate the factual accuracy and integrity of the products these tools provide.

If you use an AI tool at any point in the development and/or creation of your work for this course – you must include appropriate citations and the acknowledgment below in your Reference list:

Name of publisher/tool producer. (year). Name of AI tool (version date) [Large language model]. You must also include a full transcript of the writing or work produced by the AI tool in an appendix to your work.

Consult the Generative AI citation resources appropriate to the class or discipline. For example: MLA https://style.mla.org/citing-generative-ai/ APA: https://apastyle.apa.org/blog/how-to-cite-chatgpt. Chicago: https://www.chicagomanualofstyle.org/qanda/data/faq/topics/Documentation/faq0422.html. [Choose the appropriate model]

9 You belong here!

The CS Department welcomes individuals of all ages, backgrounds, beliefs, ethnicities, genders, gender identities, gender expressions, national origins, religious affiliations, sexual orientations, ability; and other visible and non-visible differences.

- Our department community is a place where you will be treated with respect and all members of our community are expected to contribute to a respectful, welcoming and inclusive environment for every other member.
- We acknowledge the institutionalized racism that has prevented members of marginalized groups, including black, indigenous, and other people of color (BIPOC), from fully participating in the field of CS.
- We commit to do the utmost to promote equity, inclusion, and diversity in all aspects of our discipline.
- We welcome feedback on issues that we might discuss or ways that our community can be a more just one for all people.

10 Students with Disabilities

Union College's policy is to make reasonable accommodations for qualified individuals with disabilities. If you are a person with a disability and wish to request accommodations to complete your course requirements, please make an appointment with me or stop by during my office hours as soon as possible to discuss your request. All such discussions will remain confidential.

11 COURSE RESOURCES

- Olin 107
- PASTA Lab (ISEC 051+)
- Computer Science Resource room (Steinmetz Hall, 209A)

12 LIBRARY RESOURCES

The library is available to help you with your research needs! Librarians can help you develop research questions, search for and select the best sources for your projects, identify research strategies, evaluate sources, and assist you with creating citations. There are multiple ways for you to contact a librarian. For more information, please see our Ask A Librarian page: https://www.union.edu/schaffer-library/ask-a-librarian.

13 CONTACTING ME OUTSIDE OF CLASS

The best method for contacting me outside of class is to stop by my office during Office Hours or whenever my office door is open. You can also schedule a time with me if my regular office hours don't work. Please contact me via email (doingg@union.edu) and we can arrange a phone or zoom call. I respond to emails as soon as possible, but it may take up to one day to get a response during the term, and longer between terms.

14 ADDITIONAL RESOURCES

Mental Health and Campus Resources

Union College is committed to supporting and advancing the mental health and well-being of our students. During the course of their academic careers, students often experience personal challenges that contribute to barriers in learning, such as drug/alcohol problems, strained relationships, chronic worrying, persistent sadness or loss of interest in enjoyable activities, family conflict, grief and loss, domestic violence, difficulty concentrating, problems with organization, procrastination and/or lack of motivation. Students also sometimes come to college with a history of learning difficulties (e.g., any form of special education), experience difficulties succeeding in a particular subject (e.g., math, reading), or have experienced some form of trauma be it emotional or physical (e.g., head injury). These mental health concerns can lead to diminished academic performance and can interfere with daily life activities. If you or someone you know has a history of mental health concerns or if you are unsure and would like a consultation, a variety of confidential services are available. The Eppler-Wolff Counseling Center provides free counseling and therapy services (including psychiatry) to all enrolled students. Please call (518) 388-6161 or visit the Wicker Wellness Center in person any weekday between 8:30 and 5:00 to schedule an initial contact appointment. Visit the Counseling Center website for more information.

In a crisis situation, or after hours, contact Campus Safety at (518) 388-6911. The National Suicide Prevention hotline also offers a 24-hour hotline at (800) 273-8255.

Any student who faces challenges securing their food or housing and believes this may affect their performance in the course is urged to contact the Dean of Students (dos_office@union.edu) for support or drop into office hours Monday - Friday 8:30 am - 5:00 pm in the Reamer Campus Center room 306. Furthermore, please notify me if you are confortable doing so and I will provide any resources I can. The Union College Persistance Fund can provide financial support in times of unexpected harship to cover needs such as emergency medical expenses not covered by insurance and basic living expenses. Additional sources of supoprt are outlines on the Dean of Students webpage: https://www.union.edu/dean-students .

14.1 ADDENDA

Any community agreed upon additions:

15 TENTATIVE SCHEDULE

- showcase?
- final drafts?

W	TOPIC	Due	Notes
1	Introductions	Onboarding	mtg 9/10
2		Hypothesis/design	9/17
3		Practice Pitches	9/24
4		Elevator Pitches	10/1
5		Revised Design	10/8
6		Draft Introduction	10/15
7		Initial Results	10/22
8		Results/Discussion	10/29
9		Full Draft	11/5
10		Final Report	11/12

Meeting Notes

Lab Meeting 10/15/26

Lab Meeting: Fall '26, Week 6

Oct. 15, 2026

0. Schedule
    - **For remainig weeks of term** set up 1-1 meetings
    - deadlines (tentative): see end of syllabus
1. Workshopping!
    - For Bash: focus on methods
        - see notes and annotated bib
    - For Kenny: focus on design
        - see notes
    - For Jording: focus on data
    - For Mukundan: focus on pitch/intro
        - see intro draft
2. HPC Resources
    - credits approved!
    - need to make an ACCESS aacount: https://access-ci.org/
    - I'll ad dyou to the project

Lab Meeting 10/8/26

Lab Meeting: Fall '26, Week 5

Oct. 8, 2026

0. Elevator pitch feedback
    - results in each of your folders
    - paper copies to hand out
    - feedback for each other?
    - self-reflections, changed plans?
1. Expectations by now.. or **at latest Monday 10/12**
    - the follwoing should be shared with me/each other (via google drive folder) for feedback
        - an annotated bib in progress (see below for expectations)
        - *some kind* of writing, even if notes
        - *some kind* of code, even if prelimiary (preferably jupyter notebook for easy sharing)
2. Schedule
    - **good time for another** 1-1 (or come together) if didn't last week!
    - deadlines (tentative): see end of syllabus
3. Annotated Bibs!
    - what have you read so far?
    - add it to your own zotero lib
    - keep annotated bib in google drive
    - i highly suggesting *printing and marking-up*
    - practice: How to read a scientific paper

- zotero, onboarding
- expectations, meet with a librarian: https://www.union.edu/schaffer-library/ask-a-librarian

Lab Meeting 9/17/26

Lab Meeting: Fall '26, Week 2

Sept. 17, 2026

0. Georgia's TODO

[ ] latex template for write up? [ ] poster? [ ] pitch slides? [ ] NSF application

1. Research questions
   - type into: brainstorming random ideas
   - testable?
   - feasible?
   - pitchable?
     - next week practice with each other
     - start a slide
   - interesting to **you**?
2. Schedule
   - **must** do 1-1 (or come together) if didn't last week!
   - weekly meetings: check calendar, use office hours link or reach out to schedule
   - deadlines (tentative): see end of syllabus
3. Research: Reading
   - what have you read so far?

- add it to your own zotero lib
- keep annotated bib in google drive
- i highly suggesting *printing and marking-up*
- practice: How to read a scientific paper
- zotero, onboarding
- expectations, meet with a librarian: https://www.union.edu/schaffer-library/ask-a-librarian

4. Resources
    - NSF High Performance Computer Cluster: https://allocations.access-ci.org/
    - Union Student Research Grants: https://www.union.edu/undergraduate-research/student-research-grant

488 Descriptions

Fall 2026: Assessing Explainability in Biological Data Mining – Georgia Doing

Mining biological data has been aided by machine learning models that are particularly good at picking up non-linear relationships, mirroring molecular mechanisms like positive and negative feedback loops and threshold effects. We will use post-hoc explainability algorithms to trace mined patterns and determine which result from artifice and which are testable, with the potential to uncover novel biology.

Individual projects with no prerequisites

Winter 2027: Modeling Model Microbes – Georgia Doing

Evolution has led to a diversity of microbes spanning deadly pathogens and therapeutic commensals that share anywhere from 2.5% to 99.9% of their DNA. In the tradition of leveraging well-studied model organisms to uncover biology in novel species, we will use transfer learning neural networks to benchmark how unrelated two microbes may be while still serving as useful models for each other.

Individual projects with no prerequisites

- [random ideas](Fall 2026: Assessing Explainability in Biological Data Mining – Georgia Doing

Mining biological data has been aided by machine learning models that are

particularly good at picking up non-linear relationships, mirroring molecular mechanisms like positive and negative feedback loops and threshold effects. We will use post-hoc explainability algorithms to trace mined patterns and determine which result from artifice and which are testable, with the potential to uncover novel biology.

Individual projects with no prerequisites

Winter 2027: Modeling Model Microbes – Georgia Doing

Evolution has led to a diversity of microbes spanning deadly pathogens and therapeutic commensals that share anywhere from 2.5% to 99.9% of their DNA. In the tradition of leveraging well-studied model organisms to uncover biology in novel species, we will use transfer learning neural networks to benchmark how unrelated two microbes may be while still serving as useful models for each other.

Individual projects with no prerequisites

Lab Meeting 9/10/26

Lab Meeting: Fall '26, Week 1

Sept. 10, 2026

1. Introductions

   - 488
   - independents
   - practica

2. Schedule

   - weekly meetings: check calendar, use office hours link or reach out to schedule
   - deadlines (tentative): see end of syllabus

3. Research: Reading

   - practice: How to read a scientific paper
   - zotero, onboarding
   - expectations, meet with a librarian: https://www.union.edu/schaffer-library/ask-a-librarian

4. Resources

   - NSF High Performance Computer Cluster: https://allocations.access-ci.org/
   - Union Student Research Grants: https://www.union.edu/undergraduate-research/student-research-grant

488 Descriptions

Fall 2026: Assessing Explainability in Biological Data Mining – Georgia Doing

Mining biological data has been aided by machine learning models that are particularly good at picking up non-linear relationships, mirroring molecular mechanisms like positive and negative feedback loops and threshold effects. We will use post-hoc explainability algorithms to trace mined patterns and determine which result from artifice and which are testable, with the potential to uncover novel biology.

Individual projects with no prerequisites

Winter 2027: Modeling Model Microbes – Georgia Doing

Evolution has led to a diversity of microbes spanning deadly pathogens and therapeutic commensals that share anywhere from 2.5% to 99.9% of their DNA. In the tradition of leveraging well-studied model organisms to uncover biology in novel species, we will use transfer learning neural networks to benchmark how unrelated two microbes may be while still serving as useful models for each other.

Individual projects with no prerequisites

- [random ideas](Fall 2026: Assessing Explainability in Biological Data Mining – Georgia Doing

Mining biological data has been aided by machine learning models that are particularly good at picking up non-linear relationships, mirroring molecular mechanisms like positive and negative feedback loops and threshold effects. We will use post-hoc explainability algorithms to trace mined patterns and determine which result from artifice and which are testable, with the potential to uncover novel biology.

Individual projects with no prerequisites

Winter 2027: Modeling Model Microbes – Georgia Doing

Evolution has led to a diversity of microbes spanning deadly pathogens and therapeutic commensals that share anywhere from 2.5% to 99.9% of their DNA. In the tradition of leveraging well-studied model organisms to uncover biology in novel species, we will use transfer learning neural

networks to benchmark how unrelated two microbes may be while still serving as useful models for each other.

Individual projects with no prerequisites

- brainstorming random ideas

Lab Meeting 7/28/26

Lab Meeting: Week 48

July 28, 2026

1. Lab Announcements
   - will need to do write-up
   - submit via google sheet to Office of Undergraduate Research
   - PDF, write-up more like proposal than "notebook"
     - OK if results are different than was originally planned, just write what you did
   - Next week, *last* lab meeting, Friday… time?
   - Pull requests for code review!
2. Project updates
   - Emma: connect gpa to compendia?
   - Seo: filtering?
   - Mukundan: filtering before/after transfer functions?
   - Richard: scripting functions, documentation?
   - Georgia: got a friend to help with samples, still going to try an sequence! (data will come in after, that is ok, it will still be on your grant money, credit you as the projects continue)
3. Flash JC
   - Seo: Shark Teeth
   - Mukundan: eADAGE

Lab Meeting 7/21/26

Lab Meeting: Week 47

July 21, 2026

1. Lab Announcements
   - even if waiting to present at Steinmetz day, will need to do write-up
2. Project updates
   - Seo
   - Emma
   - Mukundan
   - [Richard] (https://colab.research.google.com/drive/1DJebRfwKg-lNibvs9DkEC3AmcALWFsb4?usp=sharing)
   - questions? hurtles? sucessess? next steps?
3. Flash JC
   - slides or notebooks (optional)?
   - overview: 5 min total
     - Title, jounral, publish date, author
     - Most compelling finding (1 or 2 sentence(s))
     - Figure (panel) that convinces you *the most*
     - Background needed to interpret *just that figure*
     - Outstanding questions/concerns/implications
   - Seo: Shark Teeth
   - Richard: next week :)

Lab Meeting 7/15/26

Lab Meeting: Week 46

July 15, 2026

0. Introductions to Berkman lab!
   - summer projects:
     - Emma: Strain (MG1655 vs.) vs Genus level transfer learning
     - Mukundan: Sequence vs Structure based transfer learning (E coli)
     - Seo: Gene-gene networks from DAE weights vs. ShAP values
     - Richard: Quantifying public RNAseq data for more species!
   - all projects working with filtering/quality control of compendia (metadata or data-based)
   - E & S looking at Ecoli endpoints, M using as pre-training data and R comparing to other species
   - contribute to seqADAGE code
   - shared repository of training data sets: google drive folder for now
     - reconcile with Emily's shared folder: duke one drive
     - reconcile with Emily's shared folder: neb one drive
   - will want shared validation measures to compare projects to each other (EcoCyc gene sets)
   - ~$400 x 3 for sequencing this summer
1. Lab Announcements
   - Seminar tomorrow 11:30, Olin 115: **student flash talks**
     - still sign-up slots for the summer?
     - free lunch!
2. Project updates

- Seo
- Emma
- Mukundan
- Richard went yesterday.. remaining questions?
- questions? hurtles? sucessess? next steps?

3. Flash JC
   - slides or notebooks (optional)?
   - overview: 5 min total
     - Title, jounral, publish date, author
     - Most compelling finding (1 or 2 sentence(s))
     - Figure (panel) that convinces you *the most*
     - Background needed to interpret *just that figure*
     - Outstanding questions/concerns/implications
   - Mukundan: iModulonMiner, PLoS Comp Bio 2024
   - Emma: Mito DNA of Dogs, Animals, 2023
   - Seo: Mito DNA of Orca, Genome Research, 2010
   - Richard: next week :)

Lab Meeting 7/06/26

Lab Meeting: Week 45

July 6, 2026

1. Lab Announcements
   - Seminar tomorrow 11:30, Olin 115: **History and grad school..?**
     - think ahead to flash-talks…
     - free lunch!
2. Project updates
   - Seo
   - Emma
   - Mukundan
   - questions? hurtles? sucessess? next steps?
3. Flash JC
   - slides or notebooks (optional)?
   - overview: 5 min total
     - Title, jounral, publish date, author
     - Most compelling finding (1 or 2 sentence(s))
     - Figure (panel) that convinces you *the most*
     - Background needed to interpret *just that figure*
     - Outstanding questions/concerns/implications
   - Emma: ADAGE signature analysis, BMC Bioinformtics 2017
   - Mukundan: AlphaFold, Nature 2021
   - Seo: Ancestry of "Old Tom", Journal of Heredity 2023

Lab Meeting 6/29/26

Lab Meeting: Week 44

June 29, 2026

1. Lab Announcements
    - Seminar tomorrow 11:30, Olin 115: **Project "Speed Dating"**
        - think ahead to flash-talks…
        - free lunch!
    - 'll be around Monday, Tuesday and remote Wed, Thursday
    - Friday off as "4th" of July
    - schedule 1-1s (tomorrow? next mon/tues?)
2. Project updates
    - note pages to add to notebook site?
    - function t-learning (Mukundan)
    - shap vals (Seo)
    - phylo t-learning (Emma)
    - questions? hurtles? sucessess? next steps?
3. Flash JC
    - slides or notebooks (optional)?
    - overview: 5 min total
        - Title, jounral, publish date, author
        - Most compelling finding (1 or 2 sentence(s))
        - Figure (panel) that convinces you *the most*
        - Background needed to interpret *just that figure*
        - Outstanding questions/concerns/implications

- Emma: ADAGE signature analysis, BMC Bioinformtics 2017
- Mukundan: AlphaFold, Nature 2021
- Seo: Rabbit evolution, Gene 2024

Lab Meeting 6/24/26

Lab Meeting: Week 43

June 24, 2026

1. Lab Announcements
    - schedule 1-1s (tomorrow? next mon/tues?)
    - Seminar tomorrow 11:30, Olin 115: **Kathryn Feller - Seeing and Stabbing: A mantis shrimp journey**
    - also student social committee, other announcements from Matt/Undergrad Research Office?
    - next week's sched
        - lab meeting Monday again
        - I'll be around Monday, Tuesday and remote Wed, Thursday
        - Friday off as "4th" of July
2. Last week's review
    - how did seminars/events go?
    - did "scrum" work/help?
    - logistics working out? (keycards, housing, food, driving/parking)
    - workday hours?
3. Project updates
    - note pages to add to notebook site?
    - function t-learning (Mukundan)
    - shap vals (Seo)
    - questions? hurtles? sucessess? next steps?
4. Flash JC

- overview: 5 min total
  - Title, jounral, publish date, author
  - Most compelling finding (1 or 2 sentence(s))
  - Figure (panel) that convinces you *the most*
  - Background needed to interpret *just that figure*
  - Outstanding questions/concerns/implications
- Emma: ADAGE signature analysis, BMC Bioinformtics 2017
- Mukundan: AlphaFold, Nature 2021
- Seo: Rabbit evolution, Gene 2024

Lab Meeting 6/15/26

Lab Meeting: Week 42

June 15, 2026

1. lab meeting structure (first few weeks)
   - 10-15 mins each for project Q&A
   - maybe walk through notebooks from the previous week, if helpful
   - flash journal club
2. daily scrum - slack
   - home or lab
   - what you'll focus on
     - to know what Qs to expect or work together
     - to avoid doing the same thing
     - to get ideas from each other
   - approx hours
     - to synchronize if helpful
     - to know when to expect Qs or As
3. working notebooks vs. notebook notebooks
   - Medium post on good jupyter nb habits
   - working colab for now - for reproducibility
   - data stored in the same google drive folder should be reproducible across accounts..
   - Union supposed to be getting a compute cluster
   - notebook notebooks can be edited in anything
     - I use VS code with googlde drive desktop synching files

  - could also use colab notebooks, just different ones from working/explorations notebooks
  - could also use online editor that allows md format (eg. Text Edtor google drive app)
  - don't require reading in data?

4. github seqADAGE https://github.com/georgiadoing/seqADAGE
   - fork
   - clone
   - make project folder within `/Py/`
   - we'll start code review in a couple weeks
   - github tutorials
     - maybe try the first..
5. data in google drive folder (for now)
   - later will use Open Science Framework: https://osf.io/
   - maybe this one but maybe a *new* one
   - could create accounts (union email?)
6. Misc.
   - my office key and keycard

Weekly Notes

GD Week 42

GD Weekly Notes: Week 1 of Summer 26

June 15, 2026

Shared/Overall To-do

☐ Implement tuner method in adage class
☐ E coli gene lists for enrichment analyses
☒ Get lab notebook setup
☐ Decide on repo structure
☐ Plan sampling excursion
☒ Key access to CAP/crochet
☒ Schedule lab meetings - update calendar
☒ Group meeting once a week
☐ 1-1 meetings also weekly or as-needed

Phylo-learning To-do

☒ Get DNA sequences into google drive
☐ Get P.a. DNA seq
☐ S aureus gene lists for enrichment analysis
☐ P aeruginosa gene lists for enrichment analysis

Bio-xAI To-do

☐ model to test SHAP tutorial on

☐ colaboration with Josh/Ara

GD Week 43

GD Weekly Notes: Week 2 of Summer 26

June 24, 2026

Focus/Reading

- Joan Didion, *On keeping a notebook*, *Why I write*
- connect to scientific notebooks…?… still working in it

Still in bookeeping mode / To-do / not yet to research notes ..

☐ Connect with Julia Oh (Duke) over Tn-seq project/data collab
☐ Connect with Josh Chuah (BME) over SHAP collab
☐ Connect with Emily and Memo (NEB) over E coli collab
☐ Connect with Carol Weiss (Psychology) over data analytics collab

Shared/Overall To-do

☐ Implement tuner method in adage class
☐ E coli gene lists for enrichment analyses
☐ Decide on repo structure
☐ Plan sampling excursion

Functional-learning To-do

☐ Get P.a. DNA seq

☐ S aureus gene lists for enrichment analysis

Phylo-learning To-Do

☐ P aeruginosa gene lists for enrichment analysis

Bio-xAI To-do

☐ model to test SHAP tutorial on
☐ colaboration with Josh/Ara

GD Week 45

GD Weekly Notes: Week 3-4 of Summer 26

July 6, 2026

Focus/Reading

- out of wifi since last Thurs!

Collaborations to boot up

☐ Connect with Julia Oh (Duke) over Tn-seq project/data collab
☐ Connect with Josh Chuah (BME) over SHAP collab
☐ Connect with Emily and Memo (NEB) over E coli collab
☐ Connect with Carol Weiss (Psychology) over data analytics collab

Shared/Overall To-do

☐ Organize sampling trip
☐ Order reagent(s)
☐ Implement tuner method in adage class
☐ E. coli gene lists for enrichment analyses
☐ Decide on repo structure
☐ Plan sampling excursion

Functional-learning To-do

☐ Get P.a. DNA seq
☐ S. aureus gene lists for enrichment analysis

Phylo-learning To-Do

☐ P. aeruginosa gene lists for enrichment analysis

Bio-xAI To-do

☐ model to test SHAP tutorial on
☐ colaboration with Josh/Ara

GD Week 46

GD Weekly Notes: Week 4-5 of Summer 26

July 15, 2026

Focus/Reading

- generalized linear models and non-parametric difference in mean tests
- enrichment analysis (over-rep, gsea)

Collaborations - progress

☒ Connect with Julia Oh (Duke) over Tn-seq project/data collab

  ☐ move data to stable location

☒ Connect with Josh Chuah (BME) over SHAP collab

  ☐ reconnect in August

☒ Connect with Emily and Memo (NEB) over E coli collab
☒ Connect with Carol Weiss (Psychology) over data analytics collab

  ☐ finish manuscript/figs this week

Shared/Overall To-do

☐ MG1655-only model for Berkman lab
☐ Plan sampling excursion
☐ Order reagent(s)

- ☐ Implement tuner method in adage class
- ☐ E. coli gene lists for enrichment analyses
- ☐ Decide on repo structure

Functional-learning To-do

- ☐ Get P.a. DNA seq
- ☐ S. aureus gene lists for enrichment analysis

Phylo-learning To-Do

- ☐ P. aeruginosa gene lists for enrichment analysis
- ☐ P. aeruginosa gene expression compendium

Bio-xAI To-do

- ☐ model to test SHAP tutorial on (MG1655 only)

GD Week 47

GD Weekly Notes: Week 6 of Summer 26

July 21, 2026

Focus/Reading

- generalized linear models and non-parametric difference in mean tests
  - Data cleaning workbook
  - Data analysis workbook - Poisson
  - Data analysis workbook - Binomial
- enrichment analysis (over-rep, gsea)

Collaborations - progress

☒ Connect with Julia Oh (Duke) over Tn-seq project/data collab

- ☐ move data to stable location

☒ Connect with Josh Chuah (BME) over SHAP collab

- ☐ reconnect in August

☒ Connect with Emily and Memo (NEB) over E coli collab
☒ Connect with Carol Weiss (Psychology) over data analytics collab

- ☐ finish manuscript/figs tonight!
- ☐ meeting tomorrow

Shared/Overall To-do

- ☐ transfer leanring function on seqADAGE
- ☐ MG1655-only model for Berkman lab
- ☐ Plan sampling excursion
- ☐ Order reagent(s)
- ☐ Implement tuner method in adage class
- ☐ E. coli gene lists for enrichment analyses

Functional-learning To-do

- ☐ Get P.a. DNA seq
- ☐ S. aureus gene lists for enrichment analysis

Phylo-learning To-Do

- ☐ P. aeruginosa gene lists for enrichment analysis
- ☐ P. aeruginosa gene expression compendium

Bio-xAI To-do

- ☐ model to test SHAP tutorial on (MG1655 only)

GD Week 48

GD Weekly Notes: Week 7 of Summer 26

July 28, 2026

Focus/Reading

- generalized linear models and non-parametric difference in mean tests
  - Data cleaning workbook
  - Data analysis workbook - Poisson
  - Data analysis workbook - Binomial
- enrichment analysis (over-rep, gsea)

Collaborations - progress

☒ Connect with Julia Oh (Duke) over Tn-seq project/data collab
  ☒ move data to stable location
☒ Connect with Josh Chuah (BME) over SHAP collab
  ☒ reconnect in August
☒ Connect with Emily and Memo (NEB) over E coli collab
☒ Connect with Carol Weiss (Psychology) over data analytics collab
  ☒ finish manuscript/figs tonight!
  ☒ meeting tomorrow
  ☐ another meeting tomorrow

Shared/Overall To-do

- ☐ transfer leanring function on seqADAGE
- ☐ Savable / loadable models
- ☒ MG1655-only model(s) for Berkman lab
- ☒ Plan sampling excursion
- ☐ Order reagent(s)
- ☒ Implement tuner method in adage class
- ☒ Make models savable
- ☐ Ensemble code!
- ☐ E. coli gene lists for enrichment analyses
- ☐ Where to save/upload/share compendia
- ☒ SeqADAGE github push

Functional-learning To-do

- ☐ Get P.a. DNA seq
- ☐ S. aureus gene lists for enrichment analysis

Phylo-learning To-Do

- ☐ P. aeruginosa gene lists for enrichment analysis
- ☐ P. aeruginosa gene expression compendium

Bio-xAI To-do

- ☐ model to test SHAP tutorial on (MG1655 only)

Misc Notes

Onboarding

Doing-Comp-Bio Onboarding: updated 9/9/26

1. Lab members will want to gain access to the following team resources:

   - Zotero libraries
     - Account (use union email)
     - You will maintain an individual library
     - Shared libraries:
       * A good place to start: Doing-Comp-Bio Library
       * Machiine learning "explainability": bio-xAI Library
       * Transfer learning in biology: phylo-transfer-learning Library
       * ML in biology from scholars projects: scholars-proj-s26
     - Desktop app and Browser extension ("Zotero Connector"): https://www.zotero.org/download/
     - Word processor/google docs integration: https://www.zotero.org/support/word_processor_integration
     - Overleaf (latex) integration: https://docs.overleaf.com/integrations-and-add-ons/reference-manager-integrations/zotero
   - Slack / Pumble
     - Union email, check for invitations
     - Reminder unpaid version does not save long term (slack)
     - Channels
     - Expectations for checking, communicating: near daily, but with grace
   - Github
     - Account

  - Relevant repos: https://github.com/georgiadoing?tab=repositories
  - Tutorial (untested): https://docs.github.com/en/get-started/using-github/hello-world
  - Code review: TBD
- Google Drive folder(s)
  - Union email, check for invitations
- Google Calendar
  - Union email, check for invitations
  - Group meetings
  - Individual meetings
  - On campus vs off-campus (in person vs zoom)
- Overleaf for latex: https://www.overleaf.com/
  - use Union email
  - has sharing/commenting functionalities

2. Lab Notebooks
3. Core literature

   - How to read an academic paper
   - Expectations for frequency/depth
   - Library extensions and database access

4. Individual goals / timeline

6 Jupyter Notebook Habits That Make Your Work Easy to Return To

From messy exploration to a record that still makes sense months later

6 Jupyter Notebook Habits That Make Your Work Easy to Return To

From messy exploration to a record that still makes sense months later

Published Mar 07, 2026 · Updated Apr 20, 2026 · Free: No

- PDF version

Here is a situation working in Jupyter Notebooks that many people will recognise.

A colleague messages you asking how a particular calculation was carried out in a study that was worked on six months ago. You know the answer is somewhere in your jupyter notebook.

You open it, confident the logic and information is in there.

Forty minutes later, you are still not sure.

The code ran. The outputs exist. But the reasoning behind the key decisions is gone. Which Clay Volume cutoff did you use and why? Was normalisation applied to the gamma ray data before or after the formation tops were picked? There is a commented-out cell that might be relevant, or might be an abandoned experiment. You can't tell.

Then you start to notice that a cell further down the page has errored as

a variable is not present. After much head scratching you find out it was calculated 5 cells further down.

This is not a messy notebook problem. Messy exploration is normal and expected. This is a documentation problem: the analysis produced a result, but it did not produce a record.

In subsurface work, that distinction carries real weight. Notebooks often sit at the base of interpretations that can feed future decisions, reserve estimates, and machine learning model training pipelines. When someone asks why a decision was made, "I think that was the approach" is not an audit trail. It is a gap.

These six habits don't slow down exploration. They ensure that what comes out of it is traceable, rerunnable, and readable by someone who was not in the room when it was written, including you, six months later.

This article does have a geoscience twist to it, but these habits can be applied to any data science project.

1. Treat the Notebook as a Decision Log, Not a Script

This is the shift that changes everything else.

Most notebooks are written as scripts: a sequence of code cells that produces an output. The problem with a script framing is that it records *what happened,* but not *why*. Code tells you that Gamma Ray values below zero were removed. It doesn't tell you whether that was a deliberate interpretation choice, a quality control step, or a temporary workaround that was never revisited.

A notebook written as a decision log treats every significant step as something that needs to be justified, not just executed.

The practical difference is in how you use markdown cells. Not as labels for the code below them, but as the reasoning that precedes it.

Compare these two approaches to the same step.

Label (not enough):

```
## GR Cleaning
Removing negative values and normalising.
```

Decision log (what you actually need):

```
## GR Curve: Cleaning Decisions
Negative GR values present in 3 wells (n=14 samples total). Spike pattern
and depth distribution consistent with tool noise rather than formation signal.
Excluded prior to any formation-level analysis.

Normalisation: min-max applied rather than z-score. Reason: preserves the
shape of the GR distribution across formations, which matters for the
cross-plot in section 4. Z-score would compress the tails where the
lithological contrast is most visible.
```

The code that follows executes the decision. The markdown records it.

When you return to this notebook in four months, you don't need to reverse-engineer the reasoning from the code. It is written down. When a colleague picks it up, they know not just what was done but why, and under what assumptions.

A useful test: if you cannot write a defensible markdown cell for a step, that is a signal the decision itself needs more thought before you commit it to code.

2. Write the Header Before You Write Any Code

At the start of any notebook, you can save yourself time later on by spending two minutes writing a header cell before writing a single line of code.

```
# Project: Volve Field -- Petrophysical QC
## Notebook: 03_formation_analysis -- Curve Completeness Assessment

**Purpose:**
Assess GR and RHOB curve completeness by formation across the Volve dataset.
Output used to determine viable curve inputs for the lithology classification model.

**Input:**
`data/raw/volve_well_logs.csv`
Source: Volve open dataset, DISKOS export, retrieved 2026-01-15.
Wells in scope: 15/9-F-1, 15/9-F-4, 15/9-F-11 (producers only).

**Assumptions and exclusions:**
Intervals above casing shoe depth excluded (varies by well, see formation tops file).
GR values < 0 treated as noise and removed prior to analysis.
Brent Group subdivisions collapsed to group level due to sparse tops coverage.
```

```
**Output:**
`data/processed/curve_completeness_by_formation.csv`
`outputs/figures/completeness_heatmap.png`

**Last updated:** 2026-02-26 | **Status:** Complete
```

The two sections that matter most in geoscience or data science work are data provenance and assumptions.

Data provenance answers: where did this data come from, when was it obtained, and exactly which subset are you working with. A file path tells you nothing about whether the data came from a live database pull last week or a spreadsheet that was emailed across six months ago. Source and scope belong in the header because they are invisible everywhere else.

Additionally, a file path that resolves on your machine and nowhere else is not provenance. It is a dead end. If the data lives anywhere other than a shared location the next person is guaranteed to have access to, the header needs to explain how to get it:

```
**Input:**
`data/raw/volve_well_logs.csv`
Source: Volve open dataset, DISKOS export, retrieved 2026-01-15.

Wells in scope: 15/9-F-1, 15/9-F-4, 15/9-F-11 (producers only).

Access: Shared project drive at \\server\projects\volve_qc\data\raw\
If unavailable, contact data management or re-export from DISKOS using
the query parameters documented in `docs/data_export_notes.md`.
```


The fields that matter when access is not guaranteed: where the file physically lives or can be retrieved from, who to contact if access is unavailable, how it was originally obtained so it can be re-obtained the same way, and any query parameters or export settings used. A re-export with different settings is not the same dataset, and that distinction will not be obvious to the person picking up the notebook six months later.

Assumptions and exclusions are where the interpretive choices live. Collapsing Brent Group subdivisions is a meaningful geological decision. Excluding above-casing intervals is a meaningful QC decision. Both are defensible. Neither shows up in the code without a comment, and comments are the first thing to disappear during a cleanup. The header cell is

permanent.

A simple status message can inform you and other notebook users whether this is a complete notebook or if it is still a work in progress.

3. Separate Exploration From the Record



Exploration and documentation are not the same activity, and trying to do both in one notebook produces something that serves neither purpose well.

Exploration is nonlinear by nature. You are testing approaches, hitting dead ends, trying variations you will ultimately discard. That process should be unconstrained. A notebook full of experimental cells, abandoned branches, and intermediate print statements is not a problem. It's how analysis actually happens.

The problem comes when that exploratory notebook is also treated as the record. It looks like an analysis. It produces outputs. But the path through it is not a story. It is a session log.

The habit is to maintain two notebooks per project.

The working notebook is where exploration lives. It has no cleanliness requirement. Dead ends stay in. Commented-out experiments stay in. Variable names that only made sense at 2am stay in. It is never shared and never needs to be.

The record notebook is written once you understand the shape of the answer. It tells one story: problem, approach, result. It runs cleanly from top to bottom. Every significant decision has a markdown cell. Outputs are

saved to predictable locations.

A practical signal for when to make the transition: when you can describe the approach out loud, in sequence, without referring to the notebook. If you can't do that yet, you are still likely in exploration territory.

The record notebook is not just a cleaned-up version of the working notebook. It should be written from scratch, with the benefit of already knowing what the analysis is and what functions or code snippets matter from your exploration notebook. That distinction matters. Cleaning up an exploratory notebook tends to preserve its structure while hiding its confusion. Writing the record from scratch produces something that actually reads as intended and can also highlight any issues in your initial analysis.

The record notebook matters even more as AI starts to enter the analysis workflow. A model can help generate interpretations, but someone still has to verify them. And that verification depends on having a clear record of what decisions were made and why. I've written about why verification becomes the hardest problem in technical AI work over on Substack. Link at the end.

4. Name Variables for the Person Who Comes Back

Variable naming is documentation that can't be separated from the code. Unlike comments, it can't be deleted. Unlike markdown cells, it is present on every line that references the object.

The goal isn't descriptive names for their own sake. It's names that carry two pieces of information: what the object contains, and what stage of the workflow it represents.

A stage-prefix convention makes both visible at a glance:

```
raw_logs            # loaded directly from file, unmodified
clean_logs          # nulls removed, depth range trimmed, curves validated
logs_with_vcl       # Vcl appended from a clay volume calculation
train_logs          # subset used for model fitting
test_logs           # held-out subset, not seen during training
```

For model objects, include the algorithm and the target variable:

```
model_rf_lithology        # random forest classifier, predicts lithology class
model_lgbm_permeability   # LightGBM regressor, predicts permeability (mD)
```

The rubric is simple: a name should tell you what it is and where it sits in the workflow. If you can't construct a name that does both, the object itself may not be clearly defined yet. That ambiguity is worth resolving before writing code that depends on it.

One habit that avoids the creeping `df2`, `df3`, `df_final` problem: name the object at creation, not at use. If you plan to rename it later, you will very unlikely rename it later.

5. The Kernel Restart Is Not Optional

Before closing any record notebook, restart the kernel and run all cells from top to bottom. If it doesn't complete cleanly, it is not finished.

The most common notebook failure mode is hidden state: a variable that was defined in an earlier session and no longer exists in the code, a file loaded from a path that no longer resolves, an import that worked once because another library happened to already be in memory. In the current session, everything appears correct. On a different machine, or six months later, it fails silently or not so silently at a cell with no obvious explanation.

The restart-and-run check is the only reliable way to surface these problems before they surface for someone else.

The practical objection is compute time. Some steps are expensive and re-running a full model training pass or reloading a large dataset on every review pass isn't realistic. The pattern that handles this cleanly is to cache intermediate outputs to `data/processed/` and load from cache in subsequent steps. The record notebook reads the cached output rather than re-executing the expensive step. The reproducibility standard still holds: the notebook runs top-to-bottom, deterministically, it just does not re-derive everything from raw data in a single pass.

The distinction worth being clear on: a notebook that produces the same outputs given the same inputs is reproducible, regardless of whether it uses cached intermediates. A notebook that only works when run in a specific order, with specific variables already in memory from a previous session, is neither reproducible nor fast. It is a future debugging problem waiting to surface at the worst possible moment.

6. Apply the Cold Open Test Before Closing

The first five habits are about writing the notebook. This one is about checking whether it actually works without you.

Before treating any record notebook as complete, try this: close it, open it fresh, and ask whether a colleague could follow it without asking you a single question. Not a full peer review. Just a five-minute scan. Can they identify the purpose from the header? Can they locate the key decisions in the markdown? Do they know what to do with the outputs?

If the answer to any of those is no, the notebook is not finished regardless of whether it runs cleanly.

In subsurface work this test has particular weight because notebooks routinely outlive the context in which they were written. A petrophysicist moves to another asset, goes on leave, or leaves the organisation. Six months later someone needs to understand what was done and why, and the only record is the notebook. It has to stand on its own.

A practical checklist to run before marking any record notebook complete:

```
## Notebook Sign-Off Checklist
[ ] Purpose is clear from the header without opening any code cells
[ ] Every significant decision has a markdown explanation, not just code
[ ] Data source and date of extraction are recorded in the header
[ ] Assumptions and exclusions are explicitly stated
[ ] Output file names make their contents obvious without opening them
[ ] Header accurately reflects what the notebook actually does
[ ] Kernel restarted and all cells run top-to-bottom without error
```

The last point on the header is easy to overlook. A header written at the start of a project often doesn't reflect what the notebook became by the end of it. A notebook titled "exploratory curve QC" that ended up producing the formation completeness dataset used in model training is misleading to anyone who encounters it later. Update the header when the scope changes. It takes thirty seconds and it is the first thing anyone reads.

The cold open test is the difference between a notebook that is technically complete and one that is actually usable. In a field where analysis is regularly revisited, audited, or handed over, that gap matters more than it might seem.

One Habit at a Time

These habits compound, but they don't all need to start at once.

If applying all six on your next project feels like too much overhead, start with the header cell. Write it before you write any code. It takes two

minutes, it forces you to state the purpose and the assumptions before you have committed to any of them, and it is still there when you come back to the notebook in three months wondering what it was for.

The goal is not notebooks that look rigorous. It's notebooks that can be explained, re-run, and handed over without a conversation first. A header cell, honest markdown at each decision point, a clean top-to-bottom run, and sixty seconds asking whether a colleague could follow it cold gets you most of the way there without slowing down the exploration that precedes it.

These habits matter even more as AI starts to enter the analysis workflow. When a model generates an interpretation or a processed output, someone still needs to verify it. That verification depends on having a clear record: what data went in, what decisions shaped it, and what the output actually represents. A notebook without that record doesn't just make your own work harder to return to. It makes AI-assisted work harder to trust. I explored this problem directly in a recent piece on Substack — specifically why verification becomes the binding constraint in technical domains, and what that means for how you build and use AI tools.

→ The Jagged Frontier: Why AI Amazes and Frustrates in Equal Measure

MT proposal

Mukundan Thanigaivelan
Georgia Doing, PhD
Union College Undergraduate Research - Summer Research Proposal
01/29/2026

Analyzing Different Transfer Functions for Microbiological Transfer Learning

Framework:

One of the most well-studied microbes in the biological literature is *Escherichia coli*, with over 970,000 genomes available in public databases (Ussery, 2024). However, over 99% of living microbes are unknown in science (Jiao et al., 2021). With the few microbes which are known, many including *S. aureus* are less extensively studied. An approach to attempt to understand these other microbes better is transfer learning, where a machine learning model is first pre-trained on a large dataset (such as the one for *E. coli*) and then fine-tuned with one of these microbes' datasets. However, fine-tuning such a model involves a way to map features from the original, larger dataset to features in the smaller dataset. The means of this mapping is through a transfer function, of which there are many different methods.

Our research attempts to evaluate different transfer functions to align *E. coli* features to *S. aureus* features. The different methods that can be used as transfer functions include *k*-mer mapping with tools such as Salmon (Patro et al., 2015), nucleotide-based alignment with BLAST (Healy, 2007), and a higher level protein-based alignment with models such as AlphaFold (Jumper et al., 2021). Different transfer functions can have varying effects on model performance, and we aim to evaluate these functions on which ones assist in training a better model with *E. coli* providing the pre-training dataset and *S. aureus* providing the fine-tuning dataset.




Figure 1 In this side-by-side box plot, *S. aureus* was mapped to *S. epidermidis* through different transfer learning functions. The first two box plots on the left represent negative control groups, either with random mapping or shuffling the genome. The three box-plots afterward represent *k*-mer mapping, nucleotide alignment, and protein-based mapping, from left to right. The last box plot is a positive control group, where *S. epidermidis* was mapped to its own genome. The three functions each had different effects on the model, as seen with the varying correlation coefficients on the vertical axis.

The side-by-side box plot in Figure 1 resulted from a previous analysis on different transfer functions and mapping *S. aureus* to *S. epidermidis*. In this project, we take this research as a precedent for transfer learning and build off of it to map an *E. coli* dataset to a *S. aureus* dataset. The *E. coli* dataset we will use is ten times larger than the pre-training dataset used in

this previous analysis, with over 20,000 samples total. Also, *E. coli* is more distantly related to *S. aureus* in comparison to this past research, which might reveal new insights about transfer learning performance and phylogenetic distance.

Goals:

This project aims to answer the following research **question**: which transfer function produces the best transfer learning performance when fine-tuning a machine learning model pre-trained on *E. coli* with *S. aureus* data?

In the process of answering our research question, we will learn whether different transfer functions behave differently when fine-tuning on the same dataset. We will also examine whether the phylogenetic distance between the original pre-training microbe and the lesser-studied microbe has an impact on the model performance. Model performance will be assessed using both the model's loss function and intra-operon correlations (as in Figure 1), acting as a proxy to capture biological pathways. Overall, we will also look at whether fine-tuning actually benefits the pre-trained model by increasing performance or detriments it by simply adding random noise.

We introduce the main **hypothesis** in regards to our research question: Utilizing *k*-mer mapping as the transfer function will optimize the transfer learning performance of the model, since it works better with more distantly related organisms unlike nucleotide-based BLAST alignment and predictive protein-level mapping, which might only be best for closely related organisms.

Evaluating different transfer functions for model fine-tuning is a specific part of asking a broader question: will fine-tuning actually benefit or disadvantage the model? In one part, introducing a smaller dataset could help with mapping genes and sequence alignment due to similarities in the pre-training and fine-tuning datasets. However, the new dataset could simply introduce noise into the model, weakening rather than strengthening it. This research hopes to address this higher-level question and investigate deeper into what characterizes different functions and their corresponding models.

The anticipated outcomes of this project include building different neural networks on different transfer functions and analyzing their performance, comparing them, and seeing the overall effect of the phylogenetic distance between the pre-training and fine-tuning microbes. This will build off of previous work done with mapping *S. aureus* to *S. epidermidis* with different functions (Tan et al., 2017), and analysis will be used to make conclusions and extract meaningful insights about transfer learning in microbiology.

Impact:

The field of microbiology has vast potential to grow with the study of many unknown and lesser known microorganisms, and one of the main reasons they are less studied is because so little data is available about these microbes. The more that scientists and researchers know about these microbes, the more research that can be done about applications of these microbes to solve or be better prepared for real-world problems.

We aim to see how using transfer learning, where we harness the power of a large dataset combined with a smaller but phylogenetically related dataset, can help the field understand lesser-known microbes better. If we find that this process yields statistically significant results, then future research can focus on utilizing transfer learning and neural networks to study other microbes based on an already well-studied microbe. The world of "microbial dark matter" still remains mysterious with so many unknown microbes, and we hope that our research will take a step towards a better understanding of this interesting but obscure world (Jiao et al., 2021).

Plan:

The main steps for this project can be split into four main stages: pre-training, evaluation, fine-tuning, and then a final thorough evaluation. The first stage will involve training a Denoising Autoencoder (a type of neural network) from scratch using a large *E. coli* dataset (Tan et al., 2017). To do this, we expect to use the Keras Python package (https://pypi.org/project/keras/) and build off of other tools already developed for *S. aureus* and *S. epidermidis* (https://github.com/georgiadoing/seqADAGE). The second stage, or the first evaluation, will be examining this pre-trained model as a control and assessing its performance, so that comparison can be made to the same model after fine-tuning.

The third part will be fine-tuning the trained model with transfer learning by utilizing different transfer functions discussed earlier. This will be divided into different parts with each using a different transfer function to map *E. coli* features to *S. aureus* features before fine-tuning. Then, the actual fine-tuning will happen, where the model is trained on the smaller dataset. This will produce different neural networks that were trained with different transfer functions for evaluation.

The final part of the project will be evaluation and interpretation. At this stage, we will compare the performance metrics of the pre-trained model only to the transfer learned model to find significant patterns. This evaluation stage will compare both models for *S. aureus* using AureoWiki (https://aureowiki.med.uni-greifswald.de/) to obtain pre-determined genes in existing databases as well as EcoCyc (https://ecocyc.org/) to assess if the model has learned *E. coli* pathways. From this, we will draw correlations and conclusions about each transfer function, its overall impact on a model's quality, and how it relates to the phylogenetic distance from *S. aureus* to *E. coli*. This process will involve pathway enrichment analysis.

Personal Goals:

I believe that this project supports my long-term career goals by allowing me to work extensively with machine learning and genomics. I am especially interested in using different types of machine learning methods in the scientific field to extract newer insights for real-world problems. Especially in using transfer learning in microbiology, there are many challenges since the feature spaces don't match for *E. coli* and the lesser-studied microbe. The genes are different, the gene names don't match, and genomes vary based on the organism. Microbial transfer learning presents a different real-world problem compared to traditional transfer learning, where

models trained on images of cats can be fine-tuned on dogs since the feature spaces are essentially the same—pixels with *x* and *y* coordinates.

Through this research project, I will gain experience with working with neural networks and transfer learning, evaluating different models and how their performance is shaped by input types, and how to conduct independent research and test statistical hypotheses to produce meaningful results. In terms of my professional career, I hope that this project aligns with my long-term goal of applying machine learning techniques in a future career in industry as a machine learning engineer or a data scientist. Overall, I believe that this project will help me develop creative problem-solving skills and experience with machine learning which will help me in pursuing a career in industry. I'm grateful to Professor Georgia Doing for agreeing to advise this project and the Committee on Undergraduate Research for reviewing my research proposal.

References

Healy, M. D. (2007). Using BLAST for Performing Sequence Alignment. *Current Protocols in Human Genetics*. https://doi.org/10.1002/0471142905.hg0608s52

Jiao, J.-Y., Liu, L., Hua, Z.-S., Fang, B.-Z., Zhou, E.-M., Salam, N., Hedlund, B. P., & Li, W.-J. (2021). Microbial dark matter coming to light: challenges and opportunities. *National Science Review*, *8*(3). https://doi.org/10.1093/nsr/nwaa280

Jumper, J., Evans, R., Pritzel, A., & Green, T. (2021). Highly accurate protein structure prediction with AlphaFold. *Nature*, *596*, 12. https://www.nature.com/articles/s41586-021-03819-2

Patro, R., Duggal, G., & Kingsford, C. (2015). Salmon: Accurate, Versatile and Ultrafast Quantification from RNA-seq Data using Lightweight-Alignment. https://doi.org/10.1101/021592

Tan, J., Doing, G., Lewis, K. A., Price, C. E., Chen, K. M., Cady, K. C., Perchuk, B., Laub, M. T., Hogan, D. A., & Greene, C. S. (2017). Unsupervised Extraction of Stable Expression Signatures from Public Compendia with an Ensemble of Neural Networks. *Cell Systems*, *5*(1), 16. PubMed Central.

Ussery, D. (2024). E. coli genomes, big data, and messy biology. *Open Access Government January 2025*, 48-49. https://www.openaccessgovernment.org/article/e-coli-genomes-big-data-and-messy-biology/184909/

SP proposal

Seohyun Park
Professor Georgia Doing
01-29-2026

Biological Evaluation of Black Box Models vs. SHAP

Framework and Impact

Artificial Intelligence (AI) has been increasingly applied to solve complex real-world problems, but where we can produce promising results, explanations are less so simple. In most research fields, machine learning (ML) models like neural networks have caused former methods of analyzing data to fade in popularity in favor of ML's superior ability to uncover complex relationships between inputs and outputs in large-scale datasets.

This new shift of method brings forth new complications and in turn, necessary precautions. Whereas the use of ML makes it easier to discern information from datasets, it lacks the ability to provide an explainable result comprehensible to people. Their "black box" nature is particularly an issue for biological research used in health applications where validation and trust of information is required. To combat this, recent advancements in AI research seeks to decipher the model's internal computations by tracing their decision-making processes to understand the key-features driving its predictions.

In particular, post-hoc methods such as certain explainable AI (xAI) models can be used to extract pivotal features from datasets in an attempt to elude a ML model's black box nature. However, model-interpretation and model-explanation algorithms, like xAI, were developed for image processing and other domains, and remain largely untested with biological data. There are also some common concerns of how xAI methods will handle high-dimensional datasets prone to the "curse of dimensionality," where algorithms struggle with high-dimensional data as the data becomes sparse, requiring exponentially more samples to maintain density and leading to a higher risk of overfitting (where a model learns information strictly applicable to the training data, leading to poor performance in real-world applications) (Oldenburg, Jan, et al. 2024).

This can cause unstable interpretability in the extraction of crucial features, resulting in loss of information when extracted and or a misrepresentation of our results. An issue like this would likely be detrimental to research areas using biological data, especially in medical research, where trust and validation of information as well as replicable results are needed. This

is further complicated by the already complex nature of biological data, adding another layer of "dimensionality" to comprehend.

Thus our research intends to test the effectiveness of the xAI method SHapley Additive exPlanations (SHAP) on biological data, in which in our case, is a compendia of approximately 20,000 samples of *Escherichia coli* (*E. coli*) collected from pre-existing publicly available data deposited up until the year 2025. SHAP analysis is one of the more commonly used xAI methods, and provides a view into the inner workings of black-box ML models through calculating the Shapley values (SHAP values) of each feature individually.

SHAP values are numbers representing the contribution of each feature making up the results, giving us an understanding of what key features are contributing to the reconstruction of our input data. Essentially, SHAP values can be understood as the weighted average of a feature's contribution to all possible outcomes (Ponce‐Bobadilla, Ana Victoria, et al. 2024).

Goals

As SHAP is one of the more preferred xAI methods in most other fields of research due to its superiority in offering detailed, consistent, and actionable insights in their outputs, if we can answer what SHAP's ability to comprehend black box models of biological datasets is, it could help to solve the issue of verification when using black box ML models to process biological data, and possibly allow for better explanation of biological information to be discerned from the dataset's SHAP values as opposed to what would be extracted from our black box model.

Our aim is to answer if there's information to be gained from the SHAP values of our black box that would otherwise not be present. In relation to SHAP's success when applied to datasets of other scientific fields, such as civil engineering and demography, we anticipate SHAP to show similar success when applied to biology.

Plans

To test our hypothesis, we'll build ADAGE models (a denoising autoencoder for gene expression) to use as our black box model, and we'll follow a similar process to most other machine learning workflow consisting of three phases: data preprocessing, model training, and

model evaluation. For our data preprocessing phase, our *E. coli* datasets are largely prepared and require minimal work.

To start training our model, there are necessary choices to be made in our model's hyperparameters. Hyperparameters are a configuration variable set before training a model. They define the model's characteristics, dictating the model's structure and the algorithm's learning process. They affect not only the model's performance and resource requirements, but also the biology the model can pick up. Traditionally, hyperparameters are set manually through a process of trial and error, but progress has been made to automate the process, such as AutoML frameworks, to find the hyperparameters that allow for the best performance in the model – in terms of loss minimization – in a more efficient manner (Khan, Muhammad Salman, et al. 2025).

We plan to use KerasTuner to find the hyperparameters of our model. Tuners, like KerasTuner, choose the parameter combinations based on minimizing loss, however, that does not necessarily mean they pick the parameters that allow for the best biology. Thus after the assessment framework of our model has been set up, there is a possibility of continuing our research by testing the optimal hyperparameters that may allow for more biology to be picked up when using SHAP by incorporating biological evaluations into our tuner's framework.

But for now, a few hyperparameters to be considered for our model is the size of the input data, including what portion of the dataset to allocate for training versus the portion to be reserved for testing our model later. Later, when employing SHAP, we'll also have to decide how to go about masking our data for our model and the manner in which we weigh our SHAP values. Once our hyperparameters are established, we can go about training our model. The training phase in its simplest form is a process of multiplying varying weights to the input vector until it has constructed a model with the least amount of error between the input and the reconstructed output. Once our ADAGE models are constructed and frozen, we can use Python's SHAP package to calculate our SHAP value of each sample for each feature.

For our model evaluation phase, we're testing our models performance in biological evaluation and comparing their results. To do so, we're using the models' weight matrices to compare the gene-gene correlations inside to our pre-defined biologically annotated database, EcoCyc, that shows how the genes should be related to each other. The model with more congruence to the annotated database is the model that performs better in extracting biological information.

Personal Goals

My main priority for this project is to practice using machine learning models effectively, particularly when handling biological data. I plan to pursue a career in computational biology, but I lack relevant experience in regards to the practical applications of the field and would like to start building the necessary frameworks. This opportunity would allow me the chance to work towards my goal in a familiar environment with like-minded people.

Works Cited

Khan, Muhammad Salman, et al. “Comparative Analysis of Automated Machine Learning for Hyperparameter Optimization and Explainable Artificial Intelligence Models.” *IEEE Access*, vol. 13, 2 May 2025, pp. 84966–84991, https://doi.org/10.1109/access.2025.3566427.

Oldenburg, Jan, et al. “XModNN: Explainable Modular Neural Network to Identify Clinical Parameters and Disease Biomarkers in Transcriptomic Datasets.” *Biomolecules*, vol. 14, no. 12, 25 Nov. 2024, p. 1501, https://doi.org/10.3390/biom14121501.

Ponce‐Bobadilla, Ana Victoria, et al. “Practical Guide to SHAP Analysis: Explaining Supervised Machine Learning Model Predictions in Drug Development.” *Clinical and Translational Science*, vol. 17, no. 11, 28 Oct. 2024, https://doi.org/10.1111/cts.70056.


ES proposal

Emma Sullivan
Professor Georgia Doing
January 31, 2026

Transfer Learning At The Strain and Genus Levels

Framework

Humans have long been attempting to elucidate the evolutionary relationships between organisms across all levels of biological classification, including species (more specifically different strains) and genera. One way to achieve this is through the use of phylogenetic trees in which branches are used to track the relationships between organisms (that is to say, which organisms are ancestors of which). According to this organizational technique, strains have shorter branches connecting them to their most recent common ancestor, followed by species and thus genera would have the greatest phylogenetic distance between them.



Previously, this tracking was performed by sequence alignment algorithms comparing DNA, RNA or protein sequences. However, with the rise in computer science and biotechnology, researchers have increasingly been able to investigate questions related to phylogenetic inference with various machine learning techniques.

Machine learning is a sector of artificial intelligence centered around pattern recognition. It involves using one dataset to train algorithms to identify patterns and thus make accurate inferences about a different dataset (Bergmann 2025). An example of machine learning is transfer learning which involves two training phases and an assessment phase. The second training phase is used to fine-tune the algorithm in an attempt to optimize performance before assessment. This can be achieved by training the algorithm on two different sets of data which broadens the encoder's ability to identify patterns in the assessment data.

One technique that can utilize transfer learning is a neural network which is a clustering tool that works by applying filters to the training dataset. The input data is provided to layers of neurons (also known as nodes) which turns on an activation function. The network is then trained

on this input data by adjusting the edge weights between adjacent nodes after evaluating the quality of the output (Tan et al. 2017).

An example of a neural network is an autoencoder which can be trained to reproduce the input data. This is a type of unsupervised learning meaning the data that is used to train the model is unlabeled, placing the focus on identifying patterns within it (Mo, Hahn, and Smith 2024). A denoising autoencoder (DAE) is a specific kind of autoencoder in which the input is obscured with added noise.

Despite neural networks proficiency in discerning information from complex datasets, it remains largely untested on model microbes such as *Escherichia coli (E.coli)* and *Pseudomonas aeruginosa (P. aeruginosa)* despite both having several compendia of their respective gene expression data available publicly. This is partially due to the extent of the performance of machine learning models is unclear, partly due to strain variation. Strain variation refers to changes in genes at the sub-species level which, despite being an important component of understanding the phenotypic variation within a species, inhibits the applicability of gene expression data to an entire species (Lee et al. 2022). Two prevalent disease-causing strains of *E. coli* are *Enteropathogenic E. coli* (EPEC) and *Enterohemorrhagic E. coli* (EHEC) which have increased virulence. These strains are known for their antibiotic-resistance and are also significant causes of mortality, especially in developing countries with less reliable sanitation systems.

Goals

We intend to answer the question: does strain-level transfer learning yield results that are more concordant with biological databases, such as EcoCyc or pseudomonas.com, than species-level and genus-level transfer learning? We will test the accuracy of genus-level transfer learning in DAEs as research at this level of classification has yet to be performed and we already have some unpublished preliminary studies at the species level that suggest its existence (Doing). Of the three levels that we will test, strains are the most genetically similar to each other, followed by species and then genera. Consequently, in our testing of strain-level distances, we hypothesize that transfer learning will produce the most accurate results at the strain-level, then the species level, and the least accurate results at the genus-level. We anticipate that our autoencoder will be able to identify the most statistically significant patterns in the genomes of different strains of the same species. We expect that the DAE-identified patterns will be slightly less accurate when comparing genomes of different, but still closely related, species (in this case, *E. coli* and *P. aeruginosa*) and the least accurate across different genera.

Impact

If our findings suggest that autoencoders can identify statistically-significant patterns across strains, they could serve as evidence that we could bridge the gap between laboratory-studied *E. coli* strains and disease-causing strains. Relations between the EPEC strain and the EHEC strain could be especially important due to their increased virulence. This would

also significantly improve our understanding of this bacteria and allow us to develop a more efficient public health response.

Additionally, providing some evidence that transfer across genera is possible could further advance the field of computational biology. It would create a basis for further investigations to test the extent to which machine learning can be transferred and could solidify existing studies conducted across genera. One area that would be especially impacted includes studies conducted on laboratory animals, such as mice, in which the researchers have attempted to generalize the results to humans. It would also provide a basis for extending existing findings to understudied organisms. This would allow us to gain a deeper understanding of a variety of organisms that are difficult to study in a laboratory setting for a variety of reasons such as limited resources.

This research will also advance the field of computational biology towards being able to ask other questions regarding phylogenetic inference. We currently only have data sets for certain organisms, but with further investigation, this research could be extended to a larger sample and greater variety of organisms. This could allow us to determine the maximum possible phylogenetic branch length between microbes at which our denoising autoencoder can recognize biologically-driven gene expression patterns.

Plan

For each condition that we test, there will be two sections of the experiment: the first section involves the experimental portions (a data setup phase and a transfer phase) and the second section consists of analyzing the output of the autoencoder. We have a compendium of approximately twenty thousand samples of *E. coli* with strain-level labels that already existed and consists of all publicly available data as of 2025. We also have a compendium of approximately two thousand samples of *P. aeruginosa* that already existed and consists of all publicly available data as of 2023 (Doing, Georgia et al. 2023). Samples in both compendia are from a variety of conditions, including, but not limited to, different studies, temperatures, media and strains. In the data setup phase, we will use the *E.coli* and *P. aeruginosa* compendia to develop criteria to determine which samples will be used for which step of the transfer phase.

The transfer phase will include three parts: pre-training, fine tuning and assessment. A different set of data samples will be used in each phase depending on which experimental condition we are testing at that time. Some conditions include comparing strains of *E. coli* by pre-training on the MG1655 strain and fine tuning it on other strains such as *Enterotoxigenic E. coli* and DH10B, comparing the EHEC and EPEC strains, and pre-training on *E. coli* samples and fine tuning using *P. aeruginosa* samples. Our model will be constructed using the Keras Python library.

Given that a DAE is a clustering technique, our analysis will consist of looking for enrichment between the output and known pathways on pseudomonas.com and KEGG pathways (well-known gene pathway databases). This mapping between each gene and pathway will be used to evaluate the biological relevance of the gene signatures (Tan, Jie, et al. 2017). We will

also compare outputs across different pairs of pre-training and fine-tuning datasets. For example, we will compare the results from our *E. coli* strain condition to those of our *E. coli* and *P. aeruginosa* test to determine the strain-level workflow and the genus-level workflow of our DAE.

Personal Goals

As a neuroscience major, one of the areas that I am deeply interested in is the overlap between biology and computer science. Thus this research is the perfect opportunity for me to expand my own knowledge while simultaneously contributing to the discipline and society as a whole. I also hope to one day work in the field of bioinformatics and this opportunity would serve as an incredible introduction to the technical aspects of the field which are often more difficult to learn in a lecture-based classroom setting.

Works Cited

Bergmann, Dave. “What Is Machine Learning?” *IBM*, 17 Nov. 2025, www.ibm.com/think/topics/machine-learning.

Doing, Georgia et al. “Computationally Efficient Assembly of Pseudomonas aeruginosa Gene Expression Compendia.” *mSystems* vol. 8,1 (2023): e0034122. doi:10.1128/msystems.00341-22

Doing, Georgia. “Georgiadoing/seqADAGE.” *GitHub*, github.com/georgiadoing/seqADAGE. Accessed 4 Feb. 2026.

Lee, Alexandra J., et al. *Using Genome-Wide Expression Compendia to Study Microorganisms*. 20 Vol. Elsevier BV, 2022. Web.

Mo, Yu K., Matthew W. Hahn, and Megan L. Smith. "Applications of Machine Learning in Phylogenetics." *Molecular phylogenetics and evolution* 196 (2024): 108066. Web.

Tan, Jie, et al. *Unsupervised Extraction of Stable Expression Signatures from Public Compendia with an Ensemble of Neural Networks*. 5 Vol. Elsevier BV, 2017. Web.