

SPRT CLam (MCC 505)

01 September 2020

08:58

Statistics has several connotations.

- ① indicates numerical data arising from uncontrolled, mostly unknown factors.
- ② scientific methods which are meant for collection, analysis and interpretation of numerical data.


Based on presentation format data can be classified as frequency and non-frequency data.

Non-frequency data:

USA	6211796
Brazil	3910907
India	3687939

→ Spatial series data.

Identity of individual values are retained.



Frequency data:

Attribute, Variable

↓
character which can not be expressed numerically

which can not
be expressed numerically
(blood group,)

Variable — can be expressed
numerically.

Discrete variable
— can take only some
isolated values.

Continuous variable —
— can take any value
within a certain range.

100 AB+ blood group. — (25) people
not AB+ blood group ← (75) people
freq distribution of discrete variable.

Daily number of car accident	frequency	Cumulative freq
(3)	5	5
4	3	(14)
5	11	(25)
6	4	29
7	1	(30)
	30	

Class/limit	freq
(9.1) — (16.5)	1
(16.6) — (24.0)	5
24.1 — 31.5	18
31.6 — 39.0	21
39.1 — 46.5	2
46.6 — 54.0	3
	50

Lower limit
Upper limit

- ① each class contain atleast 1 data points
- ② each of given values is included in one of the classes
- ③ the classes should be non-overlapping.

no elements any value

⑤ the classes shown are - ... 11.5

9.1 — represents any value
between 9.05 — 9.15

16.5 — represents any value
between 16.45 — 16.55

lower
class
boundary

upper
class
boundary

9.05 — 16.55	.
16.55 — 24.05	.
24.05 — 31.55	.
...	.