Author	Study area	Study period	Water quality parameter	Sensor	Method	Bands	Application	Classification
Caballero et al.	Mar menor lagoon (Spain)	2021	Turbidity	Landsat 8	Empirical Models	Red	Technical and environmental: spatiotemporal distribution of turbidity and chlorophyll-a concentration	Technical with some environmental application.
Bonansea et al.	Río Tercero reservoir (Argentina)	2003-2010	Temperature	Landsat 5	Empirical Models	Thermal	Technical and environmental: quantitative maps providing spatially and temporally information on patterns of water quality throughout the reservoir. Water quality features related to the hydrogeomorphology of the reservoir, typical seasonality and influx from the cooling system of a local nuclear reactor were identified in the time series maps.	Technical with some environmental application.
Bonansea et al.	Río Tercero reservoir (Argentina)	2003-2010	Chl-a	Landsat 5	Empirical Models	Blue and green	Technical and environmental: quantitative maps providing spatially and temporally information on patterns of water quality throughout the reservoir. Water quality features related to the hydrogeomorphology of the reservoir, typical seasonality and influx from the cooling system of a local nuclear reactor were identified in the time series maps.	Technical with some environmental application.
Bonansea et al.	Río Tercero reservoir (Argentina)	2003-2010	Transparency	Landsat 5	Empirical Models	NIR and Blue	Technical and environmental: quantitative maps providing spatially and temporally information on patterns of water quality throughout the reservoir. Water quality features related to the hydrogeomorphology of the reservoir, typical seasonality and influx from the cooling system of a local nuclear reactor were identified in the time series maps.	Technical with some environmental application.
Chao Rodríguez et al.	Lake Arreo (Spain)	2000-2012	Temperature	Landsat 5	Empirical Models	Thermal	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Chao Rodríguez et al.	Lake Arreo (Spain)	2000-2012	Chl-a	Landsat 5	Empirical Models	Blue and green	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Chao Rodríguez et al.	Lake Arreo (Spain)	2000-2012	Transparency	Landsat 5	Empirical Models	Blue and green	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Hicks et al.	34 lakes (New Zealand)	2000-2009	TSS	Landsat 5	Semi-empirical models	NIR	Technical	Purely technical
Hicks et al.	34 lakes (New Zealand)	2000-2009	Turbidity	Landsat 5	Semi-empirical models	NIR	Technical	Purely technical
Hicks et al.	34 lakes (New Zealand)	2000-2009	Transparency	Landsat 5	Semi-empirical models	Blue and red	Technical	Purely technical
Kutser	Lake Malären (Sweden)	1984–2011	CDOM	Landsat 5	Semi-empirical models	green and red	Climate Change	Purely technical
Lobo, Costa, and Novo	Tapajós River Basin (Brazil)	1973-2013	SPM	Landsat 5	Semi-empirical models	Red	Relation to gold mining activities; spatio-temporal information on water quality	Environmental with trend analysis
Mancino et al.	Monticchio lakes (Italy)	2001	Chl-a	Landsat 5	Empirical Models	Blue, green and red	Technical	Purely technical
Mancino et al.	Monticchio lakes (Italy)	2001	Transparency	Landsat 5	Empirical Models	Blue, green and red	Technical	Purely technical
Simon, Tormos, and Danis	Lake Bariousses, Lake Bimont (France)	2006-2013	Temperature	Landsat 5	Semi-Analytical Models	Thermal	Suitability of Landsat archive for information on historical lake Tsurf	Technical with some environmental application.
Imen, Chang, and Y. J. Yang	Lake Mead (United States)	2005-2009	TSS	Landsat 5	Machine Learning Models	Not reported	Construct a real-time forecasting model for predicting degraded water quality near drinking water outlets	Environmental with trend analysis
Lymburner et al.	19 lakes (Australia)	1988-2013	TSS	Landsat 5	Semi-Analytical Models	Not reported	Examines interactions between decadal climate variations (ENSO) and TSS concentrations in optically heterogenous lakes across western Australia.	Technical with some environmental application.
Concha and Schott	Long Pond and Cranberry Pond (United States)	3 dates (2013, 2014, 2015)	Chl-a	Landsat 8	Semi-empirical models	Coastal Aerosol	Shows that the Landsat 8 satellite can be utilized over Case 2 waters as long as a careful atmospheric correction is applied.	Technical with some environmental application.
Concha and Schott	Long Pond and Cranberry Pond (United States)	3 dates (2013, 2014, 2015)	TSS	Landsat 8	Semi-empirical models	Coastal Aerosol	Shows that the Landsat 8 satellite can be utilized over Case 2 waters as long as a careful atmospheric correction is applied.	Technical with some environmental application.
Concha and Schott	Long Pond and Cranberry Pond (United States)	3 dates (2013, 2014, 2015)	CDOM	Landsat 8	Semi-empirical models	Coastal Aerosol	Shows that the Landsat 8 satellite can be utilized over Case 2 waters as long as a careful atmospheric correction is applied.	Technical with some environmental application.
Shahzad et al.	Indus Delta Region (Pakistan)	November 6, 2001; March 22, 2005; and March 20, 2016	TSS	Landsat 7	Empirical Models	Blue, green red, NIR and SWIR	Technical	Purely technical
Malahlela	5 Dams (South Africa)	2014 - 2018	TSS	Landsat 8	Semi-empirical models	Not reported	Technical	Purely technical
C. Wang et al.	Pearl River Estuary (China)	1987–2015	TSS	Landsat 5-9	Semi-empirical models	Near infrared and red	Analyze the spatial and temporal evolution of TSS concentrations in Pearl River Estuary (PRE).	Environmental with trend analysis
J. Chen et al.	Lake Huron (Canada-United States)	2013	CDOM	Landsat 5	Semi-empirical models	Red and NIR	Technical	Purely technical
J. Wang and X. Chen	Erhai Lake (China)	2013 - 2021	Chl-a	Landsat 8	Machine Learning Models	16 Spectral Index, Visible and NIR	Technical: tested 4 atmospheric correction procedures and Spectral index and single bands; Also evaluated general trend, showing that there was an insignificant decreasing trend in the mean annual Chl-a concentration from 2003 to 2021 (R2 = 0.10, p = 0.16), indicating a reduction in the eutrophication level and a slightly improvement in water quality. This is likely related to lake protection policies implemented by the local government	Technical with some environmental application.
He et al.	Dashahe Reservoir (China)	2013-2018 (2 images/year)	Chl-a	Landsat 8	Machine Learning Models	1 to 7	Eutrophication was evaluated: The Dashahe Reservoir was basically in the state of mesotrophication and light eutrophication. The area of light eutrophication accounted for larger proportions in spring and autumn, and the reservoir inflow was the main source of nutrient salts.	Environmental with trend analysis
He et al.	Dashahe Reservoir (China)	2013-2018 (2 images/year)	Transparency	Landsat 8	Machine Learning Models	1 to 7	Eutrophication was evaluated: The Dashahe Reservoir was basically in the state of mesotrophication and light eutrophication. The area of light eutrophication accounted for larger proportions in spring and autumn, and the reservoir inflow was the main source of nutrient salts.	Environmental with trend analysis
He et al.	Dashahe Reservoir (China)	2013-2018 (2 images/year)	Phosphorous	Landsat 8	Machine Learning Models	1 to 7	Eutrophication was evaluated: The Dashahe Reservoir was basically in the state of mesotrophication and light eutrophication. The area of light eutrophication accounted for larger proportions in spring and autumn, and the reservoir inflow was the main source of nutrient salts.	Environmental with trend analysis
Dave et al.	Narmada River and Reserviors (Bargi, Ukai, and Ujjani) (India)	2017-2018	Chl-a	Landsat 8	Semi-empirical models	Blue, green and red	Technical	Purely technical
Dave et al.	Narmada River and Reserviors (Bargi, Ukai, and Ujjani) (India)	2017-2018	Turbidity	Landsat 8	Semi-empirical models	Blue, green and red	Technical	Purely technical
Bangira et al.	Olushandja Dam (Namibia)	2014- 2015	Turbidity	Landsat 8	Semi-empirical models	Red, blue and green and NIR	There is substantial spatial variation in the concentration of water quality parameters both longitudinally and latitudinally due to several factors: Rainfall, nutrient accumulation, human activities such as fishing, abstraction of water and swimming	Environmental with trend analysis
Bangira et al.	Olushandja Dam (Namibia)	2014- 2015	TSS	Landsat 8	Semi-empirical models	Red, blue and green and NIR	There is substantial spatial variation in the concentration of water quality parameters both longitudinally and latitudinally due to several factors: Rainfall, nutrient accumulation, human activities such as fishing, abstraction of water and swimming	Environmental with trend analysis
Bangira et al.	Olushandja Dam (Namibia)	2014- 2015	Phosphorous	Landsat 8	Semi-empirical models	Red, blue and green and NIR	There is substantial spatial variation in the concentration of water quality parameters both longitudinally and latitudinally due to several factors: Rainfall, nutrient accumulation, human activities such as fishing, abstraction of water and swimming	Environmental with trend analysis
Masocha et al.	Two reservoirs (Zimbabwe)	June 2013	Transparency	Landsat 8	Semi-empirical models	Blue and red	Water quality status for Lake Chivero has signifi-cantly deteriorated, when compared to Lake Mazvikadei. Lake Chivero is highly eutrophic and this can be attributedto the lake's proximity to Harare Metropolitan City: Poor waste disposal mechanism	Environmental with trend analysis
Masocha et al.	Two reservoirs (Zimbabwe)	June 2013	Turbidity	Landsat 8	Semi-empirical models	Blue and red	Water quality status for Lake Chivero has signifi-cantly deteriorated, when compared to Lake Mazvikadei. Lake Chivero is highly eutrophic and this can be attributedto the lake's proximity to Harare Metropolitan City: Poor waste disposal mechanism	Environmental with trend analysis
Masocha et al.	Two reservoirs (Zimbabwe)	June 2013	Chl-a	Landsat 8	Semi-empirical models	Red and NIR	Water quality status for Lake Chivero has signifi-cantly deteriorated, when compared to Lake Mazvikadei. Lake Chivero is highly eutrophic and this can be attributedto the lake's proximity to Harare Metropolitan City: Poor waste disposal mechanism	Environmental with trend analysis
Mohsen, Elshemy, and Zeidan	Lake Burullus (Egypt)	2010-2013	Chl-a	Landsat 7	Semi-empirical models	Blue and red	Water quality of Lake Burullus is in a critical state, especially the southern part of the lake due to the drains effluents and the reclamation activities	Technical with some environmental application.
Mohsen, Elshemy, and Zeidan	Lake Burullus (Egypt)	2010-2013	TSS	Landsat 7	Semi-empirical models	Blue and SWIR	Water quality of Lake Burullus is in a critical state, especially the southern part of the lake due to the drains effluents and the reclamation activities	Technical with some environmental application.
Mohsen, Elshemy, and Zeidan	Lake Burullus (Egypt)	2010-2013	Temperature	Landsat 7	Semi-empirical models	Thermal	water quality of Lake Burullus is in a critical state, especially the southern part of the lake due to the drains effluents and the reclamation activities	Technical with some environmental application.
Guo, X. Zhu, et al.	Lake Simcoe (Canada)	2013-2019	Chl-a	Landsat 8	Machine Learning Models	Bands 1-5, OC2, OC3, BGR, NDCI, CVI	Calculated the correlations between the WQPs and the climate factors (i.e., air temperature, pressure, precipitation, wind speed, and wind direction), the anthropogenic factors (i.e., urban and farmland areas, nighttime light, and the number of mobile devices connecting to cellular towers (hereinafter termed Cell for brevity)), and other potential factors (i.e., the normalized difference vegetation index (NDVI) and discharge)	Environmental with trend analysis
Guo, X. Zhu, et al.	Lake Simcoe (Canada)	2013-2019	Phosphorous	Landsat 8	Machine Learning Models	Bands 1-5, OC2, OC3, BGR, NDCI, CVI	Calculated the correlations between the WQPs and the climate factors (i.e., air temperature, pressure, precipitation, wind speed, and wind direction), the anthropogenic factors (i.e., urban and farmland areas, nighttime light, and the number of mobile devices connecting to cellular towers (hereinafter termed Cell for brevity)), and other potential factors (i.e., the normalized difference vegetation index (NDVI) and discharge)	Environmental with trend analysis
Guo, X. Zhu, et al.	Lake Simcoe (Canada)	2013-2019	Transparency	Landsat 8	Machine Learning Models	Bands 1-5, OC2, OC3, BGR, NDCI, CVI	Calculated the correlations between the WQPs and the climate factors (i.e., air temperature, pressure, precipitation, wind speed, and wind direction), the anthropogenic factors (i.e., urban and farmland areas, nighttime light, and the number of mobile devices connecting to cellular towers (hereinafter termed Cell for brevity)), and other potential factors (i.e., the normalized difference vegetation index (NDVI) and discharge)	Environmental with trend analysis
Bernardo, do Carmo, et al.	Six reservoirs (Brazil)	2014 y 2016	TSS	Landsat 8	Semi-Analytical Models	Green and red	Technical	Purely technical
Du et al.	Songnen Plain (China)	1984 to 2018	TSS	Landsat 5, 7 and 8	Semi-empirical models	Red/Blue	In Songnen Plain, the mean annual TSM in 60.5% of the water bodies decreased from 1984 to 2018. The decreasing of TSM is likely due to the increasing of vegetation in the area. The TSM concentration in waters declined from April to July, and then increased from September onwards. We also found the TSM in water bodies in Songnen Plain has very high spatial variation. Our results indicated that the meteorological factors such as wind and precipitation may affect the variation of TSM.	Environmental with trend analysis
H. Yang et al.	Baiyangdian lake (China)	July 2019 - September 2019	Chl-a	Landsat 8	Machine Learning Models	Not reported	Tecnical: inversion model of Chl-a concentration based on CNN with fused high spatial and temporal resolution images	Technical with some environmental application.
Arias-Rodriguez, Z. Duan, et al.	Five lakes (Mexico)	2012-2018	Chl-a	Landsat 8	Machine Learning Models	Not reported	Technical: implications of the lack of integration of remote sensing in water quality monitoring routines	Purely technical
Arias-Rodriguez, Z. Duan, et al.	Five lakes (Mexico)	2012-2018	Turbidity	Landsat 8	Machine Learning Models	Not reported	Technical: implications of the lack of integration of remote sensing in water quality monitoring routines	Purely technical
Arias-Rodriguez, Z. Duan, et al.	Five lakes (Mexico)	2012-2018	TSS	Landsat 8	Machine Learning Models	Not reported	Technical: implications of the lack of integration of remote sensing in water quality monitoring routines	Purely technical
Arias-Rodriguez, Z. Duan, et al.	Five lakes (Mexico)	2012-2018	Transparency	Landsat 8	Machine Learning Models	Not reported	Technical: implications of the lack of integration of remote sensing in water quality monitoring routines	Purely technical
Arias-Rodriguez, Tüzün, et al.	Global (United States, France, Italy, Germany, Greece, Norway, Poland, England, Ireland, Mexico, Canada, Japan, Chile, Russia, Cyprus, Sweden, Finland)	2021-2022	Chl-a	Landsat 8	Machine Learning Models	FERT: Original bands + red/green + NIR, (green + red)/2, green/red, red/green, NIR/green + latitude, longitude, year and month	Technical: developed machine learning models for water quality retrieval at a global scale using remote homogenized multimodal remote sensing data. This contributed to overcoming the present state of knowledge in which the transferability of models is limited by the origin of field data, and modeling water quality in inland waters at different locations was constrained	Technical with some environmental application.
Arias-Rodriguez, Tüzün, et al.	Global (United States, France, Italy, Germany, Greece, Norway, Poland, England, Ireland, Mexico, Canada, Japan, Chile, Russia, Cyprus, Sweden, Finland)	2021-2022	Turbidity	Landsat 8	Machine Learning Models	FERT: Original bands + red/green + NIR, (green + red)/2, green/red, red/green, NIR/green + latitude, longitude, year and month	Technical: developed machine learning models for water quality retrieval at a global scale using remote homogenized multimodal remote sensing data. This contributed to overcoming the present state of knowledge in which the transferability of models is limited by the origin of field data, and modeling water quality in inland waters at different locations was constrained	Technical with some environmental application.
Arias-Rodriguez, Tüzün, et al.	Global (United States, France, Italy, Germany, Greece, Norway, Poland, England, Ireland, Mexico, Canada, Japan, Chile, Russia, Cyprus, Sweden, Finland)	2021-2022	TSS	Landsat 8	Machine Learning Models	FERT: Original bands + red/green + NIR, (green + red)/2, green/red, red/green, NIR/green + latitude, longitude, year and month	Technical: developed machine learning models for water quality retrieval at a global scale using remote homogenized multimodal remote sensing data. This contributed to overcoming the present state of knowledge in which the transferability of models is limited by the origin of field data, and modeling water quality in inland waters at different locations was constrained	Technical with some environmental application.
Arias-Rodriguez, Tüzün, et al.	Global (United States, France, Italy, Germany, Greece, Norway, Poland, England, Ireland, Mexico, Canada, Japan, Chile, Russia, Cyprus, Sweden, Finland)	2021-2022	Transparency	Landsat 8	Machine Learning Models	FERT: Original bands + red/green + NIR, (green + red)/2, green/red, red/green, NIR/green + latitude, longitude, year and month	Technical: developed machine learning models for water quality retrieval at a global scale using remote homogenized multimodal remote sensing data. This contributed to overcoming the present state of knowledge in which the transferability of models is limited by the origin of field data, and modeling water quality in inland waters at different locations was constrained	Technical with some environmental application.
Arias-Rodriguez, Tüzün, et al.	Global (United States, France, Italy, Germany, Greece, Norway, Poland, England, Ireland, Mexico, Canada, Japan, Chile, Russia, Cyprus, Sweden, Finland)	2021-2022	Phosphorous	Landsat 8	Machine Learning Models	FERT: Original bands + red/green + NIR, (green + red)/2, green/red, red/green, NIR/green + latitude, longitude, year and month	Technical: developed machine learning models for water quality retrieval at a global scale using remote homogenized multimodal remote sensing data. This contributed to overcoming the present state of knowledge in which the transferability of models is limited by the origin of field data, and modeling water quality in inland waters at different locations was constrained	Technical with some environmental application.
H. Zhang et al.	Dongping Lake (China)	2013-2018	Chl-a	Landsat 8	Machine Learning Models	all bands and different ratios	Used statistical analysis to identify the spatial and temporal heterogeneity. one-way analysis of variance (ANOVA) was applied in this study to investigate the spatiotemporal patterns	Technical with some environmental application.
H. Zhang et al.	Dongping Lake (China)	2013-2018	Phosphorous	Landsat 8	Machine Learning Models	all bands and different ratios	Used statistical analysis to identify the spatial and temporal heterogeneity. one-way analysis of variance (ANOVA) was applied in this study to investigate the spatiotemporal patterns	Technical with some environmental application.
Markogianni, Kalvas, et al.	Trichonis Lake (Greece)	October 2013 and August 2014	Chl-a	Landsat 8	Semi-empirical models	Coastal aerosol, blue and green	Technical: use of remote sensing technology and specifically of Landsat 8 OLI sensor, to accurately quantify certain water quality parameters.	Purely technical
Qiang Wang, Kaishan Song, Wen, et al.	Hulun Lake (China)	1986 - 2017	TSS	Landsat 7 and 8	Semi-empirical models	NIR	The mean TSM value of Hulun Lake shows an increasing trend in the innerlake area and a decreasing trend in the outer lake from 1986 to 2017. relationship of TSM to water level, water area, precipitation, and wind speed were analysed	Environmental with trend analysis
W. Zhu et al.	West Lake (China)	2013 - 2017	TSS	Landsat 8	Semi-empirical models	Red and NIR	TSM presented diverse distributions in different sections and months/seasons—the relatively high-concentration TSM was usually found in the north section and during spring festivals, holidays and summer vacation. These spatiotemporal patterns demonstrate the evidence that TSM in West Lake was highly linked to anthropogenic impacts, such as tourist visits, commercial activities, and urban drainage projects	Technical with some environmental application.
Abdelal et al.	King Talal Dam (Jordan)	2018 - 2019	Chl-a	Landsat 8	Semi-empirical models	Red and NIR	Technical: Compared different atmospheric correction methods. Shows high effect of the adjacent land on the obtained Chl-a concentration relative to the much deeper water near the dam	Technical with some environmental application.
Abdelal et al.	King Talal Dam (Jordan)	2018 - 2019	Turbidity	Landsat 8	Semi-empirical models	Coastal aerosol and green	Technical: Compared different atmospheric correction methods.	Purely technical
Lehmann et al.	23 lakes in Rotorua Lakes Region (New Zealand)	1999 - 2018	Transparency	Landsat 7 and Landsat 8	Empirical Models	Blue, red and green	More environmental that technical: A trend analysis on annual and summertime averages of Secchi depth revealed several statistically significant and positive trends, indicating improving water clarit	Environmental with trend analysis
D. Tian et al.	Qianwu reservoir, Longjing reservoir and Nanshan reservoir (China)	2021-2022	Chl-a	Landsat 7	Semi-empirical models	Blue, red and green	Proposed an inversion strategy of water quality variables in various monitoring frequencies and weather conditions were proposed finally.	Environmental with trend analysis
D. Tian et al.	Qianwu reservoir, Longjing reservoir and Nanshan reservoir (China)	2021-2022	TSS	Landsat 7	Semi-empirical models	Red, NIR and SWIR	Proposed an inversion strategy of water quality variables in various monitoring frequencies and weather conditions were proposed finally.	Environmental with trend analysis
D. Tian et al.	Qianwu reservoir, Longjing reservoir and Nanshan reservoir (China)	2021-2022	Turbidity	Landsat 7	Semi-empirical models	Green, red and NIR	Proposed an inversion strategy of water quality variables in various monitoring frequencies and weather conditions were proposed finally.	Environmental with trend analysis
Y. Yang et al.	Lake Dianchi (China)	1998 - 2020	Chl-a	Landsat 5 and 8	Machine Learning Models	Blue, green, red and NIR	Most techincal: include texture index. The result shows that the Caohai has a higher degree of eutrophication than the Waihai, and the water quality in the subregions of Lake Dianchi showed an improvement trend, suggesting the robustness of the model.	Purely technical
Zeng et al.	4 Yunnan Plateau lakes (China)	January 2013–August 2022	Transparency	Landsat 8	Empirical Models	Not reported	Technical	Purely technical
Zeng et al.	4 Yunnan Plateau lakes (China)	January 2013–August 2022	Transparency	Landsat 8	Machine Learning Models	Not reported	Technical	Purely technical
Dallosch and Creed	Lakes (United States and Sweden)	1984–2016	Chl-a	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Technical and environmental: to clasify optical water types using a guided unsupervised classification approach in which OWTs are defined through both remotely sensed reflectance and surface water chemistry data taken from samples in North American and Swedish lakes	Technical with some environmental application.
Robert et al.	Agoufou Lake (Mali)	2000-2017	TSS	Landsat 7 and 8	Semi-empirical models	NIR and red	The satellite estimates are then employed to assess the SPM dynamics in the main lakes and ponds of the Gourma region and its links to environmental and anthropogenic factors.	Technical with some environmental application.
El-Alem and Chokmani	Lakes in Quebec (Canada)	2014-2017	Turbidity	Landsat 7 and 8	Machine Learning Models	Red, Blue and SWIR1	Technical	Purely technical
Erena et al.	Mar menor lagoon (Spain)	2015-2017	Turbidity	Landsat 8	Semi-empirical models	Green and red	This provided the information needed to perform a time series analysis of the lagoon. We also analyzed the processes that occur in the salt lagoon, characterizing the different spatio-temporal patterns of biophysical parameters. Special attention was given to the role of turbidity and chlorophyll-a levels in the Mar Menor ecosystem with regard to the programs of integral management of this natural space that receives maximum environmental protection. T	Environmental with trend analysis
Erena et al.	Mar menor lagoon (Spain)	2015-2017	Chl-a	Landsat 8	Semi-empirical models	Green and red	This provided the information needed to perform a time series analysis of the lagoon. We also analyzed the processes that occur in the salt lagoon, characterizing the different spatio-temporal patterns of biophysical parameters. Special attention was given to the role of turbidity and chlorophyll-a levels in the Mar Menor ecosystem with regard to the programs of integral management of this natural space that receives maximum environmental protection. T	Environmental with trend analysis
Oliphant et al.	The Vaal Dam (South Africa)	2014–2016	Chl-a	Landsat 8	Semi-empirical models	Green, red and NIR	The resultant maps indicate that higher class concentrations were predominantly found at or near the shores of the dam. These areas are usually shallower with higher temperatures than the deep waters, resulting in lateral diurnal thermal variations	Technical with some environmental application.
E. S. Deutsch, Fortin, and Cardille	Lakes across southern (Canada)	2017–2020	Transparency	Landsat 8	Empirical Models	Blue and red	Combined with ancillary information on lake morphological, hydrological, and watershed geological and landuse characteristics, we were able to assess broad spatial patterns in water clarity for the first time. Ecological zones, underlying geological substrate, and lake depth had particularly strong influences on clarity across the whole country.	Technical with some environmental application.
E. S. Deutsch, Cardille, et al.	Lakes across southern (Canada)	2013–2019	Transparency	Landsat 8	Semi-empirical models	Blue and red	Technical	Purely technical
Yunlin Zhang et al.	Xin'anjiang Reservoir (China)	December 2013 - April 2015	TSS	Landsat 8	Semi-Analytical Models	Red	The spatial heterogeneity, significantly higher in incoming rivers than the main body of the reservoir, was due to watershed inputs and anthropogenic dredging activity. The temporal heterogeneity of TSM, significantly higher in summer and autumn than in winter and spring, was mainly caused by the seasonal rainfall and seasonal growth of phytoplankton	Technical with some environmental application.
Yibo Zhang et al.	Various lakes (China)	2016 - 2018	Transparency	Landsat 5, 7 and 8	Semi-empirical models	Red	Technical	Purely technical
Markogianni, Kalivas, et al.	50 lake water bodies (Greece)	2013–2016 and 2018	Chl-a	Landsat 7 and 8	Semi-empirical models	Blue, red and SWIR	Principal component analysis (PCA) is performed to explore Greek lakes' potential interrelationships based on their Chl-a values in conjunction with certain criteria: their characteristics (artificial/natural), typology, and climatic type	Technical with some environmental application.
Villota-González et al.	Cajititlán and Zapotlán lakes (Mexico)	2013-2023	Chl-a	Landsat 8	Machine Learning Models	Green, red and NIR	Technical	Purely technical
Villota-González et al.	Cajititlán and Zapotlán lakes (Mexico)	2013-2023	TSS	Landsat 8	Machine Learning Models	Green, red and NIR	Technical	Purely technical
Villota-González et al.	Cajititlán and Zapotlán lakes (Mexico)	2013-2023	Turbidity	Landsat 8	Machine Learning Models	Green, red and NIR	Technical	Purely technical
Coelho et al.	Marengo, Paus Branco and São Nicolau reservoirs (Brazil)	2014-2015	Chl-a	Landsat 8	Semi-empirical models	green and NIR	Tecnical and Limnological Dynamics and Trophic Conditions	Technical with some environmental application.
Coelho et al.	Marengo, Paus Branco and São Nicolau reservoirs (Brazil)	2014-2015	CDOM	Landsat 8	Semi-empirical models	Green	Tecnical and Limnological Dynamics and Trophic Conditions	Technical with some environmental application.
Meng, J. Zhang, and Zheng	Shanmei Reservoir (China)	2020 - 2022	Turbidity	Landsat 8-9	Semi-empirical models	Blue, green and red	Explored the relationship between different WQPs using correlation analysis and principal component analysis (PCA)	Environmental with trend analysis
Meng, J. Zhang, and Zheng	Shanmei Reservoir (China)	2020 - 2022	Chl-a	Landsat 8-9	Semi-empirical models	Blue, green and red	Explored the relationship between different WQPs using correlation analysis and principal component analysis (PCA)	Environmental with trend analysis
Yin et al.	Lake Taihu (China)	1984 - 2020	TSS	Landsat 5 and 8	Semi-empirical models	Red, green and NIR	Downward trend over the study period, which might be primarily attributable to a decline in wind speed	Technical with some environmental application.
Guo, S. Tian, et al.	Lake Simcoe (Canada)	1984 - 2020	Chl-a	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Reconstructed the historical spatiotemporal patterns of Chl-a, TP, and TN in Lake Simcoe since 1984, and investigated the effects of two water quality improvement programs	Environmental with trend analysis
Guo, S. Tian, et al.	Lake Simcoe (Canada)	1984 - 2020	Phosphorous	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Reconstructed the historical spatiotemporal patterns of Chl-a, TP, and TN in Lake Simcoe since 1984, and investigated the effects of two water quality improvement programs	Environmental with trend analysis
Cui et al.	Chaohu Lake, Shengjin Lake, and Jiaogang Lake (China)	2013–2019	Transparency	Landsat 8	Machine Learning Models	Not reported	Technical	Purely technical
Chegoonian et al.	Buffalo Pound Lake (Canada)	2014–2020	Chl-a	Landsat 8	Machine Learning Models	Not reported	Technical	Purely technical
Bernardo, Carmo, et al.	Tietê River Cascade System (Brazil)	2014 and 2016	TSS	Landsat 8	Semi-empirical models	Blue and green	Technical	Purely technical
Z. Cao et al.	Yunnan–Guizhou Plateau (China)	2013 to 2022	CDOM	Landsat 8 and 9	Machine Learning Models	Green	Technical with general seasonal analysis: the studied area exhibited apparent seasonal variability from 2013 to 2022, particularly after 2017	Technical with some environmental application.
Alcântara, Curtarelli, and Stech	Barra Bonita hydroelectric reservoir (Brazil)	May and October 2014	CDOM	Landsat 8	Semi-empirical models	Blue and red	Technical	Purely technical
M. Chen et al.	Honghu Lake (China)	1987–2020	Transparency	Landsat 5, 7 and 8	Semi-Analytical Models	Red	Technical with general trend analysis: ZSD showed an overall decreasing trend from 1987–2020	Technical with some environmental application.
C. Zhao et al.	Hulun Lake (China)	2010 to 2020	Transparency	Landsat 5, 7 and 8	Semi-empirical models	Red, Blue and NIR	technical: seasonal, annual and spacial trend	Technical with some environmental application.
Markogianni, Dimitriou, and Karaouzas	Koumoundourou Lake (Greece)	2003 - 2011	Chl-a	Landsat 5	Semi-empirical models	Green and NIR	Characterization of trophic state	Technical with some environmental application.
J. Li et al.	Lake Huron (Canada-United States)	2013 and 2015	CDOM	Landsat8	Semi-Analytical Models	Green	Environmental: general seasonal phenology, anual and spacial trends	Environmental with trend analysis
Kutser et al.	Nohipalu Mustjärv, Meelva, and Mustjärv lakes (Estonia)	July 2013	Chl-a	Landsat8	Semi-empirical models	NIR	Studied Chl-a in extreme (black) lakes where the water reflectance values are negligible in almost entire visible part of spectrum (400–700 nm) due to the absorption by CDOM	Technical with some environmental application.
L. Wang et al.	12 lakes (United States)	2013 - 2017	Chl-a	Landsat 7 and 8	Machine Learning Models	Not reported	Technical	Purely technical
Watanabe et al.	Barra Bonita reservoir (Brazil)	2013-2014	Chl-a	Landsat8	Semi-empirical models	Green and NIR	Technical and estimated Chl-a concentration was used to classify the trophic level from a trophic state index	Technical with some environmental application.
Peterson, Sagan, and Sloan	Several waterbodies in Midwestern (United States)	2013–2018	Chl-a	Landsat8	Machine Learning Models	all bands and different ratios	Technical and use the Empirical Data Analytics (EDA) anomaly detection method on the time series to identify abnormal data points	Technical with some environmental application.
Peterson, Sagan, and Sloan	Several waterbodies in Midwestern (United States)	2013–2018	Turbidity	Landsat8	Machine Learning Models	all bands and different ratios	Technical and use the Empirical Data Analytics (EDA) anomaly detection method on the time series to identify abnormal data points	Technical with some environmental application.
Ledesma et al.	Cassaffousth reservoir (Argentina)	2016 -2017	Chl-a	Landsat8	Semi-empirical models	2, 4, 6, 7 and 8	Technical and basic spatial distribution maps to interpretate of water quality conditions in the whole study reservoir	Technical with some environmental application.
Amado-Alvarez et al.	Vírgenes dam, the Colina lake, and La Boquilla dam (Mexico)	22 de marzo de 2011	Turbidity	Landsat 5	Semi-empirical models	Green and red	Technical and basic spatial distribution maps to interpretate of water quality conditions	Technical with some environmental application.
Hafeez et al.	Eight lakes (China)	2013-2019	TSS	Landsat8	Semi-empirical models	Not reported	Technical	Purely technical
F. Zhang et al.	Guanting Reservoir (China)	1985 -2019	Chl-a	Landsat 5, 7 and 8	Semi-empirical models	NIR and Blue	Technical and monthly and inter-annual changes, also relationship with temperature, precipitation, wind, and water area	Technical with some environmental application.
Koll-Egyed, Cardille, and E. Deutsch	128 Southern lakes (Canada)	2017 - 2019	CDOM	Landsat 8	Semi-empirical models	Blue, green and red	Technical	Purely technical
Lu et al.	107 lakes and reservoirs in Yangtze Plain (China)	1984 - 2020	Transparency	Landsat 5, 7 and 8	Semi-empirical models	Blue, green and red	Technical and general trend	Technical with some environmental application.
K. Song, G. Liu, et al.	2759 lakes (China)	2013–2018	Transparency	Landsat 8	Semi-empirical models	Blue and red	Technical and national scaled, geographic distribution	Technical with some environmental application.
Z. Yang et al.	Taihu Lake	2018 - 2022	Turbidity	Landsat 8 and 9	Machine Learning Models	NIR	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Nascimento Silva et al.	Reservoir of Tocantins river (Brazil)	2007 - 2014	Chl-a	Landsat 7	Machine Learning Models	Not reported	Technical	Purely technical
Nascimento Silva et al.	Reservoir of Tocantins river (Brazil)	2007 - 2014	Transparency	Landsat 7	Machine Learning Models	Not reported	Technical	Purely technical
Nascimento Silva et al.	Reservoir of Tocantins river (Brazil)	2007 - 2014	TSS	Landsat 7	Machine Learning Models	Not reported	Technical	Purely technical
Rodrigues et al.	Nav reservoir (Brazil)	2014 -2016	Transparency	Landsat 8	Semi-Analytical Models	Not reported	Technical	Purely technical
W. Li et al.	Lake Qinghai (China)	1986 to 2020	TSS	Landsat 5, 7 and 8	Empirical Models	Red	Technical and correlation was found between TSM concentration and daily wind speed and hydrological changes	Technical with some environmental application.
Ha et al.	10 hypertrophic lakes in Hanoi (Vietnam)	2015 - 2016	Chl-a	Landsat 8	Empirical Models	Blue and green	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Papoutsa, Akylas, and D. Hadjimitsis	Asprokremmos Reservoir (Cyprus)	May 2010–October 2010	Turbidity	Landsat 7	Empirical Models	Red	Technical: Defining the Landsat TM/ETM+ spectral regions in which turbidity can be retrieved in inland waterbodies	Technical with some environmental application.
Jakovljevic, Álvarez-Taboada, and Govedarica	Main water bodies (Serbia)	1984-2021	TSS	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Technical	Purely technical
Jakovljevic, Álvarez-Taboada, and Govedarica	Main water bodies (Serbia)	1984-2021	Chl-a	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Technical	Purely technical
Jakovljevic, Álvarez-Taboada, and Govedarica	Main water bodies (Serbia)	1984-2021	Phosphorous	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Technical	Purely technical
X. Zhao et al.	Taihu Lake (China)	2017	Chl-a	Landsat 8	Machine Learning Models	Green and red	Technical	Purely technical
Alcântara, Curtarelli, and Stech	Itumbiara hydroelectric reservoir (Brazil)	2014	TSS	Landsat 8	Semi-Analytical Models	Green	Technical	Purely technical
Ren et al.	Three Gorges and Dongting Lake (China)	2013 - 2017	Transparency	Landsat 8	Semi-empirical models	Red and green	More envirnomental: time series of SD and their probable linkage to the Three Gorges Dam	Purely environmental
Adusei et al.	Owabi reservoir (Ghana)	Dec 2019	Turbidity	Landsat 8	Machine Learning Models	Green, blue and red	Technical	Purely technical
Adusei et al.	Owabi reservoir (Ghana)	Dec 2019	TSS	Landsat 8	Machine Learning Models	Green, blue , red and SWIR2	Technical	Purely technical
Maciel et al.	300+ water bodies (global)	1985-2022	Transparency	Landsat 5, 7 and 8	Machine Learning Models	all bands and 2 semi-analytical models	Technical	Purely technical
Lamaro et al.	Río Tercero (Argentina)	2000-2006	Temperature	Landsat 7	Semi-Analytical Models	Thermal	Technical	Purely technical
Ghirardi et al.	Gravel and sand Pit lakes in Po River basin (Italy)	1990 to 2021	TSS	Landsat 5, 7 and 8	Empirical Models	Red	More envirnomental: This study aims to contribute to the analysis of PLs at a basin scale as an opportunity for environmental rehabilitation and river floodplain management	Technical with some environmental application.
Papoutsa, Akylas, and D. Hadjimitsis	four different Case-2 waters (Cyprus and Greece)	2010	Transparency	Landsat 5	Semi-empirical models	Green/red	Technical	Purely technical
Barreneche et al.	Continental water bodies (Uruguay)	2004–2020	Chl-a	Transparency	Semi-empirical models	Not reported	Technical	Purely technical
Rubin et al.	Several lakes (United States)	1984–2017	Transparency	Landsat 5, 7 and 8	Machine Learning Models	NIR, Green, Blue and red		Purely technical
Vinh et al.	Thac Ba Reservoir (Vietnam)	2018	Chl-a	Landsat 5, 7 and 8	Empirical Models	green and red	Technical and general trend	Technical with some environmental application.
Martins et al.	Funil hydroeletric reservoir (Brazil)	1995 to 2010	CDOM	Landsat 5	Semi-empirical models	NIR/blue	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Sun et al.	Pearl River Estuary (China)	1987-2022	TSS	Landsat 5, 7 and 8	Semi-Analytical Models	Not reported	Technical and general trend	Technical with some environmental application.
Martins et al.	Sobradinho reservoir (Brazil)	2013–2017	Turbidity	Landsat 8	Empirical Models	Red	Envronmental: analysis in multi-year drought	Environmental with trend analysis
Olmanson et al.	10.000+ Minnesota lakes (United States)	2015 and 2016	CDOM	Landsat 8	Semi-empirical models	Green, red and NIR	Envronmental: trend analysis and rainfall correlation	Environmental with trend analysis
Surisetty et al.	Chilika Lagoon (India)	2014	Turbidity	Landsat 8	Empirical Models	Green and red	Technical and general trend	Technical with some environmental application.
Qiang Wang, Kaishan Song, Xiao, et al.	Several lakes (United States, canada and Mexico)	1990–2019	Transparency	Landsat 5, 7 and 8	Semi-empirical models	blue/green + blue/red	Technical. Spatial and temporal general distribution	Technical with some environmental application.
N. Cao et al.	Ebinur Lake (China)	2014 - 2021	CDOM	Landsat 8	Semi-Analytical Models	Coastal aerosol, Blue, Green, Red and NIR	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Tao et al.	10.814 lakes (China)	1984 - 2018	Transparency	Landsat 5, 7 and 8	Empirical Models	Red and blue	Envriromental: spatial pattern and historical trend in lakes' trophic status	Purely environmental
X. Yang et al.	Donghu Lake (China)	1987–2018	Chl-a	Landsat 5, 7 and 8	Semi-empirical models	green and red	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Somasundaram et al.	550 reservoirs (Sri Lanka)	2013 to 2020	Transparency	Landsat 8	Semi-Analytical Models	Coastal Aerosol, Blue, Green and Red	Envriromental: temporal and spatial distribution and relationship with natural (precipitation, wind and temperature) and anthropogenic (human activity and population density) drivers	Environmental with trend analysis
Markogianni, Kalivas, et al.	50 lakes (Greece)	2013–2016 and 2018	Chl-a	Landsat 7 and 8	Semi-empirical models	Blue, red, swir2	Technical and environmental: to analyze trophic state trends and season	Technical with some environmental application.
Markogianni, Kalivas, et al.	50 lakes (Greece)	2013–2016 and 2018	Transparency	Landsat 7 and 8	Semi-empirical models	Blue, red, green and swir2	Technical and environmental: to analyze trophic state trends and season	Technical with some environmental application.
Markogianni, Kalivas, et al.	50 lakes (Greece)	2013–2016 and 2018	Phosphorous	Landsat 7 and 8	Semi-empirical models	red and swir1	Technical and environmental: to analyze trophic state trends and season	Technical with some environmental application.
Pahlevan et al.	Global	Not reported	Chl-a	Landsat 8	Machine Learning Models	Not reported	Technical	Purely technical
Pahlevan et al.	Global	Not reported	TSS	Landsat 8	Machine Learning Models	Not reported	Technical	Purely technical
Pahlevan et al.	Global	Not reported	CDOM	Landsat 8	Machine Learning Models	Not reported	Technical	Purely technical
Mushtaq, Nee Lala, and Mantoo	Wular Lake (India)	October 2018	Chl-a	Landsat 8	Semi-empirical models	NIR, Blue and Green	Technical and environmental: to analyze trophic state	Technical with some environmental application.
Mushtaq, Nee Lala, and Mantoo	Wular Lake (India)	October 2018	Transparency	Landsat 8	Semi-empirical models	NIR	Technical and environmental: to analyze trophic state	Technical with some environmental application.
Tebbs, Remedios, and Harper	Lake Bogoria (Kenya)	2003-2005	Chl-a	Landsat 7	Empirical Models	NIR	Technical and Chl-a timeseries and maps	Technical with some environmental application.
Wermuth et al.	Pampulha reservoir (Brazil)	2013-2020	Temperature	Landsat 8	Semi-Analytical Models	Thermal	Technical and characterize temporal and spatial thermal behavior of the reservoir	Technical with some environmental application.
K. Song, Q. Wang, et al.	Global	1984–2020	Transparency	Landsat 5, 7 and 8	Semi-empirical models	Red and blue	Envriromental: temporal and spatial distribution and relationship with natural (precipitation, wind and temperature) and anthropogenic (human activity and population density) drivers	Environmental with trend analysis
F. Yang et al.	Honghu Lake (China)	2000-2021	Transparency	Landsat 5, 7 and 8	Semi-empirical models	Not reported	Technical and environmental: to analyze trophic state trends and season	Technical with some environmental application.
Setiawan et al.	Lake Maninjau (Indonesia)	1987–2018	Transparency	Landsat 7	Semi-empirical models	Blue, green and red	Technical and Long-Term SD Changes	Technical with some environmental application.
Yépez et al.	Laguna Grande de San Pedro de la Paz (Chile)	2014–2022	Chl-a	Landsat 8	Semi-empirical models	green and NIR	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Yépez et al.	Laguna Grande de San Pedro de la Paz (Chile)	2014–2022	Turbidity	Landsat 8	Semi-empirical models	Red and NIR	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Tanner, Cardall, and Williams	Utah Lake (United States)	1984 to 2021	Chl-a	Landsat 5, 7 and 8	Semi-empirical models	SWIR1 and Blue	Envronmental: focus on non-parametric Mann–Kendall test to evaluate trends.	Environmental with trend analysis
Huang et al.	Alaska lakes (United States)	July to August 2013	Temperature	Landsat 8	Empirical Models	Thermal	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Tavares et al.	Lake Mangueira (Brazil)	Not reported	Temperature	Landsat 7	Empirical Models	Thermal	Technical.	Purely technical
Prats et al.	442 inland water bodies (France)	1999–2016	Temperature	Landsat 5 and 7	Semi-Analytical Models	Thermal	Technical.	Purely technical
Kong et al.	Poyang Lake (China)	2020 -2021	Temperature	Landsat 8	Semi-Analytical Models	Thermal	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Kramer et al.	Itaipu Reservoir (Brazil)	2015-2017	Temperature	Landsat 8	Semi-Analytical Models	Thermal	Technical.	Purely technical
Huang et al.	Arctic Lakes (United States)	2013	Temperature	Landsat 8	Semi-Analytical Models	Thermal	Technical.	Purely technical
Bui	shrimp farms (Vietnam)	1984 - 2024	Temperature	Landsat 5, 7, 8 and 9	Semi-Analytical Models	Thermal	Technical.	Purely technical
S. Liu et al.	145 small waterbodies (< 1km^2) (Australia)	1994 -2023	CDOM	Landsat 5, 7 and 8	Semi-empirical models	Blue, red, green	Technical and environmental: trends to analyze external factors	Environmental with trend analysis
H. Li et al.	Lake Balaton (Hungría)	1984 - 2023	Chl-a	Landsat 5, 7 and 8	Machine Learning Models	Not reported	Technical and environmental: trends	Environmental with trend analysis
Aroko, Deus, and Ngereja	Lake Victoria (Tanzanian)	June 2020	Turbidity	Landsat 8	Machine Learning Models	Not reported	Technical.	Purely technical
Aroko, Deus, and Ngereja	Lake Victoria (Tanzanian)	June 2020	TSS	Landsat 8	Machine Learning Models	Not reported	Technical.	Purely technical
Ahmad et al.	Chilika Lagoon (India)	August 2017 – june 2020	Chl-a	Landsat 7 and 8	Machine Learning Models	Blue, red, green, NIR, SWIR1	Technical.	Purely technical
Sánchez Valdivia et al.	7 Patagonian Lakes (Argentina)	2016 – 2020	CDOM	Landsat 8	Empirical Models	Blue, red, green, NIR	Technical and environmental: trends to analyze external factors	Environmental with trend analysis
Leggesse et al.	Lake Tana, Ethiopia	2013–2021	Chl-a	Landsat 8	Machine Learning Models	all	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Byrne et al.	7 lakes across Ethiopia, Kenya, and bordering Kenya, Uganda, and Tanzania	2005 - 2023	Chl-a	Landsat 5, 7, 8 and 9	Semi-empirical models	Blue, red, green	Technical.	Purely technical
Byrne et al.	7 lakes across Ethiopia, Kenya, and bordering Kenya, Uganda, and Tanzania	2005 - 2023	TSS	Landsat 5, 7, 8 and 9	Semi-empirical models	Blue, red, green, NIR	Technical.	Purely technical
Byrne et al.	7 lakes across Ethiopia, Kenya, and bordering Kenya, Uganda, and Tanzania	2005 - 2023	Chl-a	Landsat 5, 7, 8 and 9	Semi-empirical models	Blue, red, green	Technical.	Purely technical
Shamloo and Sima	Lake Urmia (Iran)	2016 - 2017	Chl-a	Landsat 8	Machine Learning Models	Not acceced	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Shamloo and Sima	Lake Urmia (Iran)	2016 - 2017	Phosphorous	Landsat 8	Machine Learning Models	Not acceced	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Shamloo and Sima	Lake Urmia (Iran)	2016 - 2017	Transparency	Landsat 8	Machine Learning Models	Not acceced	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Mamun, Hasan, and An	194 artificial reservoirs (South Korea)	2019	Chl-a	Landsat 8	Machine Learning Models	Not reported	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Mamun, Hasan, and An	194 artificial reservoirs (South Korea)	2019	TSS	Landsat 8	Machine Learning Models	Not reported	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Mamun, Hasan, and An	194 artificial reservoirs (South Korea)	2019	Transparency	Landsat 8	Machine Learning Models	Not reported	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Mancino et al.	Monticchio lakes (Italy)	37012	Chl-a	Landsat 5-9	Empirical Models	Blue, red, green	Technical.	Purely technical
Mancino et al.	Monticchio lakes (Italy)	37012	Transparency	Landsat 5-9	Empirical Models	Blue, red, green	Technical.	Purely technical
Scarpace, Fisher, and Holmquist	20 winsonsin lakes (united states)	1972 - 1973	Turbidity	Landsat 4	Empirical Models	NIR	Technical.	Purely technical
Doña et al.	Albufera y Parque regional del Sureste (Spain)	1985-2006	Chl-a	Landsat 5 y 7	Empirical Models	green and NIR	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Doña et al.	Albufera y Parque regional del Sureste (Spain)	1985-2006	Transparency	Landsat 5 y 7	Empirical Models	green	Technical. Spatial and temporal general distribution	Technical with some environmental application.
Domínguez Gómez, Chuvieco Salinero, and Sastre Merlín	Parque Regional Sureste (Spain)	1984 -2000	Transparency	Landsat 7	Empirical Models	green	Technical. Spatial and temporal general distribution	Technical with some environmental application.
D. J. Carpenter and S. M. Carpenter	fresh lakes (Australia)	1978 - 1979	Turbidity	Landsat 4	Empirical Models	Not reported	Technical.	Purely technical
Büttner et al.	Lake Balaton and reservoir Kisköre (Hungria)	Not reported	Chl-a	Landsat 5	Empirical Models	Not reported	Technical.	Purely technical
Büttner et al.	Lake Balaton and reservoir Kisköre (Hungria)	Not reported	TSS	Landsat 5	Empirical Models	Not reported	Technical.	Purely technical
Dekker, Vos, and Peters	Frisian lake system (Netherland)	1995	TSS	landsat 5	Empirical Models	red and green	Technical.	Purely technical
Zhou et al.	Lake Taihu (China)	Not reported	TSS	landsat 5	Empirical Models	Red and NIR	Technical.	Purely technical
D. G. Hadjimitsis et al.	Kourris Dam (Cyprus)	1998 -2001	Turbidity	landsat 5 and 7	Empirical Models	Red	Technical.	Purely technical
Sudheer, Chaubey, and Garg	Beaver Reservoir (united states)	2001 - 2004	Chl-a	Landsat 5	Machine Learning Models	Blue, red, green and NIR	Technical.	Purely technical
Wu et al.	Poyang Lake (China)	2004 - 2005	Transparency	Landsat 5	Empirical Models	Not acceced	Technical.	Purely technical
H. Duan, Y. Zhang, et al.	Three inland lakes (China)	2004 - 2005	Chl-a	Landsat 5	Empirical Models	red and green	Technical.	Purely technical
H. Duan, Ma, et al.	Three lakes, Chagan, Xinmiao, and Kuli (China)	2004 - 2005	Transparency	Landsat 5	Empirical Models	red and green	Technical.	Purely technical
Onderka, Rodný, and Velísková	Embalse Gabčíkovo (Slovakia)	36647	TSS	Landsat 5	Semi-Analytical Models	Blue, red, green	Technical.	Purely technical

References

Abdelal, Q. et al. (2022). "Assessment of Sentinel-2 and Landsat-8 OLI for Small-Scale Inland Water Quality Modeling and Monitoring Based on Handheld Hyperspectral Ground Truthing". In: *Journal of Sensors* 2022. doi: 10.1155/2022/4643924. url: https://doi.org/10.1155/2022/4643924.

Adusei, Y. Y. et al. (2021). "Spatial Prediction and Mapping of Water Quality of Owabi Reservoir from Satellite Imageries and Machine Learning Models". In: *The Egyptian Journal of Remote Sensing and Space Science* 24.3, pp. 825–833. doi: 10.1016/J.EJRS.2021.06.006. url: https://doi.org/10.1016/J.EJRS.2021.06.006.

Ahmad, H. et al. (2025). "Integrating Machine Learning and Remote Sensing for Long-Term Monitoring of Chlorophyll-a in Chilika Lagoon, India". In: *Environmental Monitoring and Assessment* 197.1, pp. 1–18. doi: 10.1007/S10661-024-13463-8. url: https://doi.org/10.1007/S10661-024-13463-8/METRICS.

Alcântara, E., M. Curtarelli, and J. Stech (2016). "Estimating Total Suspended Matter Using the Particle Backscattering Coefficient: Results from the Itumbiara Hydroelectric Reservoir (Goiás State, Brazil)". In: *Remote Sensing Letters* 7.4, pp. 397–406. doi: 10.1080/2150704X.2015.1137646. url: https://doi.org/10.1080/2150704X.2015.1137646.

El-Alem, A. and K. Chokmani (2022). "A Machine Learning-Based Regional Hybrid Model for Remote Retrieving Turbidity from Landsat Imagery". In: *IEEE Geoscience and Remote Sensing Letters* 19. doi: 10.1109/LGRS.2021.3115986. url: https://doi.org/10.1109/LGRS.2021.3115986.

Amado-Alvarez, J. et al. (2019). "Análisis Multiespectral Para La Estimación de La Turbidez Como Indicador de La Calidad Del Agua En Embalses Del Estado de Chihuahua, México". In: *Revista Geográfica de América Central* 1.62, pp. 49–77. doi: 10.15359/RGAC.62-1.2. url: https://doi.org/10.15359/RGAC.62-1.2.

Arias-Rodriguez, L. F., Z. Duan, et al. (2021). "Integration of Remote Sensing and Mexican Water Quality Monitoring System Using an Extreme Learning Machine". In: *Sensors* 21.12, p. 4118. doi: 10.3390/S21124118. url: https://doi.org/10.3390/S21124118.

Arias-Rodriguez, L. F., U. F. Tüzün, et al. (2023). "Global Water Quality of Inland Waters with Harmonized Landsat-8 and Sentinel-2 Using Cloud-Computed Machine Learning". In: *Remote Sensing* 15.5, p. 1390. doi: 10.3390/rs15051390. url: https://doi.org/10.3390/rs15051390.

Aroko, R., D. Deus, and Z. Ngereja (2025). "Comparison of Multiple Linear Regression and Artificial Neural Network Models in Retrieving Water Quality Parameters Using Remotely Sensed Data: Lake Victoria (Tanzanian) Water". In: *South African Journal of Geomatics* 14.1, pp. 167–190. doi: 10.4314/SAJG.V14I1.11. url: https://doi.org/10.4314/SAJG.V14I1.11.

Bangira, T. et al. (2024). "Remote Sensing-Based Water Quality Monitoring in African Reservoirs, Potential and Limitations of Sensors and Algorithms: A Systematic Review". In: *Physics and Chemistry of the Earth, Parts A/B/C* 134, p. 103536. doi: 10.1016/J.PCE.2023.103536. url: https://doi.org/10.1016/J.PCE.2023.103536.

Barreneche, J. M. et al. (2023). "Monitoring Uruguay's Freshwaters from Space: An Assessment of Different Satellite Image Processing Schemes for Chlorophyll-a Estimation". In: *Remote Sensing Applications: Society and Environment* 29, p. 100891. doi: 10.1016/J.RSASE.2022.100891. url: https://doi.org/10.1016/J.RSASE.2022.100891.

Bernardo, N., A. Carmo, et al. (2020). "Single Tuned Algorithm to Estimate the SPM Concentration in a Cascade Reservoir System Using OLI/L8 Images". In: *Advances in Space Research* 66.11, pp. 2583–2596. doi: 10.1016/J.ASR.2020.08.035. url: https://doi.org/10.1016/J.ASR.2020.08.035.

Bernardo, N., A. do Carmo, et al. (2019). "Retrieval of Suspended Particulate Matter in Inland Waters with Widely Differing Optical Properties Using a Semi-Analytical Scheme". In: *Remote Sensing* 11.19, p. 2283. doi: 10.3390/RS11192283. url: https://doi.org/10.3390/RS11192283.

Bonansea, M. et al. (2015). "Using Multi-Temporal Landsat Imagery and Linear Mixed Models for Assessing Water Quality Parameters in Río Tercero Reservoir (Argentina)". In: *Remote Sensing of Environment* 158, pp. 28–41. doi: 10.1016/J.RSE.2014.10.032. url: https://doi.org/10.1016/J.RSE.2014.10.032.

Bui, T. D. (2024). "Using Remotely Sensed Data in Google Earth Engine to Investigate Water Surface Temperature at Shrimp Farms in the Climate Change Context: A Case Study at Mong Cai City, Quang Ninh Province, Vietnam". In: *Aquaculture International* 32.5, pp. 6273–6286. doi: 10.1007/S10499-024-01465-9. url: https://doi.org/10.1007/S10499-024-01465-9.

Büttner, G. et al. (1987). "Satellite Remote Sensing of Inland Waters: Lake Balaton and Reservoir Kisköre". In: *Acta Astronautica* 15.6–7, pp. 305–311. doi: 10.1016/0094-5765(87)90165-2. url: https://doi.org/10.1016/0094-5765(87)90165-2.

Byrne, A. et al. (2024). "LAQUA: A LAndsat Water QUality Retrieval Tool for East African Lakes". In: *Remote Sensing* 16.16, p. 2903. doi: 10.3390/RS16162903. url: https://doi.org/10.3390/RS16162903.

Caballero, I. et al. (2022). "Use of the Sentinel-2 and Landsat-8 Satellites for Water Quality Monitoring: An Early Warning Tool in the Mar Menor Coastal Lagoon". In: doi: 10.3390/rs14122744. url: https://doi.org/10.3390/rs14122744.

Cao, N. et al. (2023). "Spatio-Temporal Analysis of Colored Dissolved Organic Matter over Ebinur Lake in Xinjiang, China". In: *Ecological Informatics* 78, p. 102339. doi: 10.1016/J.ECOINF.2023.102339. url: https://doi.org/10.1016/J.ECOINF.2023.102339.

Cao, Z. et al. (2022). "Harmonized Chlorophyll-a Retrievals in Inland Lakes From Landsat-8/9 and Sentinel 2A/B Virtual Constellation Through Machine Learning". In: *IEEE Transactions on Geoscience and Remote Sensing* 60. doi: 10.1109/TGRS.2022.3207345. url: https://doi.org/10.1109/TGRS.2022.3207345.

Carpenter, D. J. and S. M. Carpenter (1983). "Modeling Inland Water Quality Using Landsat Data". In: *Remote Sensing of Environment* 13.4, pp. 345–352. doi: 10.1016/0034-4257(83)90035-4. url: https://doi.org/10.1016/0034-4257(83)90035-4.

Chao Rodríguez, Y. et al. (2013). "Using Landsat Image Time Series to Study a Small Water Body in Northern Spain". In: *Environ. Monit. Assess.* doi: 10.1007/s10661-014-3634-8. url: https://doi.org/10.1007/s10661-014-3634-8.

Chegoonian, A. M. et al. (2023). "Comparative Analysis of Empirical and Machine Learning Models for Chla Extraction Using Sentinel-2 and Landsat OLI Data: Opportunities, Limitations, and Challenges". In: *Canadian Journal of Remote Sensing* 49.1, p. 2215333. doi: 10.1080/07038992.2023.2215333. url: https://doi.org/10.1080/07038992.2023.2215333.

Chen, J. et al. (2017). "Estimation of Colored Dissolved Organic Matter from Landsat-8 Imagery for Complex Inland Water: Case Study of Lake Huron". In: *IEEE Transactions on Geoscience and Remote Sensing* 55.4, pp. 2201–2212. doi: 10.1109/TGRS.2016.2638828. url: https://doi.org/10.1109/TGRS.2016.2638828.

Chen, M. et al. (2022). "An Improved QAA-Based Method for Monitoring Water Clarity of Honghu Lake Using Landsat TM, ETM+ and OLI Data". In: *Remote Sensing* 14.15, p. 3798. doi: 10.3390/RS14153798. url: https://doi.org/10.3390/RS14153798.

Coelho, C. et al. (2017). "In Situ and Satellite Observation of CDOM and Chlorophyll-a Dynamics in Small Water Surface Reservoirs in the Brazilian Semiarid Region". In: *Water* 9.12, p. 913. doi: 10.3390/W9120913. url: https://doi.org/10.3390/W9120913.

Concha, J. A. and J. R. Schott (2016). "Retrieval of Color Producing Agents in Case 2 Waters Using Landsat 8". In: *Remote Sensing of Environment* 185, pp. 95–107. doi: 10.1016/J.RSE.2016.03.018. url: https://doi.org/10.1016/J.RSE.2016.03.018.

Cui, Y. et al. (2022). "Deep Learning–Based Remote Sensing Estimation of Water Transparency in Shallow Lakes by Combining Landsat 8 and Sentinel 2 Images". In: *Environmental Science and Pollution Research* 29.3, pp. 4401–4413. doi: 10.1007/S11356-021-16004-9. url: https://doi.org/10.1007/S11356-021-16004-9.

Dallosch, M. A. and I. F. Creed (2021). "Optimization of Landsat Chl-a Retrieval Algorithms in Freshwater Lakes through Classification of Optical Water Types". In: *Remote Sensing* 13.22, p. 4607. doi: 10.3390/RS13224607. url: https://doi.org/10.3390/RS13224607.

Dave, A. et al. (2019). "Assessment of Water Quality Parameters for Some Inland Water Bodies of Western India Using Landsat 8 Data". In: *World Environmental and Water Resources Congress 2019: Groundwater, Sustainability, Hydro-Climate/Climate Change, and Environmental Engineering - Selected Papers from the World Environmental and Water Resources Congress 2019*, pp. 98–107. doi: 10.1061/9780784482346.010. url: https://doi.org/10.1061/9780784482346.010.

Dekker, A. G., R. J. Vos, and S. W. M. Peters (2001). "Comparison of Remote Sensing Data, Model Results and in Situ Data for Total Suspended Matter (TSM) in the Southern Frisian Lakes". In: *Science of The Total Environment* 268.1–3, pp. 197–214. doi: 10.1016/S0048-9697(00)00679-3. url: https://doi.org/10.1016/S0048-9697(00)00679-3.

Deutsch, E. S., J. A. Cardille, et al. (2021). "Landsat 8 Lake Water Clarity Empirical Algorithms: Large-Scale Calibration and Validation Using Government and Citizen Science Data from across Canada". In: *Remote Sensing* 13.7, p. 1257. doi: 10.3390/RS13071257. url: https://doi.org/10.3390/RS13071257.

Deutsch, E. S., M. J. Fortin, and J. A. Cardille (2022). "Assessing the Current Water Clarity Status of ~100,000 Lakes across Southern Canada: A Remote Sensing Approach". In: *Science of The Total Environment* 826, p. 153971. doi: 10.1016/J.SCITOTENV.2022.153971. url: https://doi.org/10.1016/J.SCITOTENV.2022.153971.

Domínguez Gómez, J. A., E. Chuvieco Salinero, and A. Sastre Merlín (2009). "Monitoring Transparency in Inland Water Bodies Using Multispectral Images". In: *International Journal of Remote Sensing* 30.6, pp. 1567–1586. doi: 10.1080/01431160802513811. url: https://doi.org/10.1080/01431160802513811.

Doña, C. et al. (2014). "Empirical Relationships for Monitoring Water Quality of Lakes and Reservoirs through Multispectral Images". In: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 7.5, pp. 1632–1641. doi: 10.1109/JSTARS.2014.2301295. url: https://doi.org/10.1109/JSTARS.2014.2301295.

Du, Y. et al. (2020). "Quantifying Total Suspended Matter (TSM) in Waters Using Landsat Images during 1984–2018 across the Songnen Plain, Northeast China". In: *Journal of Environmental Management* 262, p. 110334. doi: 10.1016/J.JENVMAN.2020.110334. url: https://doi.org/10.1016/J.JENVMAN.2020.110334.

Duan, H., R. Ma, et al. (2009). "Remote-Sensing Assessment of Regional Inland Lake Water Clarity in Northeast China". In: *Limnology* 10.2, pp. 135–141. doi: 10.1007/s10201-009-0263-y. url: https://doi.org/10.1007/s10201-009-0263-y.

Duan, H., Y. Zhang, et al. (2008). "Estimation of Chlorophyll-a Concentration and Trophic States for Inland Lakes in Northeast China from Landsat TM Data and Field Spectral Measurements". In: *International Journal of Remote Sensing* 29.3, pp. 767–786. doi: 10.1080/01431160701355249. url: https://doi.org/10.1080/01431160701355249.

Erena, M. et al. (2019). "Monitoring Coastal Lagoon Water Quality through Remote Sensing: The Mar Menor as a Case Study". In: *Water* 11.7, p. 1468. DOI: 10.3390/W11071468. URL: https://doi.org/10.3390/W11071468.

Ghirardi, N. et al. (2023). "The Long-Term Detection of Suspended Particulate Matter Concentration and Water Colour in Gravel and Sand Pit Lakes through Landsat and Sentinel-2 Imagery". In: *Remote Sensing* 15.23, p. 5564. DOI: 10.3390/rs15235564. URL: https://doi.org/10.3390/rs15235564.

Guo, H., S. Tian, et al. (2022). "Performance of Deep Learning in Mapping Water Quality of Lake Simcoe with Long-Term Landsat Archive". In: *ISPRS Journal of Photogrammetry and Remote Sensing* 183, pp. 451–469. DOI: 10.1016/J.ISPRSJPRS.2021.11.023. URL: https://doi.org/10.1016/J.ISPRSJPRS.2021.11.023.

Guo, H., X. Zhu, et al. (2023). "An Enhanced Deep Learning Approach to Assessing Inland Lake Water Quality and Its Response to Climate and Anthropogenic Factors". In: *Journal of Hydrology* 620, p. 129466. DOI: 10.1016/J.JHYDROL.2023.129466. URL: https://doi.org/10.1016/J.JHYDROL.2023.129466.

Ha, N. T. T. et al. (2017). "Landsat 8/OLI Two Bands Ratio Algorithm for Chlorophyll-a Concentration Mapping in Hypertrophic Waters: An Application to West Lake in Hanoi (Vietnam)". In: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 10.11, pp. 4919–4929. DOI: 10.1109/JSTARS.2017.2739184. URL: https://doi.org/10.1109/JSTARS.2017.2739184.

Hadjimitsis, D. G. et al. (2006). "Determination of Turbidity in Kourris Dam in Cyprus Utilizing Landsat TM Remotely Sensed Data". In: *Water Resources Management* 20.3, pp. 449–465. DOI: 10.1007/S11269-006-3089-Y. URL: https://doi.org/10.1007/S11269-006-3089-Y.

Hafeez, Sidrah et al. (July 2022). "Evaluating Landsat-8 and Sentinel-2 Data Consistency for High Spatiotemporal Inland and Coastal Water Quality Monitoring". In: *Remote Sensing* 14.13, pp. 3155–3155. DOI: 10.3390/RS14133155/S1. URL: https://www.mdpi.com/2072-4292/14/13/3155/htm.

He, Y. et al. (2021). "Inland Reservoir Water Quality Inversion and Eutrophication Evaluation Using BP Neural Network and Remote Sensing Imagery: A Case Study of Dashahe Reservoir". In: *Water* 13.20, p. 2844. DOI: 10.3390/W13202844. URL: https://doi.org/10.3390/W13202844.

Hicks, B. J. et al. (2013). "Hindcasting Water Clarity from Landsat Satellite Images of Unmonitored Shallow Lakes in the Waikato Region, New Zealand". In: *Environmental Monitoring and Assessment* 185.9, pp. 7245–7261. DOI: 10.1007/S10661-013-3098-2. URL: https://doi.org/10.1007/S10661-013-3098-2.

Huang, Y. et al. (2015). "Analysis of Water Temperature Variability of Arctic Lakes Using Landsat-8 Data". In: *International Geoscience and Remote Sensing Symposium (IGARSS), 2015-November*, pp. 2501–2503. DOI: 10.1109/IGARSS.2015.7326318. URL: https://doi.org/10.1109/IGARSS.2015.7326318.

Imen, S., N. B. Chang, and Y. J. Yang (2015). "Developing the Remote Sensing-Based Early Warning System for Monitoring TSS Concentrations in Lake Mead". In: *Journal of Environmental Management* 160, pp. 73–89. DOI: 10.1016/J.JENVMAN.2015.06.003. URL: https://doi.org/10.1016/J.JENVMAN.2015.06.003.

Jakovljevic, G., F. Álvarez-Taboada, and M. Govedarica (2023). "Long-Term Monitoring of Inland Water Quality Parameters Using Landsat Time-Series and Back-Propagated ANN: Assessment and Usability in a Real-Case Scenario". In: *Remote Sensing* 16.1, p. 68. DOI: 10.3390/RS16010068. URL: https://doi.org/10.3390/RS16010068.

Koll-Egyed, T., J. A. Cardille, and E. Deutsch (2021). "Multiple Images Improve Lake CDOM Estimation: Building Better Landsat 8 Empirical Algorithms across Southern Canada". In: *Remote Sensing* 13.18, p. 3615. DOI: 10.3390/RS13183615. URL: https://doi.org/10.3390/RS13183615.

Kong, X. et al. (2024). "Lake Surface Temperature Retrieval Study Based on Landsat 8 Satellite Imagery—A Case Study of Poyang Lake". In: *Atmosphere* 15.4, p. 428. DOI: 10.3390/ATMOS15040428. URL: https://doi.org/10.3390/ATMOS15040428.

Kramer, G. et al. (2023). "Performance and Validation of Water Surface Temperature Estimates from Landsat 8 of the Itaipu Reservoir, State of Paraná, Brazil". In: *Environmental Monitoring and Assessment* 195.1, pp. 1–17. DOI: 10.1007/S10661-022-10677-6. URL: https://doi.org/10.1007/S10661-022-10677-6.

Kutser, T. (2012). "The Possibility of Using the Landsat Image Archive for Monitoring Long Time Trends in Coloured Dissolved Organic Matter Concentration in Lake Waters". In: *Remote Sensing of Environment* 123, pp. 334–338. DOI: 10.1016/J.RSE.2012.04.004. URL: https://doi.org/10.1016/J.RSE.2012.04.004.

Kutser, T. et al. (2016). "Remote Sensing of Black Lakes and Using 810 Nm Reflectance Peak for Retrieving Water Quality Parameters of Optically Complex Waters". In: *Remote Sensing* 8.6, p. 497. DOI: 10.3390/RS8060497. URL: https://doi.org/10.3390/RS8060497.

Lamaro, A. A. et al. (2013). "Water Surface Temperature Estimation from Landsat 7 ETM+ Thermal Infrared Data Using the Generalized Single-Channel Method: Case Study of Embalse Del Río Tercero (Córdoba, Argentina)". In: *Advances in Space Research* 51.3, pp. 492–500. DOI: 10.1016/J.ASR.2012.09.032. URL: https://doi.org/10.1016/J.ASR.2012.09.032.

Ledesma, M. M. et al. (2019). "Estimation of Chlorophyll-a Concentration Using Landsat 8 in the Cassaffousth Reservoir". In: *Water Supply* 19.7, pp. 2021–2027. DOI: 10.2166/WS.2019.080. URL: https://doi.org/10.2166/WS.2019.080.

Leggesse, E. S. et al. (2024). "Advancing Non-Optical Water Quality Monitoring in Lake Tana, Ethiopia: Insights from Machine Learning and Remote Sensing Techniques". In: *Frontiers in Water* 6, p. 1432280. DOI: 10.3389/FRWA.2024.1432280. URL: https://doi.org/10.3389/FRWA.2024.1432280.

Lehmann, M. K. et al. (2019). "Regional Trends in Remotely Sensed Water Clarity over 18 Years in the Rotorua Lakes, New Zealand". In: *New Zealand Journal of Marine and Freshwater Research* 53.4, pp. 513–535. DOI: 10.1080/00288330.2019.1609051. URL: https://doi.org/10.1080/00288330.2019.1609051.

Li, H. et al. (2025). "Leveraging Landsat and Google Earth Engine for Long-Term Chlorophyll-a Monitoring: A Case Study of Lake Balaton's Water Quality". In: *Ecological Informatics* 90, p. 103245. DOI: 10.1016/J.ECOINF.2025.103245. URL: https://doi.org/10.1016/J.ECOINF.2025.103245.

Li, J. et al. (2018). "Spatio-Temporal Variations of CDOM in Shallow Inland Waters from a Semi-Analytical Inversion of Landsat-8". In: *Remote Sensing of Environment* 218, pp. 189–200. DOI: 10.1016/J.RSE.2018.09.014. URL: https://doi.org/10.1016/J.RSE.2018.09.014.

Li, W. et al. (2022). "Remote Sensing Estimation of Long-Term Total Suspended Matter Concentration from Landsat across Lake Qinghai". In: *Water* 14.16, p. 2498. DOI: 10.3390/W14162498. URL: https://doi.org/10.3390/W14162498.

Liu, S. et al. (2024). "Remote Sensing of Water Colour in Small Southeastern Australian Waterbodies". In: *Journal of Environmental Management* 352, p. 120096. DOI: 10.1016/J.JENVMAN.2024.120096. URL: https://doi.org/10.1016/J.JENVMAN.2024.120096.

Lobo, F. L., M. P. F. Costa, and E. M. L. M. Novo (2015). "Time-Series Analysis of Landsat-MSS/TM/OLI Images over Amazonian Waters Impacted by Gold Mining Activities". In: *Remote Sensing of Environment* 157, pp. 170–184. DOI: 10.1016/J.RSE.2014.04.030. URL: https://doi.org/10.1016/J.RSE.2014.04.030.

Lu, S. et al. (2023). "An Operational Approach for Large-Scale Mapping of Water Clarity Levels in Inland Lakes Using Landsat Images Based on Optical Classification". In: *Environmental Research* 237, p. 116898. DOI: 10.1016/J.ENVRES.2023.116898. URL: https://doi.org/10.1016/J.ENVRES.2023.116898.

Lymburner, L. et al. (2016). "Landsat 8: Providing Continuity and Increased Precision for Measuring Multi-Decadal Time Series of Total Suspended Matter". In: *Remote Sensing of Environment* 185, pp. 108–118. DOI: 10.1016/J.RSE.2016.04.011. URL: https://doi.org/10.1016/J.RSE.2016.04.011.

Maciel, D. A. et al. (2023). "Towards Global Long-Term Water Transparency Products from the Landsat Archive". In: *Remote Sensing of Environment* 299, p. 113889. DOI: 10.1016/J.RSE.2023.113889. URL: https://doi.org/10.1016/J.RSE.2023.113889.

Malahlela, O. E. (2019). "Spatio-Temporal Assessment of Inland Surface Water Quality Using Remote Sensing Data in the Wake of Changing Climate". In: *IOP Conference Series: Earth and Environmental Science*. Vol. 227. 6, p. 062012. DOI: 10.1088/1755-1315/227/6/062012. URL: https://doi.org/10.1088/1755-1315/227/6/062012.

Mamun, M., M. Hasan, and K. G. An (2024). "Advancing Reservoirs Water Quality Parameters Estimation Using Sentinel-2 and Landsat-8 Satellite Data with Machine Learning Approaches". In: *Ecological Informatics* 81, p. 102608. DOI: 10.1016/J.ECOINF.2024.102608. URL: https://doi.org/10.1016/J.ECOINF.2024.102608.

Mancino, G. et al. (2009). "Assessing Water Quality by Remote Sensing in Small Lakes: The Case Study of Monticchio Lakes in Southern Italy". In: *IForest - Biogeosciences and Forestry* 2.4, p. 154. DOI: 10.3832/IFOR0507-002. URL: https://doi.org/10.3832/IFOR0507-002.

Markogianni, V., E. Dimitriou, and I. Karaouzas (2014). "Water Quality Monitoring and Assessment of an Urban Mediterranean Lake Facilitated by Remote Sensing Applications". In: *Environmental Monitoring and Assessment* 186.8, pp. 5009–5026. DOI: 10.1007/S10661-014-3755-0. URL: https://doi.org/10.1007/S10661-014-3755-0.

Markogianni, V., D. Kalivas, et al. (2020). "Estimating Chlorophyll-a of Inland Water Bodies in Greece Based on Landsat Data". In: *Remote Sensing* 12.13, p. 2087. DOI: 10.3390/RS12132087. URL: https://doi.org/10.3390/RS12132087.

— (2022). "Modelling of Greek Lakes Water Quality Using Earth Observation in the Framework of the Water Framework Directive (WFD)". In: *Remote Sensing* 14.3, p. 739. DOI: 10.3390/RS14030739. URL: https://doi.org/10.3390/RS14030739.

Markogianni, V., D. Kalvas, et al. (2018). "An Appraisal of the Potential of Landsat 8 in Estimating Chlorophyll-a, Ammonium Concentrations and Other Water Quality Indicators". In: *Remote Sensing* 10.7, p. 1018. DOI: 10.3390/RS10071018. URL: https://doi.org/10.3390/RS10071018.

Martins, V. S. et al. (2018). "Remote Sensing of Large Reservoir in the Drought Years: Implications on Surface Water Change and Turbidity Variability of Sobradinho Reservoir (Northeast Brazil)". In: DOI: 10.1016/j.rsase.2018.11.006. URL: https://doi.org/10.1016/j.rsase.2018.11.006.

Masocha, M. et al. (2018). "Testing Utility of Landsat 8 for Remote Assessment of Water Quality in Two Subtropical African Reservoirs with Contrasting Trophic States". In: *Geocarto International* 33.7, pp. 667–680. DOI: 10.1080/10106049.2017.1289561. URL: https://doi.org/10.1080/10106049.2017.1289561.

Meng, H., J. Zhang, and Z. Zheng (2022). "Retrieving Inland Reservoir Water Quality Parameters Using Landsat 8-9 OLI and Sentinel-2 MSI Sensors with Empirical Multivariate Regression". In: *International Journal of Environmental Research and Public Health* 19.13, p. 7725. DOI: 10.3390/IJERPH19137725. URL: https://doi.org/10.3390/IJERPH19137725.

Mohsen, A., M. Elshemy, and B. Zeidan (2021). "Water Quality Monitoring of Lake Burullus (Egypt) Using Landsat Satellite Imageries". In: *Environmental Science and Pollution Research* 28.13, pp. 15687–15700. DOI: 10.1007/s11356-020-11765-1. URL: https://doi.org/10.1007/s11356-020-11765-1.

Mushtaq, F., M. G. Nee Lala, and A. G. Mantoo (2022). "Trophic State Assessment of a Freshwater Himalayan Lake Using Landsat 8 OLI Satellite Imagery: A Case Study of Wular Lake, Jammu and Kashmir (India)". In: *Earth and Space Science* 9.3, e2021EA001653. ISSN: 10.1029/2021. DOI: 10.1029/2021EA001653. URL: https://doi.org/10.1029/2021EA001653.

Nascimento Silva, H. A. et al. (2017). "Retrieving Chlorophyll-a Levels, Transparency and Tss Concentration from Multispectral Satellite Data by Using Artificial Neural Networks". In: *Progress in Electromagnetics Research Symposium, 2017-November*, pp. 2876–2883. DOI: 10.1109/PIERS-FALL.2017.8293624. URL: https://doi.org/10.1109/PIERS-FALL.2017.8293624.

Oliphant, T. et al. (2018). "Mapping Chlorophyll-a Concentrations in a Cyanobacteria- and Algae-Impacted Vaal Dam Using Landsat 8 OLI Data". In: *South African Journal of Science* 114.9/10. DOI: 10.17159/SAJS.2018/4841. URL: https://doi.org/10.17159/SAJS.2018/4841.

Olmanson, L. G. et al. (2020). "Regional Measurements and Spatial/Temporal Analysis of CDOM in 10,000+ Optically Variable Minnesota Lakes Using Landsat 8 Imagery". In: *Science of The Total Environment* 724, p. 138141. DOI: 10.1016/J.SCITOTENV.2020.138141. URL: https://doi.org/10.1016/J.SCITOTENV.2020.138141.

Onderka, M., M. Rodný, and Y. Velísková (2011). "Suspended Particulate Matter Concentrations Retrieved from Self-Calibrated Multispectral Satellite Imagery". In: *Journal of Hydrology and Hydromechanics* 59.4, pp. 251–261. DOI: 10.2478/V10098-011-0021-9. URL: https://doi.org/10.2478/V10098-011-0021-9.

Pahlevan, N. et al. (2022). "Simultaneous Retrieval of Selected Optical Water Quality Indicators from Landsat-8, Sentinel-2, and Sentinel-3". In: *Remote Sensing of Environment* 270, p. 112860. DOI: 10.1016/J.RSE.2021.112860. URL: https://doi.org/10.1016/J.RSE.2021.112860.

Papoutsa, C., E. Akylas, and D. Hadjimitsis (2014). "Trophic State Index Derivation through the Remote Sensing of Case-2 Water Bodies in the Mediterranean Region". In: *Central European Journal of Geosciences* 6.1, pp. 67–78. DOI: 10.2478/S13533-012-0161-4. URL: https://doi.org/10.2478/S13533-012-0161-4.

Peterson, K. T., V. Sagan, and J. J. Sloan (2020). "Deep Learning-Based Water Quality Estimation and Anomaly Detection Using Landsat-8/Sentinel-2 Virtual Constellation and Cloud Computing". In: *GIScience & Remote Sensing* 57.4, pp. 510–525. DOI: 10.1080/15481603.2020.1738061. URL: https://doi.org/10.1080/15481603.2020.1738061.

Prats, J. et al. (2018). "LakeSST: Lake Skin Surface Temperature in French Inland Water Bodies for 1999-2016 from Landsat Archives". In: *Earth System Science Data* 10.2, pp. 727–743. DOI: 10.5194/ESSD-10-727-2018. URL: https://doi.org/10.5194/ESSD-10-727-2018.

Ren, J. et al. (2018). "Remote Observation of Water Clarity Patterns in Three Gorges Reservoir and Dongting Lake of China and Their Probable Linkage to the Three Gorges Dam Based on Landsat 8 Imagery". In: *Science of The Total Environment* 625, pp. 1554–1566. DOI: 10.1016/J.SCITOTENV.2018.01.036. URL: https://doi.org/10.1016/J.SCITOTENV.2018.01.036.

Robert, E. et al. (2017). "Analysis of Suspended Particulate Matter and Its Drivers in Sahelian Ponds and Lakes by Remote Sensing (Landsat and MODIS): Gourma Region, Mali". In: *Remote Sensing* 9.12, p. 1272. DOI: 10.3390/RS9121272. URL: https://doi.org/10.3390/RS9121272.

Rodrigues, T. et al. (2017). "Retrieval of Secchi Disk Depth from a Reservoir Using a Semi-Analytical Scheme". In: *Remote Sensing of Environment* 198, pp. 213–228. DOI: 10.1016/J.RSE.2017.06.018. URL: https://doi.org/10.1016/J.RSE.2017.06.018.

Rubin, H. J. et al. (2021). "Remote Sensing of Lake Water Clarity: Performance and Transferability of Both Historical Algorithms and Machine Learning". In: *Remote Sensing* 13.8, p. 1434. DOI: 10.3390/RS13081434. URL: https://doi.org/10.3390/RS13081434.

Sánchez Valdivia, Ayelén et al. (Nov. 2024). "Characterizing Chromophoric Dissolved Organic Matter Spatio-Temporal Variability in North Andean Patagonian Lakes Using Remote Sensing Information and Environmental Analysis". In: *Remote Sensing* 16.21, pp. 4063–4063. DOI: 10.3390/RS16214063/S1. URL: https://www.mdpi.com/2072-4292/16/21/4063/htm.

Scarpace, F. L., L. T. Fisher, and K. W. Holmquist (1979). "Landsat Analysis of Lake Quality". In: *Photogrammetric Engineering and Remote Sensing* 45.

Setiawan, F. et al. (2019). "Long-Term Change of the Secchi Disk Depth in Lake Maninjau, Indonesia Shown by Landsat TM and ETM+ Data". In: *Remote Sensing* 11.23, p. 2875. DOI: 10.3390/RS11232875. URL: https://doi.org/10.3390/RS11232875.

Shahzad, M. I. et al. (2018). "Empirical Estimation of Suspended Solids Concentration in the Indus Delta Region Using Landsat-7 ETM+ Imagery". In: *Journal of Environmental Management* 209, pp. 254–261. DOI: 10.1016/J.JENVMAN.2017.12.070. URL: https://doi.org/10.1016/J.JENVMAN.2017.12.070.

Shamloo, A. and S. Sima (2024). "Investigating the Potential of Remote Sensing-Based Machine-Learning Algorithms to Model Secchi-disk Depth, Total Phosphorus, and Chlorophyll-a in Lake Urmia". In: *Journal of Great Lakes Research* 50.4, p. 102370. DOI: 10.1016/J.JGLR.2024.102370. URL: https://doi.org/10.1016/J.JGLR.2024.102370.

Simon, R. N., T. Tormos, and P.-A. Danis (2014). "Retrieving Water Surface Temperature from Archive LANDSAT Thermal Infrared Data: Application of the Mono-Channel Atmospheric Correction Algorithm over Two Freshwater Reservoirs". In: *International Journal of Applied Earth Observation and Geoinformation* 30.1, pp. 247–250. DOI: 10.1016/j.jag.2014.01.005. URL: https://doi.org/10.1016/j.jag.2014.01.005.

Somasundaram, D. et al. (2021). "Patterns, Trends and Drivers of Water Transparency in Sri Lanka Using Landsat 8 Observations and Google Earth Engine". In: *Remote Sensing* 13.11, p. 2193. DOI: 10.3390/RS13112193. URL: https://doi.org/10.3390/RS13112193.

Song, K., G. Liu, et al. (2020). "Quantification of Lake Clarity in China Using Landsat OLI Imagery Data". In: *Remote Sensing of Environment* 243, p. 111800. DOI: 10.1016/J.RSE.2020.111800. URL: https://doi.org/10.1016/J.RSE.2020.111800.

Song, K., Q. Wang, et al. (2022). "A Unified Model for High Resolution Mapping of Global Lake (>1 Ha) Clarity Using Landsat Imagery Data". In: *Science of The Total Environment* 810, p. 151188. DOI: 10.1016/J.SCITOTENV.2021.151188. URL: https://doi.org/10.1016/J.SCITOTENV.2021.151188.

Sudheer, K. P., I. Chaubey, and V. Garg (2006). "Lake Water Quality Assessment from Landsat Thematic Mapper Data Using Neural Network: An Approach to Optimal Band Combination Selection". In: *Journal of the American Water Resources Association* 42.6, pp. 1683–1695. DOI: 10.1111/J.1752-1688.2006.TB06029.X. URL: https://doi.org/10.1111/J.1752-1688.2006.TB06029.X.

Sun, Q. et al. (2024). "Landsat Observations of Total Suspended Solids Concentrations in the Pearl River Estuary, China, over the Past 36 Years". In: *Environmental Research* 249, p. 118461. DOI: 10.1016/J.ENVRES.2024.118461. URL: https://doi.org/10.1016/J.ENVRES.2024.118461.

Surisetty, V. V. A. K. et al. (2018). "Improved Turbidity Estimates in Complex Inland Waters Using Combined NIR–SWIR Atmospheric Correction Approach for Landsat 8 OLI Data". In: *International Journal of Remote Sensing* 39.21, pp. 7463–7482. DOI: 10.1080/01431161.2018.1471538. URL: https://doi.org/10.1080/01431161.2018.1471538.

Tanner, Kaylee Brook, Anna Catherine Cardall, and Gustavious Paul Williams (Aug. 2022). "A Spatial Long-Term Trend Analysis of Estimated Chlorophyll-a Concentrations in Utah Lake Using Earth Observation Data". In: *Remote Sensing* 14.15, pp. 3664–3664. DOI: 10.3390/RS14153664/S1. URL: https://www.mdpi.com/2072-4292/14/15/3664/htm.

Tao, H. et al. (2022). "Analysis of Spatio-Temporal Dynamics of Chinese Inland Water Clarity at Multiple Spatial Scales between 1984 and 2018". In: *Remote Sensing* 14.20, p. 5091. DOI: 10.3390/RS14205091. URL: https://doi.org/10.3390/RS14205091.

Tavares, M. H. et al. (2019). "Comparison of Methods to Estimate Lake-Surface-Water Temperature Using Landsat 7 ETM+ and MODIS Imagery: Case Study of a Large Shallow Subtropical Lake in Southern Brazil". In: *Water* 11.1, p. 168. DOI: 10.3390/W11010168. URL: https://doi.org/10.3390/W11010168.

Tebbs, E.J., J.J. Remedios, and D.M. Harper (Aug. 2013). "Remote Sensing of Chlorophyll-a as a Measure of Cyanobacterial Biomass in Lake Bogoria, a Hypertrophic, Saline–Alkaline, Flamingo Lake, Using Landsat ETM+". In: *Remote Sensing of Environment* 135, pp. 92–106. ISSN: 00344257. DOI: 10.1016/j.rse.2013.03.024. URL: https://linkinghub.elsevier.com/retrieve/pii/S003442571300103X (visited on 09/12/2025).

Tian, Di et al. (Feb. 2024). "Estimation of Water Quality Variables Based on Machine Learning Model and Cluster Analysis-Based Empirical Model Using Multi-Source Remote Sensing Data in Inland Reservoirs, South China". In: *Environmental Pollution* 342, pp. 123104–123104. DOI: 10.1016/J.ENVPOL.2023.123104.

Villota-González, Freddy Hernán et al. (Dec. 2023). "Assessment of Machine Learning Models for Remote Sensing of Water Quality in Lakes Cajititlán and Zapotlán, Jalisco—Mexico". In: *Remote Sensing* 15.23, pp. 5505–5505. DOI: 10.3390/RS15235505/S1. URL: https://www.mdpi.com/2072-4292/15/23/5505/htm.

Vinh, Pham Quang et al. (Jan. 2019). "Developing Algorithm for Estimating Chlorophyll-a Concentration in the Thac Ba Reservoir Surface Water Using Landsat 8 Imagery". In: *Vietnam Journal of Earth Sciences* 41.1, pp. 10–20. DOI: 10.15625/0866-7187/41/1/13542. URL: https://vjs.ac.vn/index.php/jse/article/view/13542.

Wang, Chongyang et al. (Mar. 2018). "The Spatial and Temporal Variation of Total Suspended Solid Concentration in Pearl River Estuary during 1987–2015 Based on Remote Sensing". In: *Science of The Total Environment* 618, pp. 1125–1138. DOI: 10.1016/J.SCITOTENV.2017.09.196.

Wang, Jialin and Xiaoling Chen (Jan. 2024). "A New Approach to Quantify Chlorophyll-a over Inland Water Targets Based on Multi-Source Remote Sensing Data". In: *Science of The Total Environment* 906, pp. 167631–167631. DOI: 10.1016/J.SCITOTENV.2023.167631.

Wang, Lei et al. (Oct. 2020). "Mapping Freshwater Chlorophyll-a Concentrations at a Regional Scale Integrating Multi-Sensor Satellite Observations with Google Earth Engine". In: *Remote Sensing 2020, Vol. 12, Page 3278* 12.20, pp. 3278–3278. DOI: 10.3390/RS12203278. URL: https://www.mdpi.com/2072-4292/12/20/3278/htm.

Wang, Qiang, Kaishan Song, Zhidan Wen, et al. (Feb. 2021). "Long-Term Remote Sensing of Total Suspended Matter Using Landsat Series Sensors in Hulun Lake, China". In: *International Journal of Remote Sensing* 42.4, pp. 1379–1397. DOI: 10.1080/01431161.2020.1829154. URL: https://doi.org/10.1080/01431161.2020.1829154.

Wang, Qiang, Kaishan Song, Xiangming Xiao, et al. (Dec. 2022). "Mapping Water Clarity in North American Lakes and Reservoirs Using Landsat Images on the GEE Platform with the RGRB Model". In: *ISPRS Journal of Photogrammetry and Remote Sensing* 194, pp. 39–57. DOI: 10.1016/J.ISPRSJPRS.2022.09.014.

Watanabe, Fernanda Sayuri Yoshino et al. (Aug. 2015). "Estimation of Chlorophyll-a Concentration and the Trophic State of the Barra Bonita Hydroelectric Reservoir Using OLI/Landsat-8 Images". In: *International Journal of Environmental Research and Public Health 2015, Vol. 12, Pages 10391-10417* 12.9, pp. 10391–10417. DOI: 10.3390/IJERPH120910391. URL: https://www.mdpi.com/1660-4601/12/9/10391/htm.

Wermuth, Laura et al. (Sept. 2022). "USING LANDSAT 8 IMAGES FOR MONITORING SURFACE WATER TEMPERATURE IN AN URBAN TROPICAL RESERVOIR". In: pp. 5351–5358. DOI: 10.3850/IAHR-39WC2521711920221047.

Wu, Guofeng et al. (Apr. 2008). "Comparison of MODIS and Landsat TM5 Images for Mapping Tempo–Spatial Dynamics of Secchi Disk Depths in Poyang Lake National Nature Reserve, China". In: *International Journal of Remote Sensing* 29.8, pp. 2183–2198. DOI: 10.1080/01431160701422254. URL: https://www.tandfonline.com/doi/abs/10.1080/01431160701422254.

Yang, Fan et al. (Feb. 2023). "Trophic Status Observations for Honghu Lake in China from 2000 to 2021 Using Landsat Satellites". In: *Ecological Indicators* 146, pp. 109898–109898. DOI: 10.1016/J.ECOLIND.2023.109898.

Yang, Haibo et al. (Mar. 2022). "Water Quality Chl-a Inversion Based on Spatio-Temporal Fusion and Convolutional Neural Network". In: *Remote Sensing 2022, Vol. 14, Page 1267* 14.5, pp. 1267–1267. DOI: 10.3390/RS14051267. URL: https://www.mdpi.com/2072-4292/14/5/1267/htm.

Yang, Xujie et al. (Aug. 2020). "Temporal and Spatial Variations of Chlorophyll a Concentration and Eutrophication Assessment (1987–2018) of Donghu Lake in Wuhan Using Landsat Images". In: *Water 2020, Vol. 12, Page 2192* 12.8, pp. 2192–2192. DOI: 10.3390/W12082192. URL: https://www.mdpi.com/2073-4441/12/8/2192/htm.

Yang, Yufeng et al. (June 2023). "Improving Lake Chlorophyll-a Interpreting Accuracy by Combining Spectral and Texture Features of Remote Sensing". In: *Environmental Science and Pollution Research* 30.35, pp. 83628–83642. DOI: 10.1007/S11356-023-28344-9. URL: https://link.springer.com/article/10.1007/s11356-023-28344-9.

Yang, Zhe et al. (Sept. 2023). "Combined Retrievals of Turbidity from Sentinel-2A/B and Landsat-8/9 in the Taihu Lake through Machine Learning". In: *Remote Sensing 2023, Vol. 15, Page 4333* 15.17, pp. 4333–4333. DOI: 10.3390/RS15174333. URL: https://www.mdpi.com/2072-4292/15/17/4333/htm.

Yépez, Santiago et al. (Jan. 2024). "Spatiotemporal Variations in Biophysical Water Quality Parameters: An Integrated In Situ and Remote Sensing Analysis of an Urban Lake in Chile". In: *Remote Sensing 2024, Vol. 16, Page 427* 16.2, pp. 427–427. DOI: 10.3390/RS16020427. URL: https://www.mdpi.com/2072-4292/16/2/427/htm.

Yin, Ziyao et al. (June 2022). "Decline of Suspended Particulate Matter Concentrations in Lake Taihu from 1984 to 2020: Observations from Landsat TM and OLI". In: *Optics Express, Vol. 30, Issue 13, pp. 22572-22589* 30.13, pp. 22572–22589. DOI: 10.1364/OE.454814. URL: https://opg.optica.org/viewmedia.cfm?uri=oe-30-13-22572&seq=0&html=true.

Zeng, Weizhong et al. (Mar. 2023). "Regional Remote Sensing of Lake Water Transparency Based on Google Earth Engine: Performance of Empirical Algorithm and Machine Learning". In: *Applied Sciences (Switzerland)* 13.6, pp. 4007–4007. DOI: 10.3390/APP13064007/S1. URL: https://www.mdpi.com/2076-3417/13/6/4007/htm.

Zhang, Fangfang et al. (2021). "Tracking Historical Chlorophyll-a Change in the Guanting Reservoir, Northern China, Based on Landsat Series Inter-Sensor Normalization". In: *International Journal of Remote Sensing* 42.10, pp. 3918–3937. DOI: 10.1080/01431161.2021.1875149.

Zhang, Hanwen et al. (Sept. 2022). "Deep Learning-Based Water Quality Retrieval in an Impounded Lake Using Landsat 8 Imagery: An Application in Dongping Lake". In: *Remote Sensing 2022, Vol. 14, Page 4505* 14.18, pp. 4505–4505. DOI: 10.3390/RS14184505. URL: https://www.mdpi.com/2072-4292/14/18/4505/htm.

Zhang, Yibo et al. (Mar. 2021). "Remote Sensing Estimation of Water Clarity for Various Lakes in China". In: *Water Research* 192, pp. 116844–116844. DOI: 10.1016/J.WATRES.2021.116844.

Zhang, Yunlin et al. (Jan. 2016). "A Landsat 8 OLI-Based, Semianalytical Model for Estimating the Total Suspended Matter Concentration in the Slightly Turbid Xin'anjiang Reservoir (China)". In: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 9.1, pp. 398–413. DOI: 10.1109/JSTARS.2015.2509469.

Zhao, Chuanwu et al. (Apr. 2022). "Dynamics and Drivers of Water Clarity Derived from Landsat and In-Situ Measurement Data in Hulun Lake from 2010 to 2020". In: *Water 2022, Vol. 14, Page 1189* 14.8, pp. 1189–1189. DOI: 10.3390/W14081189. URL: https://www.mdpi.com/2073-4441/14/8/1189/htm.

Zhao, Xiaolan et al. (Nov. 2021). "Comparing Deep Learning with Several Typical Methods in Prediction of Assessing Chlorophyll-a by Remote Sensing: A Case Study in Taihu Lake, China". In: *Water Supply* 21.7, pp. 3710–3724. DOI: 10.2166/WS.2021.137. URL: http://dx.doi.org/10.2166/ws.2021.137..

Zhou, W. et al. (Mar. 2006). "Mapping the Concentrations of Total Suspended Matter in Lake Taihu, China, Using Landsat-5 TM Data". In: *International Journal of Remote Sensing* 27.6, pp. 1177–1191. DOI: 10.1080/01431160500353825. URL: https://www.tandfonline.com/doi/abs/10.1080/01431160500353825.

Zhu, Weining et al. (Feb. 2020). "Landsat 8-Observed Water Quality and Its Coupled Environmental Factors for Urban Scenery Lakes: A Case Study of West Lake". In: *Water Environment Research* 92.2, pp. 255–265. DOI: 10.1002/WER.1240. URL: https://onlinelibrary.wiley.com/doi/full/10.1002/wer.1240.