

Let's Ship This Thing!



By: Gary Ewan Park



Hello! I'm Scottish!



MS
Sucks

An orange heart graphic, resembling a ribbon, is positioned behind the text. The heart is formed by two thick, textured orange strokes that loop around each other. The word "MS" is in a white, hand-drawn, blocky font, and "Sucks" is in a white, cursive, brush-stroke font. The entire graphic is set against a solid black rectangular background.

Slides

<https://gep13.me/ShipltSlides>



Code

<https://gep13.me/ShipltCode>



Agenda

- What is an issue?
- What is Semantic Versioning?
- What branching strategy should I use?
- What is GitVersion?
- What is GitReleaseManager?
- Questions

Q

What is an
issue

Demo

Q. What is an issue?

A

...it is the focal point for work undertaken on a particular task/bug/feature in a product release.

Q

What is
Semantic Versioning

Q. What is Semantic Versioning?

A

...a simple set of rules and requirements that dictate how version numbers are assigned and incremented. These rules are based on, but not necessarily limited to, pre-existing widespread common practices in use in both closed and open-source software.

The Rules

Given a version number MAJOR.MINOR.PATCH, increment the:

- MAJOR version when you make incompatible API changes
- MINOR version when you add functionality in a backwards-compatible manner
- PATCH version when you make backwards-compatible bug fixes

Additional labels for pre-release and build metadata are available as extensions to the MAJOR.MINOR.PATCH format.

Examples

- 0.1.0
- 0.3.13
- 1.0.0
- 0.2.0-alpha.3
- 0.2.0-alpha.3+Branch.develop.Sha.e6eb071cd30974b80d7e237b85e7729a1d791e1e

Q

How do you know
when to bump
a version number

Tools

- [PublicApiGenerator](#)
- [Microsoft.CodeAnalysis.PublicApiAnalyzers](#)

Q. How do you know when to bump a version number?

A


There is no quick answer  

Q


What
branching strategy
should I use

GitHub Flow


Create a branch




Add commits




Open a Pull Request




Discuss and review your code




Deploy



Merge




GitFlow



Images borrowed from [A successful Git branching model](#)

feature
branches develop



Q. What branching strategy should I use?

A

It depends! 🖨️ 🙌

Q

What is
GitVersion

Q. What is GitVersion?
















A

**...a tool to help you achieve
Semantic Versioning on your project.**

Demo

Q

Why do I need
GitVersion

Name	Date modified	Type	Size
 .git	22/06/2015 11:13	File folder	
 BuildScripts	22/06/2015 11:13	File folder	
 Documentation	22/06/2015 11:13	File folder	
 Prototypes	22/06/2015 11:13	File folder	
 Source	17/07/2015 09:45	File folder	
 SQL Scripts	22/06/2015 11:13	File folder	
 Testing	22/06/2015 11:13	File folder	
 Tools	22/06/2015 11:13	File folder	
 .editorconfig	22/06/2015 11:13	EDITORCONFIG File	1 KB
 .gitattributes	22/06/2015 11:13	Text Document	1 KB
 .gitignore	22/06/2015 11:13	Text Document	3 KB
 build.bat	22/06/2015 11:13	Windows Batch File	1 KB
 generateHelp.bat	22/06/2015 11:13	Windows Batch File	1 KB
 README.md	22/06/2015 11:13	MD File	1 KB
 version.txt	02/09/2015 20:02	Text Document	0 KB


```
[assembly: AssemblyTrademark("")]  
[assembly: AssemblyCulture("")]  
[assembly: NeutralResourcesLanguage("en-GB")]  
  
[assembly: AssemblyVersion("0.2.0.0")]  
[assembly: AssemblyFileVersion("0.2.0.0")]  
[assembly: AssemblyInformationalVersion("0.2.0.0")]
```

Administration > <Root project> > CIDemo > Create Build Configuration

General Settings

Name: * Our First Build Configuration

Build configuration ID: ? CIDemo_OurFirstBuildConfiguration

This ID is used in URLs, REST API, HTTP requests to the server, and configuration settings in the TeamCity Data Directory.

Description: This will build and test our CIDemo Project

Build number format: ? %build.counter%

The format may include '%build.counter%' as a placeholder for the build counter value, for example, 1.%build.counter%.
It may also contain a reference to any other available parameter, for example, %build.vcs.number.VCSRootName%.
Note: The maximum length of a build number after all substitutions is 256 characters.

Build counter: ? 1 [Reset counter](#)

Artifact paths: ?
Edit artifact paths:

Newline- or comma-separated paths to build artifacts. Ant-style wildcards like `dir/**/*.zip` and target directories like `*.zip => winFiles, unix/distro.tgz => linuxFiles`, where `winFiles` and `linuxFiles` are target directories are supported.

Build options: ?
☒ enable hanging builds detection
☐ enable status widget ?

Limit the number of simultaneously running builds (0 — unlimited) 0

[VCS settings >>](#)

[Cancel](#)



Q. Why do I need GitVersion?

A

**To make version assertion
reliable and consistent**

Q

What is
GitReleaseManager

Q. What is GitReleaseManager?

A

...a tool that will help create, and manage, a release for your application/product.

Demo



Gary Ewan Park

Principal Software Engineer
Chocolatey Software, Inc

- Twitter: [@gep13](https://twitter.com/gep13)
- Bluesky: [@gep13.co.uk](https://bsky.app/profile/gep13.co.uk)
- Blog: <https://gep13.co.uk>
- GitHub: [gep13](https://github.com/gep13)

Questions

Learn More

- GitVersion Documentation
 - <https://gitversion.net/docs/>
- GitReleaseManager Documentation
 - <https://gittools.github.io/GitReleaseManager/docs/>
- Git Branching Strategies
 - <https://www.atlassian.com/git/tutorials/comparing-workflows>
- GitFlow
 - <https://nvie.com/posts/a-successful-git-branching-model/>