How to get from Adobe Campaign Classic results in QA Environment for MAB Update

Prerequisites :

- Access to Adobe Campaign v7 Amazon Workspace 2 in Workspaces
- Access to psftp.persado.com for adobe in CyberDuck
- Access to https://ac529us.adobesandbox.com/webmail/ in Roundcube
- Access to http://emr04.persado.com:8888/hue/accounts/login?next=/hue/ in Hadoop

Intro :

To access Adobe Campaign on Amazon Workspace 2, you must log in via Workspaces. The Workspace application can be downloaded from Persado's self-service portal, and IT will provide the necessary credentials for Adobe Campaign Amazon Workspace. Upon entering the Workspace environment, Adobe Campaign Classic will open automatically.

Time-sensitive Workflow:

- Steps 1 through Step 11 must be completed within the first 70 minutes of each hour (e.g., before 13:10, 14:10, 15:10, etc.).
- At the 10-minute mark of each hour (e.g., 13:10, 14:10, 15:10), an automated process begins to retrieve CSV files from the database.

Once Step 11 has been completed, you will have roughly 40 minutes to perform Steps 12 and 13 using Hadoop. At the exact start of the following hour (e.g., 14:00, 15:00, etc.), a second automated process will transfer the processed results to the QA environment.

Step 1 :

1. Click the campaign
2. Create a new targeting workflow
3. Give a name in Label
4. Click OK



Step 2 :

1. Choose the qaFlow
2. Copy this workflow
3. Paste it into the workflow you had created in Step 1



Step 3 :

1. Open this

Step 4 :

1. Click the Source button.
2. Change the persadoCampaignId in the script to be equal to the CampaignId from your experiment.
3. Then click Properties



Step 5 :

1. Change the Label, the Label should be in order to work must be hcid{CampaignId}hcid.
2. Click Ok



Step 6 :

1. Sent the campaign



Step 7 :

1. Login to https://ac529us.adobesandbox.com/webmail/
2. Check the emails are received
3. Make some events(Click, Open)



Step 8 :

1. Choose the ScriptSendLog
2. Open the Javascript code
3. Alter the subaddressingVersionName (ex. persado_versionqweqwe)
4. Click OK
5. Run the script
6. Navigate to List 'Persado_SendLog'



Step 9 :

1. Check the content has been populated with your Campaign ID
2. Click Explorer



Step 10 :

1. At Administration->Production->Technical workflows
2. Choose MR Persado Export Results
3. Click Run



Step 11 :

1. After you run the workflow
2. Open Cyberduck
3. Connect to psftp.persado.com
4. Copy the csv files outside the qa_adobe folder and move them inside the folder



Step 12 :

1. Navigate to http://emr04.persado.com:8888/hue/accounts/login?next=/hue/
2. Click Jobs
3. Click Workflows
4. Open qa_adobe_sync_all



Step 13 :

1. Click select all
2. Click Submit