



txOne
networks

Keep the Operation Running

TXOne Stellar

Checklist for Rollout Deployment

All-terrain endpoint security solution



Table of Contents

Chapter 1: Introduction

Main Steps for Deploying Stellar 1-2

Chapter 2: Getting Ready

Checklist for Stellar Rollout Deployment 2-2


Time Required for Agent Installation 2-4

Chapter 3: A Use Case

A Use Case for Mass Deployment of Stellar 3-2

Index

Index IN-1



Chapter 1

Introduction

This Checklist for Stellar Rollout Deployment guides you through the preparatory work, along with providing basic concepts and references for Stellar server deployment and agent installation.

First of all, see [Main Steps for Deploying Stellar on page 1-2](#) to get a preliminary understanding about deploying Stellar.

Main Steps for Deploying Stellar

The Stellar family consists of the StellarOne management server and the StellarProtect agents suited to install on modern or legacy OT devices.

In most cases, it is recommended to deploy the server first, and then the agents. Main steps to deploy Stellar are as follows:

Procedure

1. Review your network architecture to obtain relevant information required during Stellar deployment
2. Configure your firewall settings (if any) to ensure smooth connectivity between the Internet and the StellarOne server, as well as StellarOne and the Stellar agents.
3. Download the StellarOne package from <https://my.txone.com/>.
4. Deploy the StellarOne VM.
5. Configure StellarOne IP/advertise address.
6. Activate Stellar product license.
7. Configure the proxy settings (if any) on StellarOne.
8. Perform scan component update to ensure StellarOne downloads the up-to-date components.
9. Download the agent installer package from StellarOne.
10. Check if the setup config file (StellarSetup.ini file) fits your environment needs. Run the agent installer on one or few test endpoint(s) first and modify the setup configuration if needed.
11. Validate the installation by checking the registration status on the agent console.
12. For mass deployment, locate the valid setup config file in the agent installer, distribute the installer to target devices and run it.
13. Check the StellarOne server for connection status of the installed agents.

- 14.** Check the default policy settings and change them if needed.
 - 15.** Create a backup of the StellarOne VM files.
-

Chapter 2

Getting Ready

This chapter lists essential items to consider and carry out before implementing Stellar in your environment. Preparing all necessities prior to the implementation efficiently saves time and efforts on going back and forth for reconfiguration or fixing errors when they occur.

Topic in this chapter: *[Checklist for Stellar Rollout Deployment on page 2-2](#)*

Checklist for Stellar Rollout Deployment

Before you begin, check the list to prepare for a smooth deployment.

TABLE 2-1. 15 Things to do before Stellar Rollout Deployment

ITEM	REQUIRED TASKS	☒
1	Decide what type of management server deployment fits your environment needs by evaluating the geographic distribution of endpoints and available workforce to manage them. • Centralized management: If the endpoints are located in nearby regions or you have limited workforce, deploy a single StellarOne server. • Distributed management: If the endpoints are widely dispersed over a large area or you have allocated resources to handle the management, deploy multiple StellarOne servers.	☐
2	Number of OT devices to install Stellar agents: Estimate and prepare the maximum bandwidth required to support the network connectivity between the management server and the number of agents planned to deploy. See "Chapter 2: Installation Planning" in <i>StellarOne Installation Guide</i> for more information.	☐
3	Hardware requirements: • Server: Check the sizing table and prepare one external disk with at least 50 GB minimum space for deploying StellarOne See "Chapter 2: Installation Planning" in <i>StellarOne Installation Guide</i> for more information. • Agent: Recommended free disk space to complete the installation: 1.5 GB. See "Chapter 1: Introduction" in <i>StellarProtect Installation Guide</i> for more information.	☐

ITEM	REQUIRED TASKS	☒
4	Software requirements: • Server: VMware, Hyper-V, or AWS EC2 See "Chapter 2: Installation Planning" in <i>StellarOne Installation Guide</i> for more information. • Agent: .Net framework (StellarProtect only) See "Chapter 1: Introduction" in <i>StellarProtect Installation Guide</i> for more information.	☐
5	Supported versions of Windows client and server: See "Chapter 1: Introduction" in <i>StellarProtect Installation Guide</i> for more information.	☐
6	Device grouping for better management: Plan for how to group the agents and divide the groups that fits your environment needs. This plan serves as the pre-configuration knowledge that can be applied during StellarOne deployment.	☐
7	Network segmentation: Consider setting up a proxy server to connect between two sites that are isolated to each other.	☐
8	Network topology and architecture: Review your network architecture to obtain relevant information required during Stellar deployment.	☐
8-1	• Firewall settings: Ensure the outbound ports and FQDN used by StellarOne and the agents are allowed in your firewall settings See "Chapter 2: Installation Planning" in <i>StellarOne Installation Guide</i> for more information.	☐
8-2	• Ports required for StellarOne: Ensure ports that are reserved for StellarOne to communicate are not used for other purposes See "Chapter 2: Installation Planning" in <i>StellarOne Installation Guide</i> for more information.	☐
8-3	• Proxy settings: Configure proxy settings on StellarOne console if StellarOne or the agents connect via proxy servers See "Chapter 7: Administration" in <i>StellarOne Administrator's Guide</i> for how to do the task.	☐

ITEM	REQUIRED TASKS	☒
9	Installation privileges: It is required to run the agent installation with administrative privileges.	☐
10	Access Credentials: Prepare a strong admin password in 8 to 64 alphanumeric characters to log in the server or agent console. Special characters such as >" :< \ spaces are not supported.	☐
11	Data Encryption: Plan for StellarOne data encryption or agent setup config file encryption.	☐
12	Compatibility: Remove existing third-party cybersecurity software before installing Stellar agents on your devices.	☐
13	Time required for StellarOne deployment: StellarOne server deployment is estimated to take about 15 minutes. Ensure you have scheduled the deployment to run without interrupting operations.  Note Time required to perform an online deployment varies on network bandwidth.	☐
14	Time required for agent installation: Agent installation time varies under different conditions. See Time Required for Agent Installation on page 2-4 for more details.	☐
15	Mass deployment: Install on one or few devices first and obtain the valid setup config file before performing mass deployment.	☐

Time Required for Agent Installation

Agent installation time for each device varies depending on whether Prescan or Creating Approved List are executed during the installation process. See

the following table for the estimated time required for agent installation under different conditions.

TABLE 2-2. Estimated Time Required for Agent Installation

OPTION	ESTIMATED TIME REQUIRED
Run Prescan and Create Approved List	Normally takes the longest time, which varies depending on the number of applications installed on the device
Run Prescan	It may take up to 1 hour for Windows client or server per device. However, time required still varies depending on the number of applications installed on the device. Two settings available for selection to expedite the installation or minimizing impact on operations: • High CPU: Faster than standard installation but may affect vital applications performance • Low CPU: Slower than standard installation with minimum resource consumption  Note It is highly recommended to run prescan to enable the agent to detect potential security threats and learn the OT applications installed on the endpoint during the installation process.
Skip Prescan	Normally takes 5 minutes per device. If you choose to skip prescan, your device may be exposed to security threats and will have to learn OT applications after the installation completes, which may cause delays in the OT application runtime.

Chapter 3

A Use Case

This chapter provides an example of how to deploy Stellar and configure associated settings. It is recommended to go through the *Main Steps for Deploying Stellar on page 1-2* and *Checklist for Stellar Rollout Deployment on page 2-2* first to get a preliminary knowledge about deploying Stellar.

A Use Case for Mass Deployment of Stellar

The following section describes a use case to deploy more than 500 Stellar agents on Windows in a controlled and managed way.

Scenario:

- You have three plants and each contains 200 endpoints.
- There is an outbound proxy server for the managed endpoints to connect to StellarOne and inbound proxy server for StellarOne to connect to the endpoints.
- You plan to deploy one StellarOne server to manage the 600 endpoints which are located at three different locations.
- Most of the devices do not support Microsoft SCCM.

See the following procedures as the recommended practice:

Procedure

1. Go through the [Checklist for Stellar Rollout Deployment on page 2-2](#) and ensure the required actions have been taken.
2. Ensure you open the required ports and FQDN in the **firewall settings**.
3. Ensure the **communication ports** are reserved for StellarOne's use.
4. Determine **which system to deploy StellarOne** and download the corresponding package files from <https://my.txone.com/>.
5. **Deploy the StellarOne instance:** See "Chapter 3: Installation" in *StellarOne Installation Guide* for more details.



Important

Ensure you add an external hard disk with at least 50 GB of space to the StellarOne instance.

6. **Configure IP/advertise address** for StellarOne.

**Note**

It's recommended to specify the StellarOne address by the host name and use the StellarOne advertise address for the agents to communicate in case the StellarOne IP address might change someday. See "Chapter 4: Configuring StellarOne via Command Line Interface (CLI)" in *StellarOne Installation Guide* for more details.

7. Launch the StellarOne instance and **activate the product license**. See "Opening StellarOne Management Console" in *StellarOne Installation Guide* for more details.
 8. On StellarOne console, configure the **proxy settings for StellarOne to agent communications** and the **proxy settings for agent to StellarOne communications**.
 9. **Perform scan component update** on StellarOne console. See "Chapter 7: Administration" in *StellarOne Administrator's Guide* for more details.
 10. **Download the agent installer package** from the StellarOne console.
 11. It's recommended to register agents to pre-defined groups during installation by using `Group.ini` file. To illustrate, you can add group A, group B, and group C respectively for the three plants on StellarOne, and then specify the group in the `group.ini` file for the corresponding agents.
 12. **Configure and download the Group.ini file** and locate it in the downloaded installer package.
-

**Note**

For relevant information about agent grouping, see "Chapter 4: Agents Management — Add Groups" and "Chapter 7: Administration — Group Mapping" in *StellarOne Administrator's Guide*.

13. Run the agent installer on one or few devices. Test the agent-device(s) to confirm the correct operation of all parameters in the setup config file (`StellarSetup.ini` file). See "Chapter 2: Installation" in *StellarProtect Installation Guide* for more details.

14. Validate the installation by checking the registration status on the agent console (Check if the agent successfully registers to StellarOne server).
15. Before performing mass deployment, ensure you have installed on one or few devices and obtain the setup config file that fits your environment needs.



Tip

- You can **specify the password in the setup config file** to expedite the mass deployment and **encrypt it** to prevent sensitive data leakage.

Alternatively, you can use a temporary password for the agent deployment and then reset the agent password via StellarOne policy setting. After the first policy sync, the temporary password will be overwritten by the password defined on StellarOne.

- To accelerate the mass deployment, you can choose to enable the **silent installation** without waiting for user inputs. However, you may not receive instant alert when something goes wrong during the installation process. See "Chapter 2: Installation" in *StellarProtect Installation Guide* for more details.

-
16. Locate the valid setup config file in the agent installer. Distribute the installer to target devices and execute it. Possible distribution methods include but not limited to:
 - Locate the installer package in a shared folder, from where the devices can pull the installer package and then execute it.
 - Write a script to distribute the installer package via intranet and then execute it on target devices.
 17. Check the StellarOne server for connection status of the installed agents.
 18. Check the default policy settings and change them if needed.
 19. **Disaster recovery plan:** Ensure you create a backup of the StellarOne VM files.
-

Index

C

Checklist for Stellar rollout
deployment, 2-2

M

Main deployment steps, 1-2
Mass deployment use case, 3-1

T

Time required for agent installation,
2-4