

301 TXOne Solutions

Basic Implementation Training Lab Guide

Endpoint Protection Solutions

Rev 5.0_26082e

Global Training Services Team
TXOne Network Inc

9/20/2026

Filename: 301StellarLabGuideTxOneSpecialistV5.0_260821-RFE.pdf

TXOne Networks

Copyright Notice

Copyright © 2024, TXOne Networks. All rights reserved.

The content of this training material and publication is the exclusive property of TXOne Networks. No part of this publication may be reproduced, republished, distributed, modified, displayed, photocopied, or otherwise replicated, in whole or in part, without the prior written consent of TXOne Networks.

Furthermore, users are prohibited from selling, renting, leasing, trading, sharing, or otherwise transferring any portion of the training materials in any manner without the explicit written consent of TXOne Networks.

It is the responsibility of the user to ensure compliance with all applicable copyright laws.

Revision History

Version	Author	Date	Change
v2.1	Louis Liu	2023/02/15	1 st edition
v2.1b	Louis Liu	2023/03/05	2 nd edition, 2 attendees share 1 EdgeIPS
v2.1c	Louis Liu	2023/04/18	3 rd edition. Added Edge Lab 8: EdgeFire NAT settings
v2.2c	Louis Liu	2023/05/15	Using TXPI for MP installation
v2.2c	Chris Van Den Abbeele	2023/06/04	Minor cosmetic updates
v2.3	Louis Liu	2023/06/05	- EdgeOne Installation & Configuration - EdgeIPS 103 Installation & Configuration - Portable Inspector
v2.4	Louis Liu	2023/06/13	Split lab guide by solutions based on v2.3
v2.5	Louis Liu	2023/08/15	Stellar 3.0 upgrade
v2.6	Louis Liu	2023/10/03	Stellar 3.0 Service Pack 1 upgrade
v2.6b	Chris Van Den Abbeele	2023/10/10	Review
V2.6c	Louis Liu	2023/10/24	Add two new labs OT Application Safeguard Application Lockdown
V3.0	Chris Van Den Abbeele	2024/...	Complete revision of the labs + updates with Stellar 3.0 SP1
V3.2	Chris Van Den Abbeele	2025/01/29	Revised for improved phrasing
V3.3	Louis Liu	2025/06/30	Add labs: -OT App upgrade -App lockdown approved list maintenance
V3.4	Louis Liu	2025/12/10	Update for Stellar 3.3
V5.0	Louis Liu	2026/08/23	Update for Stellar 5.0 Patch 1

Product Versions

Solutions	Edition
StellarOne	5.0.1539

Table of Contents

1.	Lab scenarios mapped to product features	1
2.	Lab Environment content list	2
2.1	VMWare Image package list.....	2
2.2	Hardware/Software Requirements	3
2.3	Lab network architecture.....	3
2.4	Lab Credentials.....	4
2.5	VMWare VMTools update Settings	4
2.6	VMWare Virtual Network Settings.....	5
3.	Labs	6
	Lab1: StellarOne Deployment	6
	Lab2: Basic configuration of StellarOne	12
	Lab3: Stellar Agent Management from StellarOne	20
	Lab4: Stellar Agent (Windows) installation	25
	Lab5: Stellar Agent (Windows-Legacy) Silent Installation	34
	Lab6: StellarOne and Stellar Agent upgrade	42
	Lab7: Stellar Agent (Linux) Installation	53
	Lab8: Industrial-Grade Next-Generation Antivirus.....	61
	Lab9: OT Application Safeguard	66
	Lab10: Application Lockdown.....	75
	Lab11: StellarProtect Standalone agent installation and management.....	90

1. Lab scenarios mapped to product features

Table 1 Lab scenarios mapped to product features

Solution	Lab scenario
StellarOne	Lab1: StellarOne Deployment 1. Installation, basic CLI commands
	Lab2: Basic configuration of StellarOne 1. StellarOne activation: license type 2. Administration functions walkthrough
	Lab3: Stellar Agent management from StellarOne 1. Group Creation and Management 2. Policy Inheritance concept and walkthrough
Stellar Agent	Lab4: Stellar Agent (Windows) installation 1. Stellar Agent (Windows) download from StellarOne 2. Agent group ini download from StellarOne 3. Stellar Agent (Windows) installation
	Lab5: Stellar Agent (Windows-Legacy) Silent installation 1. Stellar Agent (Windows-Legacy) installation configuration file 2. Silent installation command
	Lab6: StellarOne and Stellar Agent Upgrade
	Lab7: Stellar Agent (Linux) installation
Stellar key features	Lab8: Industrial-grade Next Generation Antivirus.
	Lab9: OT Application Safeguard
	Lab10: Application Lockdown
	Lab11: StellarProtect standalone agent installation and management

2. Lab Environment content list

2.1 VMWare Image package list

Table 2 VMWare Image package list

Server Name ZIP Filename	VMware Image Name	Hardware Specification	Purpose
StellarOne	TXOne-S1- 5.x.nnn.ova	CPU: 8 Core RAM: 16GB Hard Disk: 25G/ 60G Network: VMnet11	StellarOne server
LabConsole_XXXX x.zip	LabConsole_XXXX	CPU: 2 Core RAM: 4GB Hard Disk: 100G Network: VMnet11	Main Console for labs
Win7_XXXX.zip	Win7_XXXX	CPU: 2 Core RAM: 2GB Hard Disk: 60G Network: VMnet11	Stellar Agent (Windows)
WinXP_XXXX.zip	Winxp_XXXX	CPU: 1 Core RAM: 512MB Hard Disk: 40G Network: VMnet11	Stellar Agent (Windows- Legacy)
Attacker.zip	kali-linux-XXXX	CPU: 4 Cores RAM: 2GB Hard Disk: 80G Network: VMnet11	Stellar Agent (Linux)

2.2 Hardware/Software Requirements

Table 3 Hardware / Software Requirements

No.	Items	Specification	
1	Laptop	OS	Windows 10 / 11
		Hard Drive	100 GB free space Recommend
		Memory	32GB Recommend
		Network Adapter	WIFI
2	VMWare Workstation	VMWare Workstation Pro 26H1	

2.3 Lab network architecture




Figure 1 Lab network architecture


2.4 Lab Credentials

Table 4 Lab Credentials

No	VM Image	IP	Account / Password
1	LabConsole	192.168.23.196	txone/12345678
2	S1-v5.0.xxxx	192.168.23.19	Web: admin/12345678 Server: txuser/ 12345678
3	Win7	192.168.23.24	txone/12345678
4	WinXP	192.168.23.25	txone/12345678
5	Kali	192.168.23.197	kali/kali


2.5 VMWare VMTools update Settings

- Edit the Settings of each VM
- Choose the **Options** tab
- Select the **VMWare Tools** option
- Check **“Synchronize guest time with host”**
- Under VM Tools updates, select the option **“Update manually (do nothing)”**



2.6 VMWare Virtual Network Settings

- Make sure your laptop can access the Internet via its wireless interface or UTP network interface.
- In VMware workstation, open the Virtual Network Editor and configure the VMWare NAT network to 192.168.23.0 /24.






- In Virtual Network Editor -> NAT Settings: make sure that the default gateway is set to 192.168.23.2



3. Labs



Lab1: StellarOne Deployment

Table 5 StellarOne Deployment

Items	Descriptions
Steps	Import the StellarOne OVA VMWare Image 1. Launch VMWare Workstation and open the StellarOne OVA image.  2. Open the OVA image file "TXOne-S1-5.x.xxxx.ova" from the Training package. 3. Give the VM a name and select the storage path for the new virtual machine. Note: If you are using OneDrive on your host, ensure that the storage path of the VM is not a directory synchronized with OneDrive. Every time the OneDrive agent syncs with the server, it can disrupt the integrity of the virtual machine, leading to numerous errors in the StellarOne CLI.

Items	Descriptions
	 4. The StellarOne OVA image import process will take a moment.  If system resources are limited on your laptop, you can reduce the allocated memory from 16 GB to 12 GB. However, configuring less than 12 GB of memory is NOT supported for the 5.0 Patch 1 upgrade. You can reduce the allocated memory to below 12 GB once the upgrade task is complete; however, the vshell command will no longer function. After completing the OVA import, configure the virtual disks as follows: • Expand Disk 1 to 45 GB. • Add Disk 2 and allocate 70 GB.

Items	Descriptions
	Allocate at least 60GB for 2nd hard drive (SCSI Disk type) for Stellar versions older than 3.2.4123. Allocate at least 70GB for version 3.3.1123 or later. Because the lab plans to upgrade to 5.0.1539 or later, please allocate 70GB for 2nd disk. Do not worry if you do not have that space on your laptop. This hard disk is “thin provisioned”. This means it will only consume the space that it needs, but it needs to be configured to 70GB.  5. (Optional) Select VMWare Display option 6. Enable Stretch mode, select Keep aspect ratio stretch. It will provide a better resolution for the text mode of the StellarOne vshell console. 



Items	Descriptions
	7. Make sure the Network Adapter is set to NAT.  8. Turn on the StellarOne virtual machine. Log in to the StellarOne server console with the following credentials. User: txuser Password: txone 9. Type “oobe” and change the password for txuser to “12345678”. 10. The system will log you out  11. Use the new credentials “txuser” and “12345678” to log in to the StellarOne server again.

Items	Descriptions
	12. Run the following commands in the restricted oobe shell to configure the network interface. • <code>iface update eth0 --method static --address 192.168.23.19 --netmask 255.255.255.0 --gateway 192.168.23.2</code> 13. Set up DNS. • <code>resolv mode custom</code> • <code>resolv add 8.8.8.8</code> <pre>If you want to exit this shell, please type 'exit' or 'Ctrl-D'. (txuser) \$ iface update eth0 --method static --address 192.168.23.19 --netmask 255.255.255.0 --gateway 192.168.23.2 Interface eth0 settings are changed. Type 'reboot' to restart the system for applying the interface configuration. (txuser) \$ resolv mode custom (txuser) \$ resolv add 8.8.8.8 8.8.8.8 is added Type 'service reload' to restart the service for reloading the specified configuration. (txuser) \$</pre> • Double check network configuration and run the following command to restart the network interface. • <code>iface restart eth0</code> Note: if it takes a long time to run the “<code>iface restart eth0</code>” command, then please check the command for typos.


Items	Descriptions
	<pre> \$ iface ls { { "Name": "lo", "Family": "inet", "Method": "loopback" }, { "Name": "eth0", "Family": "inet", "Method": "static", "Address": "192.168.23.19", "Netmask": "255.255.255.0", "Gateway": "192.168.23.2" } } 1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000 link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00 inet 127.0.0.1/8 scope host lo valid_lft forever preferred_lft forever inet6 ::1/128 scope host valid_lft forever preferred_lft forever 2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP group default qlen 1000 link/ether 00:0c:29:2d:3d:11 brd ff:ff:ff:ff:ff:ff altname emp2s0 altname ens32 inet 192.168.23.19/24 brd 192.168.23.255 scope global eth0 valid_lft forever preferred_lft forever inet6 fe80::20c:29ff:fe2d:3d11/64 scope link valid_lft forever preferred_lft forever </pre> 14. Run the command Reboot to restart the StellarOne. 15. Log in to StellarOne and run the “dx au” command to test the connection with ActiveUpdate (AU) server. The command will show the results of the connection to the DNS server and the AU server. <pre> If you want to exit this shell, please type `exit` or `Ctrl-D`. (txuser) \$ dx au Diagnose the following DNS servers: 8.8.8.8 => OK! Diagnose http/s server: https://ttaui.cs.txone.com/protect/server.ini => OK! Diagnose the following DNS servers: 8.8.8.8 => OK! Diagnose http/s server: https://ttaui.cs.txone.com/enforce/server.ini => OK! (txuser) \$ _ </pre>
Expected Results	StellarOne server successfully imported and running.



Lab2: Basic configuration of StellarOne



Table 6 Basic configuration of StellarOne



Items	Descriptions
Steps	Prepare access to the StellarOne web UI from LabConsole VM 1. In VMWare, open the VM image names LabConsole 2. Revert to snapshot "ReadyforLabs" (which is the default) 3. Make sure that the network adapter of the LabConsole VM is set to NAT and turn on the VM 4. If the VM is powered on for the first time, then click "I Moved It"  5. Log in using the following credentials User: txone (TXOne Expert) Password: 12345678 



Items	Descriptions
	6. Copy the “StellarLabKit....zip” (5.0 or later) that was shared with you to the desktop of the LabConsole and expand it (right click the file and “Extract All”). It will create the “StellarLabKit...” folder on the desktop. 7. Move all subdirectories from that folder to the Stellar folder which is in the Training Folder on the Desktop, as indicated in the screenshot below. 8. The training folder is hosted by a web server that is running in this VM. We will access it from other VMs to download the needed files.






Items	Descriptions
	9. Open the Chrome browser and go to: https://192.168.23.19. 10. Log in as admin / txone. 11. You will be prompted to set a new password for admin. Assign the password: 12345678 for admin.  A screenshot of the 'Change Password' dialog box. It has two input fields: 'New Password*' with the value '12345678' and 'Confirm Password*' with masked characters '*****'. Below the fields is a 'Password Requirement:' section with a bullet point: 'The password must be at least 8 characters'. At the bottom is a blue 'Save' button. 12. Log in again to the StellarOne web UI with the new password (12345678). 13. StellarOne will prompt for a license key. Enter the license key provided by your trainer and click “Apply”  A screenshot of the 'License Activation' dialog box. It contains two options: 'License Key' (selected with a purple outline) and 'License File'. Below these is a text input field containing the placeholder 'ABCD-ABCD-ABCD-ABCD'.

Items	Descriptions
	14. Click and accept the EULA and TXOne OT Intelligent Trust.  The dialog box titled "End User License Agreement and TXOne OT Intelligent Trust" contains the following text: "Please read all these documents carefully. Check the checkboxes to acknowledge that you've read and agreed to the following terms." Below this text are three checkboxes: "I accept the End User License Agreement" (checked), "I accept the TXOne OT Intelligent Trust" (checked), and "Enable TXOne OT Intelligent Trust (recommended)" (unchecked). An "Agree" button is located at the bottom right of the dialog. 15. Configure the System Time (date, time, and time zone). For this training, set the time zone to UTC (GMT+0). Click on the "Test Synchronization" to sync the time with NTP.  The "System Time" configuration dialog box is divided into two sections: "Date and Time" and "Time Zone". In the "Date and Time" section, the "Current Time" is displayed as "2023-08-15T04:41:11Z" with an edit icon. Below this is a toggle switch for "Synchronize system time with an NTP server", which is currently turned on. Underneath the toggle is a text field for the "NTP Server" containing "pool.ntp.org" and an information icon. A "Test Synchronization" button is located below the NTP server field. In the "Time Zone" section, the "Time Zone" is set to "(GMT+00:00) UTC" with a dropdown arrow and an information icon. A "Continue" button is located at the bottom of the dialog.

Items	Descriptions
	16. The StellarOne server is now ready to manage the agents.  17. Log in to the StellarOne web UI and go to Administration > Downloads/Updates > StellarOne and click “Update Now” to get the latest Scan Components.  18. When the update is completed, StellarOne will show the current version of the components. To refresh the UI, click the “Agent” tab and then return to the “StellarOne” tab.



Items	Descriptions
	 Go to Logs > Server Events > StellarOne, check the updated status logs. The Server logs will show the successful update events.  19. Go to Administration > Download/Updates > Agent and click “Download” to get the Agent Installation Package. • Agent Edition: Protect • Platform: Windows




Items	Descriptions
	 20. The following message may pop up.  Because StellarOne has downloaded the latest virus patterns from TXOne it will re-pack the agent installation package with those patterns. This will ensure that every new download of the Agent installation package already contains the latest Patterns Note: The Agent Installation Package will be re-packaged after each component update. StellarOne will display a notification if the agent re-packaging process is still in progress.




Items	Descriptions
	21. Move the Agent installation package file “Agent-Installer.zip” from the “Download” folder to the “Training” folder on the Desktop. This folder is hosted on a web server that runs on the LabConsole VM. We will use it in the next lab.  22. For better isolation from the local network, also simulate the OT Air gapped networks environment. Please switch the network adapter of both the StellarOne VM and the LabConsole VM to VMNet11
Expected Results	StellarOne initial configuration tasks completed. 1. License activated 2. Date / Time and Time Zone set 3. Components updated 4. Agent installation package downloaded



Lab3: Stellar Agent Management from StellarOne


Table 7 Stellar Agent Management from StellarOne

Items	Descriptions
Steps	Group creation and group management 1. In the StellarOne Web Console, go to Agents and click the “All” group. 
	2. In the All group, click on the “+ Add Group” button. 

Items	Descriptions
	3. Name the group: FAB12.  4. Click on the "Inherited" link under "Policy Inheritance" of the FAB12 group.  5. Set Function Type to: Windows Disable the following two options. - Inherit from parent group: All - Device Control 


Items	Descriptions
	6. Set Function Type to: Windows-Legacy. 7. Disable Real-Time scan option which under Multi-Method Threat Prevention.  8. Click “Save Changes”.  9. Enter the comment “Agent policy configuration” and click “Save”. 



Items	Descriptions
	Agent installation package preparation 1. Go to Administration > Downloads/Updates > Agent.  2. Download the group.ini of the FAB12 group. How to create an unattended (silent install) Windows installation package? You can proceed with installation without user input, such as creating password. 1. Download the installer package, then unzip it 2. Open the StellarSetup.ini, then specify the following values: ◦ silent = 1 ◦ password = ◦ display_language = 3. Save the StellarSetup.ini How to register agents to a specific agent group? 1. Create groups on the Agents page 2. Download the installer package 3. Download Group.ini with the group ID and name 4. Unzip the installer package 5. Add the Group.ini into the installer package 3. Choose the group "FAB12" and click "Download". 

Items	Descriptions
	4. Move the “Group.ini” file from the “Download” folder to the “Training” folder on the Desktop. Remember the training folder is served by a web server on this VM. 
Expected Results	StellarOne Agent Management task completed 1. Agent group FAB12 created. 2. Windows agent policy: Device control policy disabled. 3. Windows-Legacy policy: Real-time scan policy disabled 4. FAB12 group.ini downloaded and moved to training folder



Lab4: Stellar Agent (Windows) installation

Table 8 Stellar Agent (Windows) installation


Items	Descriptions
Steps	1. Open the Win7 VM. Revert to snapshot “ReadyforLabs”. Verify that the network adapter is set to “VMnet11”. 2. Turn on the Win7 VM, select “I Moved it” if it was turned on for the first time and Log in using the following credentials. User: txone Password: 12345678 3. Verify the time zone setting and ensure it is set to UTC. 4. Create a “Training” folder on the Desktop. 5. Open Internet Explorer and navigate to http://192.168.23.196 and go to the “Training” folder.
	 6. Download the Stellar Agent (Windows) installation package file “agent-Installer.zip” and the “Group.ini” to the “Training” folder on the desktop.



Items	Descriptions
	7. Right click on the agent installation package, select 7-zip and choose 'Extract to "Agent-Installer\''.  8. Move the "Group.ini" file to the Agent-Installer folder.  9. Go to the folder "C:\Users\txone\Desktop\Training\Agent-Installer" and run "StellarSetup.exe" as Administrator to launch the agent installation process.



Items	Descriptions
	The screenshot shows a Windows Explorer window titled 'Agent-Installer'. The address bar indicates the path is 'Training > Agent-Installer'. The left pane shows the 'Favorites' list with 'Desktop', 'Downloads', 'Recent Places', 'Libraries', 'Documents', 'Music', 'Pictures', 'Videos', and 'Homegroup'. The right pane shows the contents of the 'Agent-Installer' folder, including 'Components', 'Components_bx', 'protect', 'protect_legacy', 'SupportTool', 'Group.ini', 'lic.profile_bx', 'server.crt', 'StellarSetup.exe', and 'StellarSetup.ini'. The files 'Group.ini' and 'StellarSetup.exe' are highlighted with red rectangles. 10. Set the UI language to English. The screenshot shows a dialog box titled 'TXOne Stellar Agent Setup'. The main heading is 'Set the UI language'. Below the heading, it says 'Your system must have the matching language pack installed for this to work correctly.' There is a dropdown menu with 'English' selected. At the bottom right, there are two buttons: 'Next' and 'Cancel'. The 'Next' button is highlighted.


Items	Descriptions
	11. Set the Administration Password to “12345678”.  12. Accept the EULA and click Next.  13. Configure the Asset Model Information (This is optional free text to help identify the VM). Vendor: ABB Model: TuneMaster6 Location: FAB12

Items	Descriptions
	14. Accept the default installation directory and enable all optional components. 15. The installation process will take few minutes.

Items	Descriptions
	16. Disable both the “Pre-scan” and “Creating Approved List” to save time then click Next.  17. Click Finish when the Installation task has completed.  18. Launch the Stellar Agent console by clicking the “TXOne Stellar Agnet” shortcut on the desktop. The Agent Console may take a moment to open.



Items	Descriptions
	 Training TXOne Stellar Agent 19. Enter the Administration password: “12345678”  TXOne Stellar Agent (Windows) TXOne Stellar Password Log On Information StellarOne registration: ✓ StellarOne group name: FAB12 Agent Edition: Protect License: StellarICS License Type: Trial License Status: Activated Expiration Date: 9/16/2026 Cancel 20. Select the “Overview” tab and check the StellarOne Group Name in the “Information” dialog box.  TXOne Stellar Agent (Windows) TXOne Stellar Overview OT Applications OT Certificates Approved List Password Operations Settings About Protection Enabled Real-Time Protection Since 9/2/2026 6:17:54 AM Application Lockdown (Enforce) Since 9/2/2026 6:17:54 AM Information StellarOne registration: ✓ StellarOne group name: FAB12 Last connection to StellarOne: 9/2/2026 6:18:16 AM Application vault last updated on: 9/2/2026 6:18:02 AM



Items	Descriptions
	21. Go to the “Settings” tab and verify the “Device Control” settings. It should be disabled according to the policy settings in StellarOne.  22. Select the “Operations” tab . Check the “Connection” with StellarOne and “Sync” the policies <i>from</i> StellarOne. Policy settings from StellarOne always overwrite the settings on the Agent, even if you initiate the Policy Sync from the Agent  23. Notice that no reboot is required when the Agent is installed (or uninstalled).


Items	Descriptions
	24. Log in to the StellarOne web UI and go to “Agents”. There should now be an agent “Win7” in group “FAB12”. 
Expected Results	The Stellar Agent (Windows) is installed.



Lab5: Stellar Agent (Windows-Legacy) Silent Installation


Table 9 Stellar Agent (Windows-Legacy) Silent Installation



Items	Descriptions
Steps	In this lab we will do a Silent Installation of Stellar Agent (Windows-Legacy) on the WinXP VM, but the same methodology can be used when installing the Stellar Agent (Windows). - Before installing the agent, let's define the Agent password in StellarOne for all Agents under FAB12. - In StellarOne go to "Agents" > click on the "All" group > click on Customized to open the policy of the FAB12 group. - Select the Windows TAB.  - Find the section on "Agent Password". Click "Change". 



Items	Descriptions
	5. Set the Agent Password setting to • Change Permission: Policy Central-Managed. • Password: 12345678.  6. Click “Save Changes”.  7. Enter the comment “The Agent Administrator Account password policy is set to Central-Managed.” 8. You need to do this for both the Windows and Windows-Legacy agents individually. 9. Revert to snapshot “ReadyforLabs”, Network adapter set to VMnet11 and turn on the WinXP VM , select “I Moved it” if the VM was powered-on for the first time.


Items	Descriptions
	10. Log in using the following credentials: User: txone Password: 12345678 11. Verify the time zone setting and ensure it is set to UTC. 12. Uncheck the “Automatically adjust clock for daylight saving changes”.  13. Create a “Training” folder on the Desktop 14. Open Internet Explorer and go to http://192.168.23.196. As you can see, having a local HTTP web server can be extremely beneficial because Windows XP does not support TLS and it cannot directly download the agent from StellarOne. Click on the “Training” folder. 

Items	Descriptions
	15. Download the Stellar Agent (Windows-Legacy) installation package file “agent-Installer.zip” and “Group.ini” to the “Training” folder on the desktop. 16. Unzip the “agent-Installer.zip” and move the “Group.ini” file into it. 17. Go to the Agent installation package folder “Agent-Installer” and open “StellarSetup.ini” using WordPad.  18. Modify the following parameters to prepare for silence installation. [shared_install] silent = 1 password = 123456789 (notice the “9”) 

Items	Descriptions
	19. Scroll down to [Legacy_Property] and set PRESCAN to 0  20. Notice that the password is in clear text here, but that is not a problem. During the agent installation, we are setting the password to 123456789. But as soon as the agent registers with StellarOne, it will adopt the policy of the FAB12 group that is configured in StellarOne. As part of that policy, the Agent will update the password to the one that we have defined in StellarOne. (i.e. 12345678) 21. Open cmd.exe and “Run as” Administrator, Password is 12345678.  18. Run the following commands: • cd "C:\Documents and


Items	Descriptions
	Settings\txone\Desktop\Training\Agent-Installer" StellarSetup.exe  2. Any potential errors during the Agent installation will be logged in C:\WINDOWS\Temp\StellarProtect 3. When the installation has finished, you will see a shortcut on the Desktop and in the system tray.  4. Notice that you can now login to the Agent Console with password 12345678, which is not the password that we have set in StellarProtect.ini (123456789). As soon as the agent was installed, it has downloaded its policy settings (including the Agent Password) from StellarOne. 19. Select the Overview TAB. 20. Verify the following settings. - Agent belongs to the StellarOne group: FAB12



Items	Descriptions
	 5. Select the “Settings” tab and verify that “Device Control” is disabled according to the policy settings in StellarOne. 




Items	Descriptions
	6. From the LabConsole VM, Log in to the StellarOne web UI and go to “Agent”. You should see an agent named “WinXP” in group “FAB12”. 
Expected Results	The Stellar Agent (Windows-Legacy) silent installation successfully completed.




Lab6: StellarOne and Stellar Agent upgrade



Table 10 StellarOne and Stellar Agent upgrade



Items	Descriptions
Steps	StellarOne Server Upgrade - Power on the StellarOne server. Copy the Stellar firmware patch that was shared with you to the desktop of the LabConsole VM. The file looks like this: TxOne-S1-5.x.xxxx.acf. - Navigate to the StellarOne web UI: https://192.168.23.19 - Go to Dashboard. - Select StellarOne Status tab and verify that the first HDD size has been expanded to 45GB. 



Items	Descriptions
	5. Go to Administration > Firmware.  The screenshot shows the stellarOne web interface. The 'Administration' menu is open, and the 'Firmware' option is highlighted with a red box. The 'Firmware' option is located under the 'Update' section of the menu. 6. Click “Upload ACF File”.  The screenshot shows the stellarOne web interface. The 'Firmware' page is displayed, and the 'Upload ACF File' button is highlighted with a red box. The button is located at the bottom of the page, next to a text input field. 7. Browse to the Stellar Firmware Patch located in: \Desktop\Training\Stellar\StellarOne_v5.0.1539 or later The file looks like: TxOne-S1-5.x.xxxx.acf (5.0.1539 or later).



Items	Descriptions
	 8. Click “Apply”.  8. Import the firmware package for StellarOne 5.0.1539 or later. The import progress will be displayed. 




Items	Descriptions
	9. Click Install Now.  10. Check "I have manually backed up the second disk". 11. StellarOne server will display the message during the upgrade period.  12. Log in to StellarOne web UI once upgrade task has finished. 



Items	Descriptions
	13. Go to About to verify the upgraded version.  Stellar Agent (Windows) upgrade 1. Navigate to the StellarOne web UI and go to Administration > Download/Upgrades > Agent. 


Items	Descriptions												
	2. In the “Patch” section, and click Import.  14. Select Agent type: Windows and click Select File.  15. Choose the agent upgrade package file. The file looks like: “txone-sp_full_patch-win_en_x.x.xxxx.zip” (5.0.0.1089 or later)  <table border="1"> <thead> <tr> <th>Name</th> <th>Date modified</th> </tr> </thead> <tbody> <tr> <td>apt.deb11.ami.fw_5_27_260717_324.acf</td> <td>8/11/2026 8:19 AM</td> </tr> <tr> <td>txone_sp_full_patch_linux_1.1.0.39.tgz</td> <td>8/11/2026 8:14 AM</td> </tr> <tr> <td>txone_sp_full_patch_win_5.0.0.1089.zip</td> <td>8/11/2026 8:14 AM</td> </tr> <tr> <td>txone_splm_full_patch_win_5.0.0.1107.zip</td> <td>8/11/2026 8:14 AM</td> </tr> <tr> <td>TXOne-S1-5.0.1539.acf</td> <td>8/11/2026 8:07 AM</td> </tr> </tbody> </table>	Name	Date modified	apt.deb11.ami.fw_5_27_260717_324.acf	8/11/2026 8:19 AM	txone_sp_full_patch_linux_1.1.0.39.tgz	8/11/2026 8:14 AM	txone_sp_full_patch_win_5.0.0.1089.zip	8/11/2026 8:14 AM	txone_splm_full_patch_win_5.0.0.1107.zip	8/11/2026 8:14 AM	TXOne-S1-5.0.1539.acf	8/11/2026 8:07 AM
Name	Date modified												
apt.deb11.ami.fw_5_27_260717_324.acf	8/11/2026 8:19 AM												
txone_sp_full_patch_linux_1.1.0.39.tgz	8/11/2026 8:14 AM												
txone_sp_full_patch_win_5.0.0.1089.zip	8/11/2026 8:14 AM												
txone_splm_full_patch_win_5.0.0.1107.zip	8/11/2026 8:14 AM												
TXOne-S1-5.0.1539.acf	8/11/2026 8:07 AM												

Items	Descriptions
	16. The web UI will display a message indicating that the agent upgrade patch has been uploaded.  17. Repeat steps 2 to 5 to upload the patch file for the Stellar Agent (Windows-Legacy) to StellarOne. File name: txsplm-x.x-bxxxx-patch-en.zip. 18. There are two ways to deploy the agent upgrade package. The first one is to deploy the package by policy from StellarOne (Pull mode); The other way is to manually deploy the upgrade package (Push mode). 19. First configure the policy for Stellar Agent (Windows) upgrade. Go to the Agents > FAB12 group, click on the “Policy Inheritance” hyperlink. 

Items	Descriptions
	20. Select the Function type “Windows” from the drop-down menu.  21. Scroll down to the Patch dialog box and check the agent upgrade package that you plan to deploy. The selected agent upgrade package will deploy to the client when the client syncs its policy with StellarOne. Please do not select the patch file. We will not use this update method. Instead, we will use the manual deployment method in the next step.  22. To manually deploy the agent, go to Agents, select the Group of agents to which you want to deploy the agent upgrade patch to, and click Update.


Items	Descriptions
	 23. Select “Deploy Agent Patches” for Stellar Agent (Windows) and click Confirm.  24. Select the agent upgrade package that you plan to deploy to the client and click OK. 

Items	Descriptions
	25. When the upgrade has completed, click Close.  26. Log in to the Win7 VM and verify the Agent version number from the Agent console. Notice that there is <i>no need to reboot</i> the client during the upgrade process. 

Items	Descriptions								
	27. Repeat steps 11 to 15 to apply the agent patch for the Stellar Agent (Windows-Legacy). Then verify the agent version information.  The screenshot shows the TXOne Stellar Agent (Windows-Legacy) interface. The title bar indicates it is logged in as Administrator. The interface includes a sidebar with navigation options: Overview, Approved List, Password, Operations, Settings, and About (selected). The main area displays the TXOne Stellar Agent logo and version information: Version 5.0 Build 1107 Protect Edition. Below this, a table lists the components and their versions: <table border="1"> <thead> <tr> <th>Components</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>TXOne Stellar Agent (Windows-Legacy)</td> <td>5.0.1107</td> </tr> <tr> <td>Virus Scan Engine (32-bit)</td> <td>25.56.1004</td> </tr> <tr> <td>Behavior Monitoring Core Driver (32-bit)</td> <td>2.956.0.1103</td> </tr> </tbody> </table>	Components	Version	TXOne Stellar Agent (Windows-Legacy)	5.0.1107	Virus Scan Engine (32-bit)	25.56.1004	Behavior Monitoring Core Driver (32-bit)	2.956.0.1103
Components	Version								
TXOne Stellar Agent (Windows-Legacy)	5.0.1107								
Virus Scan Engine (32-bit)	25.56.1004								
Behavior Monitoring Core Driver (32-bit)	2.956.0.1103								
Expected Results	StellarOne and Agents are successfully upgraded to the new version								




Lab7: Stellar Agent (Linux) Installation



Table 11 Stellar Agent (Linux) Installation




Items	Descriptions
Steps	- Navigate to the StellarOne web UI, https://192.168.23.21 - Go to Agent. - Edit the FAB12 group policy. - Select the Agent Type: Linux - Click Advanced Options  The screenshot shows the StellarOne web interface. The 'Agents' tab is active, and the 'FAB12 (2)' group is selected. Under the 'Agent Type' section, 'Linux' is selected. The 'Advanced Options' link is highlighted. Below this, the 'Multi-Method Threat Prevention' section is visible, showing 'Real-Time Protection' is enabled. Under 'Real-Time Protection', 'Active Mode' is selected, and 'Predictive Machine Learning Analysis' is checked. The 'Advanced Options' link is highlighted. - Set Real-Time Scan Action and Predictive Machine Learning Analysis action to No Action- Only log events Because Kali Linux contains malware and exploit code, the malware scan action is set to No Action (Only log events) in order to maintain the integrity and functionality of the Kali Linux system.




Items	Descriptions
	4. Click Save Changes, then document the comment. 5. Go to Administration > Downloads/Updates. 6. Select Agent tab. 7. Select Linux agent, then click Download.


Items	Descriptions
	8. Go to the Downloads folder. 9. Move the Stellar Agent (Linux) installation package "Agent-Installer.tgz" to the \Desktop\Training folder. 10. Log in to the Kali VM 11. Launch the Firefox browser from the task bar 12. Navigate to http://192.168.23.196

Items	Descriptions
	13. Download the files “Agent-Installer.tgz” and “Group.ini”  14. Select Save File and click OK.  15. Open “File System” from the desktop. 16. Verify that the Stellar Agent (Linux) installation package and group.ini are located in the Downloads folder. 

Items	Descriptions
	17. Open the Terminal Emulator from the task bar.  18. Prepare the Stellar Agent (Linux) installer package using following commands: <pre>cd Downloads mkdir splx mv ./Agent-Installer.tgz splx mv ./Group.ini splx cd splx</pre> 19. Verify the installation package. 



Items	Descriptions
	20. Run the following commands to install the Stellar Agent (Linux): <pre>tar xvfz Agent-Installer.tgz</pre>  • <code>sudo ./installer.sh -i</code> • Enter password: <code>kali</code>  21. Go to the StellarOne web UI 22. Go to the Agent tab and verify that a Linux agent has been added under the Agent group FAB12. 




Items	Descriptions
	23. Select Agent kali and click Update.  24. Select Apply Policies.  25. Verify that the policy has been successfully applied to the Kali agent. 

Items	Descriptions
	26. Return to the Kali Linux terminal emulator 27. Run the following command to verify status of the Stellar Agent (Linux) service process. <pre>systemctl status stellar-protect</pre> <pre>--help: systemctl [status start stop] stellar-protect</pre> 
Expected Results	Stellar Agent (Linux) installation task completed.


Lab8: Industrial-Grade Next-Generation Antivirus



Table 12 Industrial-Grade Next-Generation Antivirus

Items	Descriptions
Steps	Antivirus for Stellar Agent (Windows) 1. Log in to the Win7 VM 2. In the Agent Console, verify that Real-Time Scan is enabled
	
	3. Open Internet Explorer, navigate to http://192.168.23.196 and go to Training > Stellar. Download the samples.zip. 

Items	Descriptions
	4. Expand the samples.zip. 5. Find “eicar_com.zip” in the samples.zip file.  6. Unzip samples.zip in the Training folder; the password is “virus”.  7. The Eicar file should briefly appear and then be deleted. 8. Log in to the LabConsole VM and navigate to the StellarOne web UI. 9. Go to Logs > Agent Events. You should see event “4609 Incoming files scanned by antivirus and action taken according to settings”. 


Items	Descriptions																				
	10. Click Action. Check the log details, verify the Eicar malware was quarantined. Event Information Time: 2026-09-08T09:23:06Z Level: Warning Event ID: 4609 Event Type: Incoming files were scanned by antivirus. Action was taken according to settings. Detail: File Path: C:\Users\txone\Desktop\Training\samples\leicar_com.zip File Hash: 2546dcfc5ad854d4ddc64bf056871cd5a00f2471cb7a5b6d4ac23b6e9eedad Threat Type: Virus Threat Name: Eicar_test_file Action Result: Successful Quarantine Path: C:\Program Files\TXOne\StellarProtect\private\quarantine\71432ef2-5796-4e10-94c2-52518e859029 Last Modifier Path: C:\Program Files\7-Zip\7zG.exe MITRE ID: T0847 T0849 T0864 T0865 T0867 T0883 Optionally, you can do the same on the WinXP VM. 11. For information: here is a screenshot of what the logs looked like in StellarOne 3.0. Notice that there are 2 tabs under Agent Events. The logs of StellarProtect and StellarProtect (LegacyMode) were separated there. stellarOne Dashboard Agents Logs Administration About AGENT EVENTS Endpoint Name [Search] Latest 1000 records Last 30 days StellarProtect StellarProtect (Legacy Mode) Export [icon] <table><thead><tr><th>Time</th><th>Level</th><th>Event</th><th>Endpoint</th><th>Action</th></tr></thead><tbody><tr><td>2023-10-24T10:12:07Z</td><td>Warning</td><td>4609 Incoming Files Scanned, Action Taken by Antivirus</td><td>PC-STELLAR</td><td>[icon]</td></tr><tr><td>2023-10-24T10:12:07Z</td><td>Warning</td><td>4609 Incoming Files Scanned, Action Taken by Antivirus</td><td>PC-STELLAR</td><td>[icon]</td></tr><tr><td>2023-10-24T10:06:37Z</td><td>Warning</td><td>4864 Operations Behavior Anomaly Detection (Script Behavior) Disabled</td><td>PC-STELLAR</td><td>[icon]</td></tr></tbody></table>	Time	Level	Event	Endpoint	Action	2023-10-24T10:12:07Z	Warning	4609 Incoming Files Scanned, Action Taken by Antivirus	PC-STELLAR	[icon]	2023-10-24T10:12:07Z	Warning	4609 Incoming Files Scanned, Action Taken by Antivirus	PC-STELLAR	[icon]	2023-10-24T10:06:37Z	Warning	4864 Operations Behavior Anomaly Detection (Script Behavior) Disabled	PC-STELLAR	[icon]
Time	Level	Event	Endpoint	Action																	
2023-10-24T10:12:07Z	Warning	4609 Incoming Files Scanned, Action Taken by Antivirus	PC-STELLAR	[icon]																	
2023-10-24T10:12:07Z	Warning	4609 Incoming Files Scanned, Action Taken by Antivirus	PC-STELLAR	[icon]																	
2023-10-24T10:06:37Z	Warning	4864 Operations Behavior Anomaly Detection (Script Behavior) Disabled	PC-STELLAR	[icon]																	



Items	Descriptions
	Antivirus for Stellar Agent (Linux) Log in to Kali Linux. 1. Run the Firefox browser and navigate to http://192.168.23.196. 2. Download the sample.zip again.  3. Right click the sample.zip, select Extract Here option. Unzip password is virus. 4. Verify the Eicar sample landing. Don't worry, because the policy setting is No Action, Only log event. 5. Navigate to the StellarOne web UI. 6. Go to Logs > Agent Events. 7. You should see event "4609 Incoming files scanned by antivirus and action taken....".



Items	Descriptions
	 8. Verify the event details. 
Expected Results	Eicar test malware was successfully quarantined by the Stellar Agent (Windows). Eicar test malware was successfully detected by the Stellar Agent (Linux).




Lab9: OT Application Safeguard



Table 13 OT Application Safeguard

Items	Descriptions
Lab Case	OT Application Safeguard
Steps	Changes to executable files that belong to supported OT applications are blocked. 1. Log in to the Win7 VM. 2. In the Agent Console, verify that OT Application Safeguard is enabled  3. Open the OT application folder C:\Program Files (x86) \ABB\TuneMaster 4. Try to delete any dll file, i.e., rapcry.dll.



Items	Descriptions
	5. Stellar Agent (Windows) OT Application Safeguard will block the behavior.  6. Verify with the Agent Event logs in the StellarOne web UI. 7. Click Action. 




Items	Descriptions
	8. See that OT Application Safeguard has blocked the action.  Upgrade OT Applications using Maintenance Mode. Verify the current version of an OT Application 1. Navigate to the StellarOne web UI. 2. Go to Agents. 3. Open the policy configuration of the Win7 agent, under the FAB12 group  4. Select the “Baseline” tab.


Items	Descriptions
	5. Verify the version of ABB TuneMaster. It should be version 6.  Enable Maintenance Mode. 1. Select the WIN7 agent under the FAB12 group and click on the “Protection” button.  2. Select Configure Maintenance Mode and click Confirm. 

Items	Descriptions
	3. Configure maintenance Mode. - Malware scanning will be launched by default after the maintenance period: Enable - Maintenance Mode Schedule: Start Now - Maintenance duration: 1 hour - Perform a real-time scan: Enable - Real-time Scan Actions: Quarantine/Block - Temporarily allow USB storage devices: Disable - Leave a comment before click “Confirm”.  4. Make sure the Command Deployment has completed. 

Items	Descriptions
	5. Verify the Agent status in the Agent Console. You should see the wrench badge. Upgrade ABB TuneMaster to version 7 1. Log in on the Win7 VM 2. Open Internet Explorer. Navigate to LabConsole and download TuneMaster7.zip from LabConsole and save the file to the Training folder on the Desktop 3. Open the Training folder. 4. Unzip TuneMaster7.zip 5. Go to the TuneMaster7 folder and run setup.exe as Administrator



Items	Descriptions
	6. The .NET Framework 4.8 will take around 7 minutes to install. You may see CPU usage going to 100% and remaining at that level for a couple of minutes, after which it will decrease to lower than 20%. You can ignore the ".NET Framework 4.8 installation failed" message if it appears.  After the ABB TuneMaster 7 installation has completed 7. Return to the StellarOne web UI. 8. Disable Maintenance Mode and click Confirm. 




Items	Descriptions
	9. Click “OK”.  10. Verify that the wrench badge has disappeared in the Agent Console  11. Return to the StellarOne web UI. 12. Verify the ABB TuneMaster version in the OT Applications list in the OT Applications tile under the “Baseline” of the WIN7VM. (Agents -> WIN7-> Baseline -> OT Applications) 



Items	Descriptions
	9. Check the agent events. 
Expected Results	● Changes to executable files that belong to supported OT applications are blocked ● The version of ABB TuneMaster in the "OT Applications" list has been updated from v6 to v7. This new version has been automatically whitelisted by OT Application Safeguard.



Lab10: Application Lockdown



Table 14 Application Lockdown

Items	Descriptions
Lab Case	Application Lockdown
Steps	Execution of applications that are not in the approved list are blocked by Application Lockdown. 1. Log in to the WinXP VM. 2. Launch the Stellar Agent (Windows-Legacy) console. 3. Go to Settings tab. 4. Verify the Application Lockdown is in Enforce mode  5. Select the Approved List tab. 6. Verify that Approved list has been built. 



Items	Descriptions
	7. Open Internet Explorer and navigate to http://192.168.23.196/Training/Stellar/. 8. Download “Applications.zip” and unzip it.  Hint: Sometimes, the web UI lists files across multiple pages. You can find the files on the subsequent pages. Or click “No pages”.  9. Run hfs.exe 


Items	Descriptions
	10. The hfs.exe will be blocked by Stellar Agent Application Lockdown because hfs.exe is not in the approved list.  11. Verify the Agent event log from the StellarOne web UI. There will be a “2509 File Access Blocked. File not found in Approved List” event. The Stellar Agent (Windows-Legacy) may have some latency in updating the logs. It may take up to 30 seconds for the log event to appear . 



Items	Descriptions
	10. Check the event details. The file hfs.exe has been blocked because it is not in the Approved List  From StellarOne, add a new file to the Approved Applications list of an Agent. Verify the Application lockdown event log (2509) from the StellarOne web UI. Find the hfs.exe block event, then click the Action icon.  To add hfs.exe to the Approved List of applications, click the 'Add to Approved List' button. Before proceeding, it is essential to understand why this file was blocked. In real live, Hfs.exe may have been a newly added file, or its hash may have changed due to an uncontrolled update. In such cases, whitelisting it is



Items	Descriptions
	generally acceptable. However, a change in the file's hash could also indicate that it has been compromised by malicious activity. If so, whitelisting the file would pose a significant security risk to your system.  2. Enable the “Apply the same action to other event logs from the same file” option then click Confirm.  3. StellarOne will deploy the command to SPLM. Please try again if 1st time fails.

Items	Descriptions																
	Command Deployment Date and Time2026-09-09T09:13:25Z EventThe Event Action was applied to the agent(s) All Status (1) ▾ <table><thead><tr><th>Endpoint ↓</th><th>IP Address</th><th>Group</th><th>Status</th></tr></thead><tbody><tr><td>WINXP</td><td>192.168.23.25</td><td>FAB12</td><td>✔ Completed at 2026-09-09T09:13:26Z</td></tr></tbody></table> 4. Return to the agent console and search for the file hfs.exe in the Approved List. TXOne Stellar Agent (Windows-Legacy) Approved List hfs.exe Add ItemDelete ItemCheck Item <table><thead><tr><th>☐</th><th>Application</th><th>Full Path ▲</th><th>Date</th></tr></thead><tbody><tr><td>☒</td><td>hfs.exe</td><td>C:\Documents and Settings\txone\...</td><td>9/9/2026 9:13:2...</td></tr></tbody></table> 5. Execute hfs.exe again from the WinXP VM. It should now start fine. C:\Documents and Settings\txone\Desktop\Training\Applikat File Edit View Favorites Tools Help Back Forward Stop Search Folders Address C:\Documents and Settings\txone\Desktop\Training\Applications\Applications hfs.exe hfs-demo.... npp.7.8.8... putty-0.7... putty.exe HFS ~ HTTP File Server 2.3m Menu Port: 80 You are in Easy mode Open in browser http://192.168.23.25/ Virtual File System / From the Agent Console, add an Application to the Approved List 1. Go to agent console and search the file putty.exe from the Approved list. It should not be there.	Endpoint ↓	IP Address	Group	Status	WINXP	192.168.23.25	FAB12	✔ Completed at 2026-09-09T09:13:26Z	☐	Application	Full Path ▲	Date	☒	hfs.exe	C:\Documents and Settings\txone\...	9/9/2026 9:13:2...
Endpoint ↓	IP Address	Group	Status														
WINXP	192.168.23.25	FAB12	✔ Completed at 2026-09-09T09:13:26Z														
☐	Application	Full Path ▲	Date														
☒	hfs.exe	C:\Documents and Settings\txone\...	9/9/2026 9:13:2...														

Items	Descriptions
	 2. Execute putty.exe from the Application folder. In some cases, it may take up to 1 minute before you get a response, but it should not be able to run.  3. Check the agent logs in the StellarOne web UI to verify that the file putty.exe was blocked by Application Lockdown. 4. In the Agent Console on the windows VM, open the Approved List and click Add Item.

Items	Descriptions
	 5. Select the “Manually browse and select files” option.  6. Select the “Specific applications” option.  7. Browse to the file “Putty.exe” from the Application folder.



Items	Descriptions
	 8. Check the file “putty.exe” and click OK.  9. Click Approve, then click Close.



Items	Descriptions
	 10. Run putty.exe again. Now it should run fine.  Use Maintenance Mode to update the approved list. Install the Notepad++ application 1. Search for Notepad++.exe in the Approved list from the Agent console. It should not be there.

Items	Descriptions
	Enable Maintenance Mode. - Navigate to the StellarOne web UI. - Select the Agent WinXP and click Protection. - Select the "Configure Maintenance Mode" and click Confirm.

Items	Descriptions								
	Protection Send one-time commands to endpoints to trigger immediate actions. <table> <thead> <tr> <th>Command</th><th>Supported Agent Types</th></tr> </thead> <tbody> <tr> <td>☒ Configure Maintenance Mode</td><td>Win-L</td></tr> <tr> <td>☐ Configure Emergency Stop Mode</td><td>Win-L</td></tr> <tr> <td>☐ Scan Now</td><td>Win-L</td></tr> </tbody> </table> 5. Configure maintenance Mode. - Malware scanning will be launched by default after the maintenance period: Enable. - Maintenance Mode Schedule: Start Now - Maintenance duration: 1 hour(s) Configure Maintenance Mode (1) Consider updating the agents with the latest Scan Components (Update Now) During the Maintenance Mode, the agents allow all file executions and add all files that are created, executed, or modified to the Approved List. To reduce risk of infection, run applications from trusted sources. Notice that the malware scanning will be launched by default after the maintenance period. ☒ Enable ☐ Disable Maintenance Mode Schedule ☒ Start now ☐ Schedule: Date & Time Maintenance duration: 1 hour(s) Protection Settings Protection settings only function during the maintenance period. This will not change the original policy settings. ☒ Perform real-time scan (recommended) Real-Time Scan Actions ☒ Quarantine/Block ☐ Add detected files to Approved List Predictive Machine Learning Analysis ☐ Quarantine/Block ☒ Add detected files to Approved List Device Control Agents adhere to the Device Control settings in the Policy during maintenance. Therefore, USB storage devices will be restricted if Device Control is enabled. ☒ Temporarily allow USB storage devices Enable to ignore the current Device Control policy. All USB devices will be allowed, including internal optical disc drives and floppy disk on StellarProtect (Legacy Mode) agents. Disable this to adhere to the current Device Control policy. Confirm Cancel 6. Make sure the Agent “Command Deployment” Status has completed.	Command	Supported Agent Types	☒ Configure Maintenance Mode	Win-L	☐ Configure Emergency Stop Mode	Win-L	☐ Scan Now	Win-L
Command	Supported Agent Types								
☒ Configure Maintenance Mode	Win-L								
☐ Configure Emergency Stop Mode	Win-L								
☐ Scan Now	Win-L								


Items	Descriptions								
	Command Deployment Date and Time2026-09-09T09:39:05Z EventSend command <Set Maintenance Mode> to agents All Status (1) <table><thead><tr><th>Endpoint</th><th>IP Address</th><th>Group</th><th>Status</th></tr></thead><tbody><tr><td>WINXP</td><td>192.168.23.25</td><td>FAB12</td><td>Completed at 2026-09-09T09:39:05Z</td></tr></tbody></table>	Endpoint	IP Address	Group	Status	WINXP	192.168.23.25	FAB12	Completed at 2026-09-09T09:39:05Z
Endpoint	IP Address	Group	Status						
WINXP	192.168.23.25	FAB12	Completed at 2026-09-09T09:39:05Z						
7.	Check the Agent console. The yellow wrench badge should be added.								
	TXOne Stellar Agent (Windows-Legacy) (Logged in as Administrator) TXOne Stellar Overview Approved List Password Operations Settings About Protection Enabled Maintenance Mode enabled since 9/9/2026 9:39:04 AM It will be ended at 9/9/2026 10:39:04 AM Real-Time Protection Since 9/9/2026 9:39:04 AM Application Lockdown (Enforce) Since 9/9/2026 9:39:04 AM								
	Notepad++ installation 8. Log in to the WinXP VM 9. With maintenance mode enabled, execute the file npp.7.8.8.Installer.exe from the Application Folder under the Training Folder on the Desktop.								
	Applications File Edit View Favorites Tools Help Back Forward Stop Search Folders AddressC:\Documents and Settings\txone\Desktop\Training\Applications File and Folder Tasks Make a new folder Publish this folder to the Web Share this folder Other Places Training hfs.exe rejetto hfs-demo.exe rejetto putty-64bit-0.76-installer.msi Windows Installer Package 3,011 KB putty.exe SSH, Telnet, Rlogin, and SUPDUP cli... Simon Tatham npp.7.8.8.Installer.exe Notepad++ : a free (GNU) source c... Don HO don.h@free.fr								
10.	Follow the installation instructions and accept the default settings.								

Items	Descriptions
	“Check” Run Notepad++ v7.8.8 after the installation has completed.  After the Notepad++ installation has completed 11. Disable Maintenance Mode from StellarOne web UI (follow the same steps as when you enabled it).  11. Check the Agent Console and verify that the wrench mark has disappeared.  12. Verify that Notepad++.exe has been added to the approved list in the agent.



Items	Descriptions
	 13. Launch Notepad++ It should run fine. 
Expected Results	● Execution of applications that are not in the approved list is blocked by Application Lockdown. ● The Approved List can be manually updated either from StellarOne or from the Stellar Agent. It will be automatically updated when maintenance mode is used.



Lab11: StellarProtect Standalone agent installation and management



Table 15 StellarProtect Standalone agent installation and management



Items	Descriptions
Lab Case	StellarProtect Standalone agent installation and management
	Lab VM preparation 1. In VMware workstation, Power off the Win7 VM. 2. Close the Win7 VM tab in the VMWare Library. 3. Create a copy of the Win7 VM (“duplicate” it). 4. Rename the VM file directory name to Win7_xxxx-txsp.  5. Open the VM and rename it from Win7 to Win7_txsp. 6. Revert snapshot to the “ReadyforLabs”. 7. Configure the network adapter to VMnet11. 8. Random generates the MAC address (Network Adapter > Advanced). 9. Power on the VM and choose “I copied it” when it was powered on for the first time. 10. Log in on the Win7_txsp VM using the following credentials. • User: txone • Password: 12345678 11. You may want to reconfigure the screen resolutions to fit your LCD display


Items	Descriptions																																												
	StellarProtect Standalone installation 12. Create a folder named “Training” on the Desktop. 13. With Internet Explorer navigate to web folder /Training/Stellar/StellarOne_v5.0.xxx and download the StellarProtect Standalone agent installation package (“txsp_single_installer-3.0-xxx.zip”) and save it to the Training folder. <table><thead><tr><th></th><th>Name .extension</th><th>Size</th><th>Timestamp</th></tr></thead><tbody><tr><td></td><td>apt.deb11.ami.fw_5_27_260717_324.acf</td><td>313.0 MB</td><td>8/11/2026 8:19:29 AM</td></tr><tr><td></td><td>txone_sp_full_patch_linux_1.1.0.39.tgz</td><td>73.0 MB</td><td>8/11/2026 8:14:14 AM</td></tr><tr><td></td><td>txone_sp_full_patch_win_5.0.0.1089.zip</td><td>70.1 MB</td><td>8/11/2026 8:14:48 AM</td></tr><tr><td></td><td>txone_splm_full_patch_win_5.0.0.1107.zip</td><td>104.3 MB</td><td>8/11/2026 8:14:34 AM</td></tr><tr><td></td><td>TXOne-S1-5.0.1539.acf</td><td>2.2 GB</td><td>8/11/2026 8:07:44 AM</td></tr><tr><td></td><td>txsp_single_installer-3.0-agent-b4027-en.zip</td><td>267.2 MB</td><td>6/11/2024 2:47:50 AM</td></tr></tbody></table> 14. Extract the zip file. 15. Execute StellarSetup.exe. <table><tbody><tr><td></td><td>Components File folder</td><td></td><td>protect File folder</td></tr><tr><td></td><td>protect_legacy File folder</td><td></td><td>SupportTool File folder</td></tr><tr><td></td><td>StellarSetup.exe TXOne StellarProtect Setup TXOne Networks Inc.</td><td></td><td>StellarSetup.ini Configuration settings 2.89 KB</td></tr><tr><td></td><td>tlkapi.dll 1.0.0.1013 TXOne License Module</td><td></td><td>TmUpdateCore.dll 2.88.0.1105 ActiveUpdate module.</td></tr></tbody></table>		Name .extension	Size	Timestamp		apt.deb11.ami.fw_5_27_260717_324.acf	313.0 MB	8/11/2026 8:19:29 AM		txone_sp_full_patch_linux_1.1.0.39.tgz	73.0 MB	8/11/2026 8:14:14 AM		txone_sp_full_patch_win_5.0.0.1089.zip	70.1 MB	8/11/2026 8:14:48 AM		txone_splm_full_patch_win_5.0.0.1107.zip	104.3 MB	8/11/2026 8:14:34 AM		TXOne-S1-5.0.1539.acf	2.2 GB	8/11/2026 8:07:44 AM		txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB	6/11/2024 2:47:50 AM		Components File folder		protect File folder		protect_legacy File folder		SupportTool File folder		StellarSetup.exe TXOne StellarProtect Setup TXOne Networks Inc.		StellarSetup.ini Configuration settings 2.89 KB		tlkapi.dll 1.0.0.1013 TXOne License Module		TmUpdateCore.dll 2.88.0.1105 ActiveUpdate module.
	Name .extension	Size	Timestamp																																										
	apt.deb11.ami.fw_5_27_260717_324.acf	313.0 MB	8/11/2026 8:19:29 AM																																										
	txone_sp_full_patch_linux_1.1.0.39.tgz	73.0 MB	8/11/2026 8:14:14 AM																																										
	txone_sp_full_patch_win_5.0.0.1089.zip	70.1 MB	8/11/2026 8:14:48 AM																																										
	txone_splm_full_patch_win_5.0.0.1107.zip	104.3 MB	8/11/2026 8:14:34 AM																																										
	TXOne-S1-5.0.1539.acf	2.2 GB	8/11/2026 8:07:44 AM																																										
	txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB	6/11/2024 2:47:50 AM																																										
	Components File folder		protect File folder																																										
	protect_legacy File folder		SupportTool File folder																																										
	StellarSetup.exe TXOne StellarProtect Setup TXOne Networks Inc.		StellarSetup.ini Configuration settings 2.89 KB																																										
	tlkapi.dll 1.0.0.1013 TXOne License Module		TmUpdateCore.dll 2.88.0.1105 ActiveUpdate module.																																										



Items	Descriptions
	16. Click Next.  17. Enter the password "12345678" and click New License. It may take around 30 seconds for the license UI to appear. Since the agent is in stand-alone mode, it cannot obtain a license from StellarOne, so the license must be added manually here. 



Items	Descriptions
	18. Click the link “Copy the download link for getting the License file”.  The image shows the 'TXOne StellarProtect Setup' dialog box. Under 'License Activation', the 'License File' option is selected. A note states: 'Note: A license key is required for downloading a license file.' Below the note is a link: 'Copy Download Link for getting the License File'. 19. Open the Chrome Browser on a computer with internet access. (copy the URL). 20. Enter the license key.  The image shows a web browser window displaying the 'License File Management' page. The URL is 'mytxone.cs.txone.com/license/activate/txone/stellar'. The page has a form titled 'Download License File' with a text input field containing 'AAAA-BBBB-CCCC-DDDD' and a red 'SUBMIT' button.



Items	Descriptions
	21. Copy the “Product Serial Number” information.  License File Info License Type Full License Edition Stellar ICS Edition Seats 10 Expiration 2024-09-30 License Key [Redacted]-RTBG Product Serial Number [Redacted]22efc9d9 Please copy this value to your device DOWNLOAD CLOSE 22. Paste the product serial number in the Product Serial Number dialog on the Win7_txsp VM.  TXOne StellarProtect Setup License Activation Choose one of the ways to activate the license based on the license data available from your support provider. ☐ License Key ☒ License File [Redacted] Select Product Serial Number [Redacted]-1fd9cff1bd3d ① If you don't have the license file on hand, click the link below and open the copied link in a web browser on a computer with Internet connection. Note: A license key is required for downloading a license file. Copy Download Link for getting the License File Save Cancel

Items	Descriptions
	23. Click Download. 24. Copy the license file to the Win7_txsp VM. 25. Select the license file from the Training folder and click on the Save button.  26. License is valid, click Next. 




Items	Descriptions
	27. Accept the EULA and click Next.  28. Enter the asset information (Optional). 



Items	Descriptions
	29. Accept the default setting for installation directory and click Next.  The screenshot shows the 'TXOne StellarProtect Setup' window at the 'Installation Settings' step. The 'Installation Directory' is set to 'C:\Program Files\TXOne\'. Below this, under 'Optional Components', four checkboxes are checked: 'Add to Start Menu', 'Create a desktop icon', 'Create a system tray icon', and 'Enable Trusted OT Certificates'. At the bottom, the 'Next >' button is highlighted with a red rectangle. 30. Disable Prescan and Creating Approved List to save the time.  The screenshot shows the 'TXOne StellarProtect Setup' window at the 'Prescan' and 'Creating Approved List' steps. Under 'Prescan', the toggle switch is disabled (indicated by a red box). Under 'CPU Usage', the 'Normal' radio button is selected. Under 'Creating Approved List', the toggle switch is disabled (indicated by a red box). The 'Next' button at the bottom right is also highlighted with a red rectangle.



Items	Descriptions
	31. Click Finish to complete the agent installation task.  32. Launch the StellarProtect Agent console. When the console is started for the first time, it may take a moment. Enter the password “12345678”. 



Items	Descriptions																					
	33. Select About tab and check the version of the agent.  TXOne, the logo and TXOne StellarProtect are trademarks of TXOne Networks Incorporated and are registered in some jurisdictions. All other product or company names may be trademarks or registered trademarks of their owns. <table><tr><th>Components</th><th>Version</th></tr><tr><td>Virus Pattern</td><td>19.223.00</td></tr><tr><td>IntelliTrap Exception Pattern</td><td>2.215.00</td></tr><tr><td>IntelliTrap Pattern</td><td>0.253.00</td></tr><tr><td>Spyware/Grayware Pattern</td><td>2.709.00</td></tr><tr><td>Behavior Monitoring Configuration Pattern</td><td>1.235.00</td></tr></table>	Components	Version	Virus Pattern	19.223.00	IntelliTrap Exception Pattern	2.215.00	IntelliTrap Pattern	0.253.00	Spyware/Grayware Pattern	2.709.00	Behavior Monitoring Configuration Pattern	1.235.00									
Components	Version																					
Virus Pattern	19.223.00																					
IntelliTrap Exception Pattern	2.215.00																					
IntelliTrap Pattern	0.253.00																					
Spyware/Grayware Pattern	2.709.00																					
Behavior Monitoring Configuration Pattern	1.235.00																					
	Agent upgrade in stand-alone mode. Open Internet Explorer, download the Agent upgrade package from the LabConsole VM and save it to the Training folder on the Desktop. The version of upgrade packet is 5.0 or later. 1. in web folder /Training/Stellar/StellarOne_5.0.xxxx or later.  <table><tr><th>Name</th><th>.extension</th><th>Size</th></tr><tr><td>☐ </td><td>apt.deb11.ami.fw_5_27_260717_324.acf</td><td>313.0 MB</td></tr><tr><td>☐ </td><td>txone_sp_full_patch_linux_1.1.0.39.tgz</td><td>73.0 MB</td></tr><tr><td>☐ </td><td>txone_sp_full_patch_win_5.0.0.1089.zip</td><td>70.1 MB</td></tr><tr><td>☐ </td><td>txone_splm_full_patch_win_5.0.0.1107.zip</td><td>104.3 MB</td></tr><tr><td>☐ </td><td>TXOne-S1-5.0.1539.acf</td><td>2.2 GB</td></tr><tr><td>☐ </td><td>txsp_single_installer-3.0-agent-b4027-en.zip</td><td>267.2 MB</td></tr></table>	Name	.extension	Size	☐	apt.deb11.ami.fw_5_27_260717_324.acf	313.0 MB	☐	txone_sp_full_patch_linux_1.1.0.39.tgz	73.0 MB	☐	txone_sp_full_patch_win_5.0.0.1089.zip	70.1 MB	☐	txone_splm_full_patch_win_5.0.0.1107.zip	104.3 MB	☐	TXOne-S1-5.0.1539.acf	2.2 GB	☐	txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB
Name	.extension	Size																				
☐	apt.deb11.ami.fw_5_27_260717_324.acf	313.0 MB																				
☐	txone_sp_full_patch_linux_1.1.0.39.tgz	73.0 MB																				
☐	txone_sp_full_patch_win_5.0.0.1089.zip	70.1 MB																				
☐	txone_splm_full_patch_win_5.0.0.1107.zip	104.3 MB																				
☐	TXOne-S1-5.0.1539.acf	2.2 GB																				
☐	txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB																				
	2. Extract the package and execute the upgrade package file "txone_sp_full_patch_win_en_5.0.xxxx.exe" or later.																					

Items	Descriptions
	3. Click Install. 4. Enter the admin password: 12345678. 5. The upgrade package will stop the StellarProtect service and apply the update.

Items	Descriptions								
	 6. Click OK and finish the agent upgrade task.  7. Launch the agent console. Select the “About” tab to check the version of the agent.  <table border="1"> <thead> <tr> <th>Components</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>Virus Pattern</td> <td>19.223.00</td> </tr> <tr> <td>IntelliTrap Exception Pattern</td> <td>2.215.00</td> </tr> <tr> <td>IntelliTrap Pattern</td> <td>0.253.00</td> </tr> </tbody> </table>	Components	Version	Virus Pattern	19.223.00	IntelliTrap Exception Pattern	2.215.00	IntelliTrap Pattern	0.253.00
Components	Version								
Virus Pattern	19.223.00								
IntelliTrap Exception Pattern	2.215.00								
IntelliTrap Pattern	0.253.00								

Items	Descriptions														
	Pattern update for Stellar Agent (Windows) Standalone agent in air-gapped networks. 1. Log in to the LabConsole. 2. Go to the folder “C:\Users\txone\Desktop\Training\Stellar”. 3. Create folder “Antivirus_Pattern_for_Stellar” under “C:\Users\txone\Desktop\Training\Stellar”. 4. Extract the pattern update file “Virus_Pattern_for_Stellar_250617_1.zip” to the folder “Antivirus_Pattern_for_Stellar”. 5. Verify the web access folder for the pattern update.  6. Log in to Win7 (Standalone agent). 7. Launch the Stellar Agent (Windows) console and check the current virus pattern version.  <table border="1"> <thead> <tr> <th>Components</th><th>Version</th></tr> </thead> <tbody> <tr> <td>Virus Pattern</td><td>19.223.00</td></tr> <tr> <td>IntelliTrap Exception Pattern</td><td>2.215.00</td></tr> <tr> <td>IntelliTrap Pattern</td><td>0.253.00</td></tr> <tr> <td>Spyware/Grayware Pattern</td><td>2.709.00</td></tr> <tr> <td>Behavior Monitoring Configuration Pattern</td><td>1.235.00</td></tr> <tr> <td>Advanced Threat Correlation Pattern</td><td>1.321.00</td></tr> </tbody> </table>	Components	Version	Virus Pattern	19.223.00	IntelliTrap Exception Pattern	2.215.00	IntelliTrap Pattern	0.253.00	Spyware/Grayware Pattern	2.709.00	Behavior Monitoring Configuration Pattern	1.235.00	Advanced Threat Correlation Pattern	1.321.00
Components	Version														
Virus Pattern	19.223.00														
IntelliTrap Exception Pattern	2.215.00														
IntelliTrap Pattern	0.253.00														
Spyware/Grayware Pattern	2.709.00														
Behavior Monitoring Configuration Pattern	1.235.00														
Advanced Threat Correlation Pattern	1.321.00														

Items	Descriptions
	8. With IE, browse to the pattern update web folder which hosted for virus pattern update source files. 9. Copy the URL of the web folder.  10. Execute cmd with Administrator rights.  11. Run the Following command: <pre>CD \Program Files\TXOne\StellarProtect</pre> 12. Run the opcmd command to get the update. Command: opcmd -pPassword update -s URL of update source <pre>opcmd -p12345678 update -s http://192.168.23.196/Training/Stellar/Anti- Virus_Pattern_for_Stellar/</pre>

Items	Descriptions														
	 <pre> Administrator: Command Prompt C:\Program Files\TXOne\StellarProtect>txupdate -s http://192.168.23.196/Training/Stellar/TXOne_Anti-Virus_Pattern_for_Stellar/ Updating from http://192.168.23.196/Training/Stellar/TXOne_Anti-Virus_Pattern_for_Stellar/ Updating from https://api.txone.co Components failed to download: st.vault.ptn txgd.ptn txtd.ptn Components downloaded: 20000020 20000400 20000004 40040193 40040226 Reloading result: 00000004 1 20000020 1 20000400 1 20000004 1 40000000 1 40040193 1 40040226 1 txgd.ptn 1 st.vault.ptn 0 txtd.ptn 1 C:\Program Files\TXOne\StellarProtect> </pre> 13. The virus patterns are now updated to the latest version.  <table border="1"> <thead> <tr> <th>Components</th><th>Version</th></tr> </thead> <tbody> <tr> <td>Virus Pattern</td><td>20.269.00</td></tr> <tr> <td>IntelliTrap Exception Pattern</td><td>2.347.00</td></tr> <tr> <td>IntelliTrap Pattern</td><td>0.253.00</td></tr> <tr> <td>Spyware/Grayware Pattern</td><td>2.843.00</td></tr> <tr> <td>Behavior Monitoring Configuration Pattern</td><td>1.235.00</td></tr> <tr> <td>Advanced Threat Correlation Pattern</td><td>1.527.00</td></tr> </tbody> </table>	Components	Version	Virus Pattern	20.269.00	IntelliTrap Exception Pattern	2.347.00	IntelliTrap Pattern	0.253.00	Spyware/Grayware Pattern	2.843.00	Behavior Monitoring Configuration Pattern	1.235.00	Advanced Threat Correlation Pattern	1.527.00
Components	Version														
Virus Pattern	20.269.00														
IntelliTrap Exception Pattern	2.347.00														
IntelliTrap Pattern	0.253.00														
Spyware/Grayware Pattern	2.843.00														
Behavior Monitoring Configuration Pattern	1.235.00														
Advanced Threat Correlation Pattern	1.527.00														
Expected Results	The following Stellar Agent Standalone tasks are completed: 1. Agent standalone installation. 2. Agent standalone upgrade. 3. Agent standalone Pattern updates.														