







Items	Descriptions						
	15. Verify that the virus pattern has update to the latest version.  Pattern Version <table border="1"> <tr> <td>Virus Pattern</td> <td>20.269.00</td> </tr> <tr> <td>Damage Cleanup Template</td> <td>0.016.34</td> </tr> <tr> <td>IntelliTrap Exception Pattern</td> <td>2.347.00</td> </tr> </table> Uploading the virus patterns directly to StellarOne 1. Manually download the virus patterns (ACF format) from myTXOne.  2. Or use the virus pattern file that is available in \Desktop\Training\Stellar. 	Virus Pattern	20.269.00	Damage Cleanup Template	0.016.34	IntelliTrap Exception Pattern	2.347.00
Virus Pattern	20.269.00						
Damage Cleanup Template	0.016.34						
IntelliTrap Exception Pattern	2.347.00						




Items	Descriptions
	3. In StellarOne, go to Administration > Downloads/Updates > StellarOne. 4. Check the current version of the virus pattern. 5. Click on the “Manual Update” button.  6. Select the virus pattern update file (ACF format) from \Desktop\Training\Stellar. 7. Click on the “Update” button. 



Items	Descriptions						
	8. Verify the virus patten version after the update task has completed.  The screenshot shows the StellarOne web interface. At the top, there's a navigation bar with 'Dashboard', 'Agents', 'Logs', 'Administration', and 'About'. Below this is a 'DOWNLOADS/UPDATES' section with tabs for 'StellarOne', 'Agent', and 'Update Pool'. Under 'StellarOne', there's a 'Scan Component' section showing 'Last Updated: 2026-03-11T08:49:09Z' and buttons for 'Update Now', 'Manual Update', and 'Scan Component Update Schedule (StellarOne)'. Below that is a 'Pattern Version' section with a table: <table border="1"> <thead> <tr> <th colspan="2">Pattern Version</th> </tr> </thead> <tbody> <tr> <td>Virus Pattern</td> <td>20.813.00</td> </tr> <tr> <td>Damage Cleanup Template</td> <td>0.016.34</td> </tr> </tbody> </table>	Pattern Version		Virus Pattern	20.813.00	Damage Cleanup Template	0.016.34
Pattern Version							
Virus Pattern	20.813.00						
Damage Cleanup Template	0.016.34						
Expected Results	In air-gapped networks, StellarOne can retrieve virus pattern updates from an internal website. In StellarOne version 3.2 or higher, you can manually import them as well.						



Lab10: Update Agents and Update Pools



Table 14 Update Agents and Update Pools

Items	Descriptions
Lab Case	Deploy an Update Agent for virus pattern updates
Scope	StellarOne, Stellar agent In this lab we will evaluate how Stellar Agents can get components updates from an Update Agent. This will reduce the load on the network.
Steps	Configure an agent to become an Update agent for the agents under the HAVC group 1. Select the agent "WIN7". 2. Select the "Update Pool" under the Organize menu. 3. Click "Set as Update Agent".  4. Apply the policy update to the agent WIN7.

Items	Descriptions
	5. Create an Agent Update Pool: go to Administration > DOWNLOAD/UPDATES > Update Pool and click on the “Create Update Pool” button.  6. Enter the pool name “HVAC Pool”.  7. Edit the Update Agent list. 


Items	Descriptions
	8. Select the Update Agent “WIN7”.  9. Edit the Recipient Group.  10. Select the group “HVAC” to be served by the Update Pool “HVAC Pool”.  11. Apply Policy update for the Update agent “WIN7” and the agent group “HVAC”. 12. Login to the WinXP vm.


Items	Descriptions
	13. Check the Stellar Virus patten version.  14. Trigger the “Update Agent components” action from the StellarOne web UI for WINXP agent. 15. Check the WINXP Stellar virus patten version again to verify that it has been updated to the latest version.  16. Go to the StellarOne web UI.



Items	Descriptions
	17. Go to Logs > Agent Events. There should be a 6000 event labeled “Component updated” for the WINXP agent.  18. Check the event details. The update source is the Win7 Update Agent. 
Expected Results	Stellar Agents can get components updates from an Update Agent


Lab11: Using a proxy for StellarOne Updates

Table 15 Using a proxy for StellarOne Updates

Items	Descriptions
Lab Case	Using a proxy for StellarOne Updates
Scope	StellarOne In this lab, StellarOne will use a Proxy server to connect to the local update source from the previous lab.
Steps	 A squid proxy has been provided in the Kali VM. It listens on port 8888 and requires authentication with username and password. 1. Open the Kali VM and revert to snapshot "ReadyforLabs" 2. If not already done so, start the Kali vm and login with the following credentials: Username: kali Password: kali


Items	Descriptions
	3. In StellarOne, go to Administration > Proxy, enable the “Proxy Settings for StellarOne to internet” Protocol : HTTP Server Address: 192.168.23.197 (the Kali vm) Port: 8888 Proxy server requires authentication: Enabled Username: proxyuser Password: 12345678 Click "Save"  4. To verify that the traffic actually goes through the proxy server, start Wireshark on the Kali vm. 

Items	Descriptions
	5. Capture the traffic from eth0 with Wireshark.  Update StellarOne via proxy 6. Go to Administration > Downloads/Updates and click “Update Now”. The update should succeed, but the pattern version will remain the same because StellarOne has already been updated to the latest patterns in the previous lab. 7. Check Wireshark and set a display-filter to “http” (see screenshot below).  19. In the screenshot above we can see the following: Packet 129 / 164: Connection from 192.168.23.19 (StellarOne) to

Items	Descriptions
	192.168.23.197 (which is the proxy on the Kali VM)) ii. Packet 133 / 166: the proxy replies that it requires authentication iii. Packet 143 / 174: StellarOne is sending the credentials (proxyuser:12345678) iv. Packet 149 / 179 and onwards: The Proxy is connecting to the update source for Stellar. Depending on your settings that can still be “192.168.23.196:80” or “ttau.cs.txone.com” 20. Check the HFS.exe admin console. The logs should display events when a pattern update request is received. 
Expected Results	StellarOne retrieves Pattern Updates through a Proxy Server.



Lab12: Using a proxy for Agent-to-StellarOne communication

Table 16 Using a proxy for Agent-to-StellarOne communication


Items	Descriptions
Lab Case	Using a proxy for Agent-to-StellarOne communication
Scope	StellarOne In this lab, we will use the Proxy server for the “Agent to StellarOne communication”
	 1. In StellarOne, go to Administration > Proxy, enable the “Proxy Settings for Agent to StellarOne communication” Protocol : HTTP Server Address: 192.168.23.197 (the Kali VM) Port: 8888 Proxy server requires authentication: Enabled Username: proxyuser Password: 12345678 Click “Save”


Items	Descriptions
	2. On the LabConsole VM, download a new Agent installation package from StellarOne. You may notice that the download takes a bit longer because StellarOne needs to repack the Agent Installer zip file. 3. Open StellarSetup.ini with WordPad, find the Proxy settings and notice that the password for the proxy user is encrypted. <pre> [[shared_license] product_serial_number = eabb9bf6-f42d-11ee-9d05-000c29f99054 txone_license_file = txone_license_env = prod [shared_server] host = 192.168.23.19 cert = server.crt [shared_proxy] host = 192.168.23.197 port = 8888 username = proxyuser password = EIUNQ42BsO9iy626uh5Un08K7C0odNOs [shared_install] silent = 0 password = user_password = enable_shell_integration = 1 </pre>

Items	Descriptions
	4. Go to Desktop\Training\Stellar. If there is still an old “Agent-Installer-en.zip”, delete it. Also, if there is still an old “Agent-Installer-en” directory delete it as well. 5. Move the newly downloaded “Agent-Installer-en.zip” to the Training folder. 6. New agents that will be installed, will use this new Agent installer package and will use the proxy to connect to StellarOne. To reconfigure existing agents to use a proxy, we could uninstall and reinstall them using the new Agent-installer package. However, there is a better way: we can use the Command Line interface of the agent to alter its configuration. Reconfigure the StellarProtect Agent to use the Proxy: 1. On the Win7 VM, open a CMD with administrator rights. 2. cd "\Program Files\TXOne\StellarProtect\". 3. To configure the agent to use the proxy for its updates, run the following: opcmd -p proxy set -h 192.168.23.197 -p 8888 -u proxyuser -P 12345678 (Note that the second “-P”, the one for the password, is a capital “P”) The password after “-P” is the password for the proxyuser After you hit enter, you are prompted for the Agent Password see screenshot below).



Items	Descriptions
	 4. From the Agent Console, initiate “Check Connections” from the Operations tab. On Kali, with Wireshark, verify that the communication goes through the proxy.  5. In the LANtrace you can see that the communication from the StellarProtect agent to the StellarOne is encrypted.

Items	Descriptions
	Reconfigure the StellarProtect (Legacy Mode) Agent to use a Proxy - Note that the StellarProtect (Legacy Mode) agent uses the SLCMD command (instead of OPCMD), but the SLCMD command does not have the capability to modify the proxy settings. - For StellarProtect (Legacy Mode) agent, the following technique can be used to update the agent. (Or you may simply prefer to do a reinstallation of the agent). - Export settings from the agent (from the Agent Console) - Decrypt the file - Edit the proxy the settings - Encrypt the file - Import the settings to the agent (from the Agent Console) - Open the Agent Console and from the “Settings” tab, export the Agent settings. Export the settings to the file “AgentExportedSettings.xen” on the Desktop\Training folder.




Items	Descriptions
	4. Close the Agent console. Otherwise, SLCMD cannot be executed. 5. Decrypt the file using SLCMD and the Agent Password: Open a CMD and run the following commands: <pre>cd "c:\Documents and Settings\txone\desktop\training"</pre> <pre>"c:\Program Files\TXOne\StellarProtect (Legacy Mode)\SLCmd.exe"</pre> <pre>decrypt configuration AgentExportedSettings.xen</pre> <pre>AgentExportedSettings.txt</pre> 6. Enter the password: 12345678  7. Open the file AgentExportedSettings.txt with WordPad and modify the Proxy section. Search for "Proxy" and modify the section as follows: <pre><Proxy Mode="1"> <HostName>192.168.23.197</HostName> <Port>8888</Port> <UserName>proxyuser</UserName> <Password>12345678</Password> </Proxy></pre>

Items	Descriptions
	8. Encrypt the file with SLCMD and the Agent Password. "c:\Program Files\TXOne\StellarProtect (Legacy Mode)\SLCmd.exe" encrypt configuration AgentExportedSettings.txt AgentExportedSettingsWithProxy.xen



Items	Descriptions
	9. Import the settings to the agent (from the Agent Console) and click on the “Save” button.  10. Trigger an agent update from the Agent Console and verify in Wireshark that the agent connects through the proxy on the Kali VM. Note that the communication is encrypted. 
Expected Results	StellarOne Agent communications go through the proxy



Lab13: Stellar Agent transfer to a new StellarOne

Table 17 Stellar Agent transfer to a new StellarOne




Items	Descriptions
Lab Case	Stellar Agent transfer to a new StellarOne
Scope	StellarOne, Stellar Agent In this lab we will evaluate how to transfer an agent from one to another StellarOne server
	(Optional) If your labtop does not have enough memory to support 2 StellarOne installations, then you can team-up with another student and make the following configuration.  One of you will function as Laptop A and the other one as Laptop B. Stop all VMs on both Laptops. - Interconnect both laptops with a UTP network cable. - For the VMs on your Laptop (Laptop A or Laptop B), change the virtual network adapter to “Bridged to your physical UTP Network Card”. - To verify that you have bridged the virtual NIC to the right physical NIC, disconnect the UTP network cable and verify that the network in the VM becomes “disconnected”. - Power on your VMs: Laptop A: StellarOne, LabConsole, Win7 and WinXP.


Items	Descriptions																					
	Laptop B: StellarOne_New and Kali Linux. Setup a New StellarOne server 1. Open the VM “Stellar_v3.2 new”, if needed revert it to the snapshot ReadyforLabs. 2. Start the VM, choose “I copied it” if this is the first time it is started. 3. Prepare the new StellarOne server: <table><tr><th>NO</th><th>Item</th><th>Check</th></tr><tr><td>1</td><td>vShell user: root, password:12345678</td><td>Y ☐ N ☐</td></tr><tr><td>2</td><td>Change the web admin password to: 12345678</td><td>Y ☐ N ☐</td></tr><tr><td>3</td><td>Apply the license</td><td>Y ☐ N ☐</td></tr><tr><td>4</td><td>Configure the time zone to UTC</td><td>Y ☐ N ☐</td></tr><tr><td>5</td><td>Create the Agent group HVAC</td><td>Y ☐ N ☐</td></tr><tr><td>6</td><td>Configure the policy settings of the HVAC group as described in RBAC lab. Also ENABLE the Real time malware scan on the agent group.</td><td>Y ☐ N ☐</td></tr></table>	NO	Item	Check	1	vShell user: root, password:12345678	Y ☐ N ☐	2	Change the web admin password to: 12345678	Y ☐ N ☐	3	Apply the license	Y ☐ N ☐	4	Configure the time zone to UTC	Y ☐ N ☐	5	Create the Agent group HVAC	Y ☐ N ☐	6	Configure the policy settings of the HVAC group as described in RBAC lab. Also ENABLE the Real time malware scan on the agent group.	Y ☐ N ☐
NO	Item	Check																				
1	vShell user: root, password:12345678	Y ☐ N ☐																				
2	Change the web admin password to: 12345678	Y ☐ N ☐																				
3	Apply the license	Y ☐ N ☐																				
4	Configure the time zone to UTC	Y ☐ N ☐																				
5	Create the Agent group HVAC	Y ☐ N ☐																				
6	Configure the policy settings of the HVAC group as described in RBAC lab. Also ENABLE the Real time malware scan on the agent group.	Y ☐ N ☐																				

Items	Descriptions
	Make a StellarOne Pool for agent transfer. 1. Go to the StellarOne NEW server web UI. 2. Go to About. 3. Click on the “Download StellarOne Server Information” hyperlink, download the server information and save it to the Downloads folder.  4. Go to the web UI of the initial StellarOne. 5. Go to Administration > StellarOne Pool. 6. Click on the “Add StellarOne Server” button. 

Items	Descriptions
	7. Server Info: Select server profile from the Downloads folder. Server Name: s1-new  8. A new StellarOne server will be added.  9. Go to Agent > All group > HVAC group. 10. Check the agent WINXP, select Transfer from the Organize menu. 

Items	Descriptions
	11. Configure the destination server. Destination: New StellarOne Server Name: s1-new (Choose from the StellarOne pool) Parent Group: HVAC (this group must exist) 12. Summary of agent transfer.

Items	Descriptions
	13. Agent transferred.  14. The agent WINXP has been removed from the initial StellarOne server and added to the new StellarOne server.  15. The agent WINXP now reports to the new StellarOne server "s1-new". 



Items	Descriptions																
	16. Check the WINXP agent console and verify that Real-Time Protection is enabled according to the policy on the NEW StellarOne.  The screenshot shows the TXOne StellarProtect (Legacy Mode) console. The title bar indicates 'TXOne StellarProtect (Legacy Mode) (Logged in as Administrator)'. The interface includes a sidebar with 'Overview' (selected), 'Approved List', 'Password', 'Operations', 'Settings', and 'About'. The main area displays a large green checkmark and the text 'Protection Enabled'. Below this, there are two sections: 'Real-Time Protection' and 'Application Lockdown (Enforce)'. The 'Real-Time Protection' section shows a green checkmark and 'Since 3/12/2026 2:59:05 AM'. The 'Application Lockdown (Enforce)' section shows a green checkmark and 'Since 3/12/2026 2:59:04 AM'. A table at the bottom lists system information: <table border="1"> <tr> <td>StellarOne registration</td> <td>HVAC</td> </tr> <tr> <td>StellarOne group name</td> <td>3/12/2026 2:59:10 AM</td> </tr> <tr> <td>Last connection to StellarOne</td> <td>Enabled(Partialy)</td> </tr> <tr> <td>Exploit Prevention</td> <td>3/11/2026 7:17:30 AM</td> </tr> <tr> <td>Approved List last updated on</td> <td>3/11/2026 8:54:45 AM</td> </tr> <tr> <td>Components last updated on</td> <td>3/11/2026 7:23:32 AM</td> </tr> <tr> <td>Last application blocked on</td> <td>4/6/2026</td> </tr> <tr> <td>License expires on</td> <td></td> </tr> </table>	StellarOne registration	HVAC	StellarOne group name	3/12/2026 2:59:10 AM	Last connection to StellarOne	Enabled(Partialy)	Exploit Prevention	3/11/2026 7:17:30 AM	Approved List last updated on	3/11/2026 8:54:45 AM	Components last updated on	3/11/2026 7:23:32 AM	Last application blocked on	4/6/2026	License expires on	
StellarOne registration	HVAC																
StellarOne group name	3/12/2026 2:59:10 AM																
Last connection to StellarOne	Enabled(Partialy)																
Exploit Prevention	3/11/2026 7:17:30 AM																
Approved List last updated on	3/11/2026 8:54:45 AM																
Components last updated on	3/11/2026 7:23:32 AM																
Last application blocked on	4/6/2026																
License expires on																	
Expected Results	The WINXP agent has been transferred to a new StellarOne server.																



Lab14: StellarProtect Standalone agent installation and management



Table 18 StellarProtect Standalone agent installation and management



Items	Descriptions
Lab Case	StellarProtect Standalone agent installation and management
Scope	StellarProtect In this lab we will evaluate: 1. How to install an Agent that is not connected to a StellarOne. 2. How to upgrade an Agent that is not connected to a StellarOne. 3. How to apply Pattern updates to an Agent that is not connected to a StellarOne.
	Lab vm preparation 1. In VMware workstation Power off the Win7 vm. 2. Close the Win7 vm tab in the VMWare Library. 3. Create a copy of the Win7 vm ("duplicate" it). 4. Rename the VM file directory name to Win7_xxxx-txsp.  5. Open VM and rename the VM name from Win 7 to Win7_txsp. 6. Revert snapshot to the "ReadyforLabs". 7. Choose "I Copied it" when power on the Win7_txsp VM. 8. Power on the VM and choose "I copied it" when it was powered on for the 1st time.


Items	Descriptions																																			
	9. Log in on the Win7_txsp vm using following credential. User: txone Password: 12345678 10. You may want to reconfigure the screen resolutions to fit your LCD display. StellarProtect Standalone installation 1. Create a folder named “Training” on the Desktop. 2. With Internet Explorer download the StellarProtect Standalone agent installation package (“txsp_single_installer-3.0-xxx.zip”) and save it to the Training folder /Training/Stellar/StellarOne_v3.x_xxx. <table><thead><tr><th>Name</th><th>.extension</th><th>Size</th><th>Timestamp</th><th>Hits</th></tr></thead><tbody><tr><td></td><td>apt.deb11.ova.fw_5_27_260107_240.acf</td><td>210.5 MB</td><td>1/14/2026 11:10:16 AM</td><td>0</td></tr><tr><td></td><td>TXOne-S1-acus.fw_3.2.5033.acf</td><td>1.3 GB</td><td>12/27/2025 12:33:48 PM</td><td>0</td></tr><tr><td></td><td>TXOne-S1-acus.fw_3.3.1392.acf</td><td>1.9 GB</td><td>12/31/2025 5:32:12 PM</td><td>0</td></tr><tr><td></td><td>txsp_full_patch_win_3.3_agent_b1125.zip</td><td>58.4 MB</td><td>12/31/2025 5:35:52 PM</td><td>0</td></tr><tr><td></td><td>txsp_single_installer-3.0-agent-b4027-en.zip</td><td>267.2 MB</td><td>6/11/2024 10:47:50 AM</td><td>0</td></tr><tr><td></td><td>txsplm_full_patch_3.3_agent_b1126_en.zip</td><td>90.5 MB</td><td>12/31/2025 5:36:02 PM</td><td>0</td></tr></tbody></table> 3. Extract the zip file. 4. Execute StellarSetup.exe. Components File folder protect_legacy File folder  StellarSetup.exe TXOne StellarProtect Setup TXOne Networks Inc.  tlkapi.dll 1.0.0.1013 TXOne License Module protect File folder SupportTool File folder  StellarSetup.ini Configuration settings 2.89 KB  TmUpdateCore.dll 2.88.0.1105 ActiveUpdate module.	Name	.extension	Size	Timestamp	Hits		apt.deb11.ova.fw_5_27_260107_240.acf	210.5 MB	1/14/2026 11:10:16 AM	0		TXOne-S1-acus.fw_3.2.5033.acf	1.3 GB	12/27/2025 12:33:48 PM	0		TXOne-S1-acus.fw_3.3.1392.acf	1.9 GB	12/31/2025 5:32:12 PM	0		txsp_full_patch_win_3.3_agent_b1125.zip	58.4 MB	12/31/2025 5:35:52 PM	0		txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB	6/11/2024 10:47:50 AM	0		txsplm_full_patch_3.3_agent_b1126_en.zip	90.5 MB	12/31/2025 5:36:02 PM	0
Name	.extension	Size	Timestamp	Hits																																
	apt.deb11.ova.fw_5_27_260107_240.acf	210.5 MB	1/14/2026 11:10:16 AM	0																																
	TXOne-S1-acus.fw_3.2.5033.acf	1.3 GB	12/27/2025 12:33:48 PM	0																																
	TXOne-S1-acus.fw_3.3.1392.acf	1.9 GB	12/31/2025 5:32:12 PM	0																																
	txsp_full_patch_win_3.3_agent_b1125.zip	58.4 MB	12/31/2025 5:35:52 PM	0																																
	txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB	6/11/2024 10:47:50 AM	0																																
	txsplm_full_patch_3.3_agent_b1126_en.zip	90.5 MB	12/31/2025 5:36:02 PM	0																																



Items	Descriptions
	5. Click Next.  6. Enter the password "12345678" and click the "New License" button. It may take around 30 seconds for the license UI to appear. Since the agent is in stand-alone mode, it cannot obtain a license from StellarOne, so the license must be added manually here. 



Items	Descriptions
	7. Click the link “Copy the download link for getting the License file”.  The image shows the 'TXOne StellarProtect Setup' dialog box. Under 'License Activation', the 'License File' option is selected. A note states: 'Note: A license key is required for downloading a license file.' Below the note is a link: 'Copy Download Link for getting the License File'. 8. Open the Chrome Browser on a computer with internet access. (copy the URL). 9. Enter the license key.  The image shows a web browser window with the URL 'mytxone.cs.txone.com/license/activate/txone/stellar'. The page title is 'License File Management'. It features a 'Download License File' section with a text input field containing 'AAAA-BBBB-CCCC-DDDD' and a red 'SUBMIT' button.


Items	Descriptions
	10. Copy the “Product Serial Number” information.  License File Info License Type Full License Edition Stellar ICS Edition Seats 10 Expiration 2024-09-30 License Key XXXXXXXX-RTBG Product Serial Number XXXXXXXX-XXXX-XXXX-22efc9d9 Please copy this value to your device DOWNLOAD CLOSE 11. Paste the product serial number in the Product Serial Number dialog on the Win7_txsp vm.  TXOne StellarProtect Setup License Activation Choose one of the ways to activate the license based on the license data available from your support provider. ☐ License Key ☒ License File Product Serial Number XXXXXXXX-1fd9cff1bd3d ⓘ If you don't have the license file on hand, click the link below and open the copied link in a web browser on a computer with Internet connection. Note: A license key is required for downloading a license file. Copy Download Link for getting the License File Save Cancel

Items	Descriptions
	12. Click Download. 13. Copy the license file to the Win7_txsp vm. 14. Select the license file from the Training folder and click on the Save button.  15. License is valid, click Next. 




Items	Descriptions
	16. Accept the EULA and click Next.  17. Enter the asset information (Optional). 




Items	Descriptions
	18. Accept the default setting for installation directory and click Next.  The screenshot shows the 'TXOne StellarProtect Setup' window with the 'Installation Settings' tab selected. The 'Installation Directory' is set to 'C:\Program Files\TXOne\'. Below this, under 'Optional Components', four checkboxes are checked: 'Add to Start Menu', 'Create a desktop icon', 'Create a system tray icon', and 'Enable Trusted OT Certificates'. At the bottom, the 'Next >' button is highlighted with a red rectangle. 19. Disable Prescan and Creating Approved List to save the time.  The screenshot shows the 'TXOne StellarProtect Setup' window with the 'Prescan' and 'Creating Approved List' sections. In the 'Prescan' section, the 'Perform prescan to ensure device security and smooth operations.' checkbox is unchecked and highlighted with a red rectangle. In the 'Creating Approved List' section, the 'Create Approved List and enable Application Lockdown "Detect" mode' checkbox is also unchecked and highlighted with a red rectangle. The 'Next' button at the bottom right is also highlighted with a red rectangle.



Items	Descriptions
	20. Click Finish to complete the agent installation task.  21. Launch the StellarProtect Agent console. When started for the first time, it may take a moment. Enter the password “12345678”. 

Items	Descriptions																																			
	22. Click to “About” tab and check the version of the agent.  Agent upgrade in stand-alone mode 1. Open Internet Explorer, download the Agent upgrade package from the LabConsole vm and save it to the Training folder on the Desktop. The version of upgrade packet is 3.1 and above. The file location in web folder /Training/Stellar/StellarOne_3.xxxxx. <table><tr><th>Name</th><th>.extension</th><th>Size</th><th>Timestamp</th><th>Hits</th></tr><tr><td>☐</td><td>apt.deb11.ova.fw_5_27_260107_240.acf</td><td>210.5 MB</td><td>1/14/2026 11:10:16 AM</td><td>0</td></tr><tr><td>☐</td><td>TXOne-S1-acus.fw_3.2.5033.acf</td><td>1.3 GB</td><td>12/27/2025 12:33:48 PM</td><td>0</td></tr><tr><td>☐</td><td>TXOne-S1-acus.fw_3.3.1392.acf</td><td>1.9 GB</td><td>12/31/2025 5:32:12 PM</td><td>0</td></tr><tr><td>☐</td><td>txsp_full_patch_win_3.3_agent_b1125.zip</td><td>58.4 MB</td><td>12/31/2025 5:35:52 PM</td><td>0</td></tr><tr><td>☐</td><td>txsp_single_installer-3.0-agent-b4027-en.zip</td><td>267.2 MB</td><td>6/11/2024 10:47:50 AM</td><td>1</td></tr><tr><td>☐</td><td>txsplm_full_patch_3.3_agent_b1126_en.zip</td><td>90.5 MB</td><td>12/31/2025 5:36:02 PM</td><td>0</td></tr></table> 2. Extract the package and execute the upgrade package file “txone_sp_full_patch_win_en_3.3.xxxx.exe” or later.	Name	.extension	Size	Timestamp	Hits	☐	apt.deb11.ova.fw_5_27_260107_240.acf	210.5 MB	1/14/2026 11:10:16 AM	0	☐	TXOne-S1-acus.fw_3.2.5033.acf	1.3 GB	12/27/2025 12:33:48 PM	0	☐	TXOne-S1-acus.fw_3.3.1392.acf	1.9 GB	12/31/2025 5:32:12 PM	0	☐	txsp_full_patch_win_3.3_agent_b1125.zip	58.4 MB	12/31/2025 5:35:52 PM	0	☐	txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB	6/11/2024 10:47:50 AM	1	☐	txsplm_full_patch_3.3_agent_b1126_en.zip	90.5 MB	12/31/2025 5:36:02 PM	0
Name	.extension	Size	Timestamp	Hits																																
☐	apt.deb11.ova.fw_5_27_260107_240.acf	210.5 MB	1/14/2026 11:10:16 AM	0																																
☐	TXOne-S1-acus.fw_3.2.5033.acf	1.3 GB	12/27/2025 12:33:48 PM	0																																
☐	TXOne-S1-acus.fw_3.3.1392.acf	1.9 GB	12/31/2025 5:32:12 PM	0																																
☐	txsp_full_patch_win_3.3_agent_b1125.zip	58.4 MB	12/31/2025 5:35:52 PM	0																																
☐	txsp_single_installer-3.0-agent-b4027-en.zip	267.2 MB	6/11/2024 10:47:50 AM	1																																
☐	txsplm_full_patch_3.3_agent_b1126_en.zip	90.5 MB	12/31/2025 5:36:02 PM	0																																

Items	Descriptions
	3. Click on the Install button. 4. Enter the admin password: 12345678 5. The upgrade package will stop the StellarProtect service and apply the update.

Items	Descriptions								
	 6. Click “OK” and finish the agent upgrade task.  7. Launch the agent console. Go to the “About” tab to check the version of the agent.  <table border="1"> <thead> <tr> <th>Components</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>Virus Pattern</td> <td>19.223.00</td> </tr> <tr> <td>IntelliTrap Exception Pattern</td> <td>2.215.00</td> </tr> <tr> <td>IntelliTrap Pattern</td> <td>0.253.00</td> </tr> </tbody> </table>	Components	Version	Virus Pattern	19.223.00	IntelliTrap Exception Pattern	2.215.00	IntelliTrap Pattern	0.253.00
Components	Version								
Virus Pattern	19.223.00								
IntelliTrap Exception Pattern	2.215.00								
IntelliTrap Pattern	0.253.00								

Items	Descriptions														
	Pattern update for StellarProtect Standalone agent in air gapped networks. Use the pattern local update source from Lab11. - Check the current virus patten version.  <table> <thead> <tr> <th>Components</th><th>Version</th></tr> </thead> <tbody> <tr> <td>Virus Pattern</td><td>19.223.00</td></tr> <tr> <td>IntelliTrap Exception Pattern</td><td>2.215.00</td></tr> <tr> <td>IntelliTrap Pattern</td><td>0.253.00</td></tr> <tr> <td>Spyware/Grayware Pattern</td><td>2.709.00</td></tr> <tr> <td>Behavior Monitoring Configuration Pattern</td><td>1.235.00</td></tr> <tr> <td>Advanced Threat Correlation Pattern</td><td>1.321.00</td></tr> </tbody> </table> - With IE browse to the pattern update web folder which was also used as a local update source in Lab9. Copy the URL of the web folder.  - Close the StellarProtect Agent console. - Execute cmd with Administrator rights. 	Components	Version	Virus Pattern	19.223.00	IntelliTrap Exception Pattern	2.215.00	IntelliTrap Pattern	0.253.00	Spyware/Grayware Pattern	2.709.00	Behavior Monitoring Configuration Pattern	1.235.00	Advanced Threat Correlation Pattern	1.321.00
Components	Version														
Virus Pattern	19.223.00														
IntelliTrap Exception Pattern	2.215.00														
IntelliTrap Pattern	0.253.00														
Spyware/Grayware Pattern	2.709.00														
Behavior Monitoring Configuration Pattern	1.235.00														
Advanced Threat Correlation Pattern	1.321.00														

Items	Descriptions														
	5. CD \Program Files\TXOne\StellarProtect 6. opcmd -pPassword update -s URL of update source opcmd -p12345678 update -s http://192.168.23.196/Training/Stellar/Anti-Virus_Pattern_for_Stellar/  <pre> Administrator: Command Prompt C:\Program Files\TXOne\StellarProtect> C:\Program Files\TXOne\StellarProtect>opcmd -p12345678 update -s http://192.168.23.196/Training/Stellar/Anti-Virus_Pattern_for_Stellar/ Updating from http://192.168.23.196/Training/Stellar/Anti-Virus_Pattern_for_Stellar/. Components downloaded: 20000020 20000400 00000004 48040193 48040226 Reloading result: 00000004: 1 20000020: 1 20000400: 1 20000400: 1 41000000: 1 48040193: 1 48040226: 1 C:\Program Files\TXOne\StellarProtect> </pre> 7. The virus patterns are now updated to the latest version.  TXOne StellarProtect Version 3.3 Build 1125 TXOne, the logo and TXOne StellarProtect are trademarks of TXOne Networks Incorporated and are registered in some jurisdictions. All other product or company names may be trademarks or registered trademarks of their owns. <table border="1"> <thead> <tr> <th>Components</th><th>Version</th></tr> </thead> <tbody> <tr> <td>Virus Pattern</td><td>20.269.00</td></tr> <tr> <td>IntelliTrap Exception Pattern</td><td>2.347.00</td></tr> <tr> <td>IntelliTrap Pattern</td><td>0.253.00</td></tr> <tr> <td>Spyware/Grayware Pattern</td><td>2.843.00</td></tr> <tr> <td>Behavior Monitoring Configuration Pattern</td><td>1.235.00</td></tr> <tr> <td>Advanced Threat Correlation Pattern</td><td>1.527.00</td></tr> </tbody> </table>	Components	Version	Virus Pattern	20.269.00	IntelliTrap Exception Pattern	2.347.00	IntelliTrap Pattern	0.253.00	Spyware/Grayware Pattern	2.843.00	Behavior Monitoring Configuration Pattern	1.235.00	Advanced Threat Correlation Pattern	1.527.00
Components	Version														
Virus Pattern	20.269.00														
IntelliTrap Exception Pattern	2.347.00														
IntelliTrap Pattern	0.253.00														
Spyware/Grayware Pattern	2.843.00														
Behavior Monitoring Configuration Pattern	1.235.00														
Advanced Threat Correlation Pattern	1.527.00														
Expected Results	The following StellarProtect tasks are completed: 1. Agent standalone installation 2. Agent standalone upgrade 3. Agent standalone Pattern updates														

txOne Networks