



Element bootcamp

TXOne Global Training Team
Chris Van Den Abbeele

Agenda

- Element Components and Architecture
- Portable Inspector Malware scanning Windows and Linux
- Portable Inspector Collecting Asset Information
- Booting from the Portable Inspector
- USBv2 vs USBv1
- ElementOne deployment
- Secure File Transfer
- Hands-on labs

(The windows VMs for this training are provided without a MS license. You need to add your own Microsoft license)

Element Components and Architecture

Portable Inspector Product Family



	PI Pro	PI Standard
Support Windows Scan	✓	✓
Support Linux Scan	✓	✓
Management Program	✓	✓
Asset Info Collection	✓	✓
Secure Storage	✓ 64 GB	×
AES-256 Hardware Encryption	✓	×
Storages size for logs and quarantined files	64 GB	16 GB

Safe Port




Management models:

Upon first usage, you have to choose between:

- Standalone mode
- Managed Mode:
 - a. Managed by **Management Program** for Small and Medium Business
 - b. Managed by **Element One** For Enterprises

To ***switch*** between Standalone mode and Managed mode, you need to do a **factory reset** of the Portable Inspector


Reference Architecture



Portable Inspector Functionality

Portable Inspector Malware scanning Windows and Linux

Portable Inspector Malware scanning Windows



Scan status and result notification with LED



Detected and further action is required




Malware detected and cleaned



No malware is detected. System is safe

Malware Scanning – Settings



Scan Settings "PI Pro-Fab13"

Basic | Advanced | Rescue Disk | Others

Scan Type:

- ☐ All local folders
- ☒ Default folders (Quick Scan)
- ☐ Specific folders

Scan Option


- ☐ Scan removable drives ⓘ
- ☐ Set to the lowest priority ⓘ
- ☐ Enable suspend scan ⓘ
- ☒ Enable CVE detection ⓘ

Add Delete Edit

Scan Action:

- ☒ Confirm
- ☐ Log only
- ☐ Take the recommended action

Save Cancel



Scan Settings "PI Pro-Fab13"

Basic | Advanced | Rescue Disk | Others

Exclusion List: Select files, folders, or extensions to exclude from scans.

Folders: Add Delete Edit

Files: Add Delete Edit

Extension: (Ex: txt,bmp,dat)

Temporary Files: ☐ Scan without saving temporary files



Administrator Account: ☐ Scan as Administrator

Account: Password:


Number of Compressed Layers to Scan: 2

Save Cancel

Malware Scanning: Scan Results



Portable Inspector Malware scanning Linux



The image shows a Linux terminal window titled 'Terminal' with the current directory set to '/media/ubuntu/PI SYS'. The user 'ubuntu' has executed the command 'sudo sh ./LauncherLinux.sh'. The script displays a copyright notice for TXOne Networks (c) 2023 and provides usage instructions. The usage section shows three main commands: 'scan', 'scan_all', and 'restore', each with optional flags for command, action, and help. The 'scan' command also includes options for scan targets and scan options. The 'scan_all' command is used for scanning all targets. The 'restore' command is used to restore the default configuration. The 'scan' command also includes options for scan targets and scan options. The 'scan_all' command is used for scanning all targets. The 'restore' command is used to restore the default configuration.

```
ubuntu@ubuntu: /media/ubuntu/PI SYS
File Edit View Search Terminal Help
ubuntu@ubuntu:/media/ubuntu/PI SYS$
ubuntu@ubuntu:/media/ubuntu/PI SYS$ sudo sh ./LauncherLinux.sh
[sudo] password for ubuntu:
Sorry, try again.
[sudo] password for ubuntu:


=====
Portable Inspector
(c) 2023 TXOne Networks. All Rights Reserved.
=====
Usage:
./LauncherLinux.sh -c scan [<scan options>] <scan targets>
./LauncherLinux.sh -c scan_all [<scan options>]
./LauncherLinux.sh -c restore

Command:
-c | --command <scan <scan targets> | scan_all | restore>
-h | --help      Help screen

<scan options>:
-a | --action <action> Scan action to apply that overrides default
                        configuration settings:
                        log | confirm | recommended

<scan targets>:
Specify folder location or full file path. Separate multiple targets using
the whitespace character.
```

Collect Asset Information



System
Information

Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application List													
Application													

Application
List

A1

HOST ID

	A	B	C	D	E	F	G	J
1	HOST ID	NAME	PUBLISHER	INSTALLED DATE	SIZE	VERSION	INSTALL PAT	
2	2598842850	Microsoft Teams	Microsoft Corporation	04/09/2021 00:00:00	105749KB	1.4.00.8872	C:\Users\robin_b_yang\AppData\Local\	
3	2598842850	Telegram Desktop version 2.7.4	Telegram FZ-LLC	04/29/2021 00:00:00	80137KB	2.7.4	D:\private\Telegram Desktop\	
4	2598842850	Mi					g\AppData\Local\	

Windows Update

Windows
Update

M6	HOST ID	NAME	PROGRAM	VERSION	PUBLISHER	INSTALLED DATE
1						
2	2598842850	Adobe Acrobat Reader DC (21.001.20150)	Adobe Acrobat Reader DC			04/23/2021 00:00:00
3	2598842850	Update for Microsoft Windows (KB4601050)	Microsoft Windows		Microsoft Corporation	03/08/2021 00:00:00
4	2598842850	Update for Microsoft Windows (KB4562830)	Microsoft Windows		Microsoft Corporation	01/29/2021 00:00:00
5	2598842850	Update for Microsoft Windows (KB4577586)	Microsoft Windows		Microsoft Corporation	03/18/2021 00:00:00

Boot from Portable Inspector

GNU GRUB version 2.06

*TXOne Networks Rescue Disk

```
setparams 'TXOne Networks Rescue Disk'
```

```
if cpuid -l; then
    linux /boot/syslinux/vmlinuz_64 3 tmps nomodeset
    initrd /boot/syslinux/initrd_64.xz
else
    linux /boot/syslinux/vmlinuz 3 tmps nomodeset
    initrd /boot/syslinux/initrd.xz
fi
```

Use the
Press en
before b
The highl

Minimum Emacs-like screen editing is s
completions. Press Ctrl-x or F10 to bo
command-line or ESC to discard edits a



Starting TXOne Networks Rescue Disk...

```
^ searching for tmrescue.cfg file
^ using TXOne Networks Rescue Disk data from /mnt/sda1/tmrescue
^ changes cheatcode not found, using memory only
^ creating live filesystem and inserting modules
-> 000-kernel.xzm
-> 001-core.xzm
-> 002-xorg.xzm
-> 003-core.xzm
-> 004-xorg.xzm
-> 999-TmRescueDisk.xzm
^ copying content of /mnt/sda1/tmrescue/rootcopy directory
3
^ changing root directory
live system is ready now - starting system initialization
INIT: version 2.96 booting
Additional xzm modules have been found - updating system caches ...
Triggering udev events: /sbin/udevadm trigger --action=add
```

Boot from Portable Inspector

TXOne Networks Rescue Disk (Linux Mode)

Pattern Version: 19.453.00



One Single Tool, Inspection for Multiple Platforms



Windows 2000
Windows XP
Windows Vista
Windows 7
Windows 8 / 8.1
Windows 10
Windows 11
Windows Server 2003
Windows Server 2008
Windows Server 2012
Windows Server 2016
Windows Server 2019
Windows Server 2022
Windows 10 IoT Enterprise
Windows XP Embedded
Windows Embedded Standard 2009
Windows Embedded Standard 7
Windows Embedded 8 / 8.1
Windows Embedded POSReady 2009
Windows Embedded POSReady 7
Windows XP Professional for Embedded Systems
Windows Vista for Embedded Systems
Windows 7 for Embedded Systems
Windows Server 2003 for Embedded Systems
Windows Server 2008 for Embedded Systems
Windows Server 2012 for Embedded Systems
Windows Server 2016 for Embedded Systems
Windows Server 2019 for Embedded Systems



CentOS 6
CentOS 7
CentOS 8
Red Hat Enterprise Linux 6
Red Hat Enterprise Linux 7
Red Hat Enterprise Linux 8
Ubuntu Linux v14 ~ v20

Portable Inspector **1.0.1040**


Added support for additional Linux platforms:

Rocky Linux 8.10/9.4
Alma Linux 8.10/9.4
Miracle Linux 8.6/9.2

USB-v2 vs USB-v1

- The PI can "present" itself as a USB-v2/3 or USB-v1 device
- E.g. on Windows7, our PI is seen as a USB-v2/-v3 device
- E.g. on Windows XP, our Portable Inspector "presents" itself as a USB-v1 device
Windows XP cannot handle USB-v2 (or USB-v3) devices
- Problem:
when WindowsXP runs as a VM on a modern Computer,
the vmWare hypervisor will pass a USB-v2 device to the WinXP VM.
WinXP cannot communicate with USB-2 devices.
- Solution:
Use an old USB hub with USBv1 ports or an USB-v1 extension cable between
the PI and the Windows host. (this cable has less wires than a USB-v2 cable)
Then the hypervisor will pass a USB-v1 device to the Windows XP VM

Reference Architecture



ElementOne deployment

Configure new ElementOne IP address and DNS settings

IP Address: 192.168.23.18

Netmask: 255.255.255.0

Gateway: 192.168.23.2


```
ElementOne Command Line Interface is not activated, proceeding to OOBIE.  
[OOBE - IP configuration] Set up network interface eth0 to DHCP (y/n)? n  
[OOBE - static] Enter the IP address: 192.168.23.18  
[OOBE - static] Enter the Netmask: 255.255.255.0  
[OOBE - static] Enter the Gateway IP(press Enter to skip): 192.168.23.2  
[OOBE - static] Are you sure you want to set eth0 with the settings shown above (y/n)? y  
[ 176.980659] e1000: eth0 NIC Link is Up 1000 Mbps Full Duplex, Flow Control: None  
[ 176.981312] IPv6: ADDRCONF(NETDEV_CHANGE): eth0: link becomes ready
```

DNS Server: 192.168.23.2

```
[OOBE - DNS] Current DNS settings:
```

```
Add a custom DNS server: 192.168.23.2
```

```
[OOBE - DNS] Are you sure you want to add the DNS server(192.168.23.2) (y/n)?
```



ElementOne deployment

Write down masteradmin OTP for Web management first time logon

Do not press enter or you will no longer see the password

```
ElementOne service is activated.

The OOB process has been completed. You can log in to your Master Admin account and start using ElementOne.

ElementOne IP Address: 192.168.23.18
ElementOne Master Admin account IP: masteradmin
ElementOne Master Admin default password: gE@mV6V+M1


(press Enter to leave ...) _
```

In case, if there has no masteradmin OTP show up
Logon to Vshell use the new credentials “root/12345678”

\$ elementone web reset


```
$ elementone web reset
Password: p9%pC&Bbdu
```

ElementOne web UI consists of the following 6 items



Use Google Chrome or
Microsoft Edge.
Firefox is NOT supported

1. Dashboard



- This page allows users to browse the assets statistics and vulnerabilities
- Only master admin and admin user accounts can browse this page.

2. Device List (Portable Inspectors)

The screenshot displays the TXOne Networks ElementOne interface. On the left is a sidebar with navigation links: TXOne Networks, Dashboard, Device List (highlighted), Logs, Assets, Account Management, and Administration. The main content area is titled 'ElementOne' and shows the 'Device List' for the 'Global Group'. A red box highlights the 'TXOneDemo' group in the list. A second, larger screenshot is overlaid on the right, showing the 'Device List' for the 'TXOneDemo' group. This view includes a table with columns for Name, Device ID, and Device/Group. The table lists five portable inspectors (PIs) under the TXOneDemo group, all with an 'Inherited' status.

ElementOne

Device List ← Global Group ▾

ElementOne

Device List ← Global Group ▸ TXOneDemo ▾

Table: Device List for TXOneDemo

☐ Name ↑	Device ID	Device/Group
☐ PI - Eric	2203-3838-CD0165CE2F78A341B09D	Inherited
☐ PI - James	2203-3838-CD05E0DCA984BF215763	Inherited
☐ PI - Jeremy	2203-3838-CD05E31289D67AB54C0F	Inherited
☐ PI - Jeremy	2203-3838-CD01D86BAC9521037F4E	Inherited
☐ PI - Robin	2203-3838-CD01BC19763DE0528FA4	Inherited

Device/Group Policy

Policy Inheritance



Inherit policies from parent groups: Global Group

Basic Settings

Scan Type:

- ☐ All local folders
- ☒ Default folders (Quick Scan)
- ☐ Specific folders

Scan Option:

- ☐ Scan removable drives ⓘ
- ☐ Set to the lowest priority ⓘ
- ☐ Enable suspend scan ⓘ
- ☒ Enable CVE detection ⓘ

Scan Action:

- ☒ Confirm
- ☐ Log only
- ☐ Take the recommended action ⓘ

Advanced Setting

Exclusion Folders:

C:\User\folder_to_skip\folder

Add Folder

Exclusion Files:

C:\User\file_to_skip

Add File

Exclusion Extension:

Ex. txt,bpm,dat

Temporary Files:



Scan without saving temporary files on local asset

Administrator Account:



Scan as Administrator

Compressed Layer:

2 ▾

Rescue Disk

Scan Actions:

- ☒ Scan and quarantine objects ⓘ
- ☐ Scan and quarantine objects, Confirm before quarantine starts.
- ☐ Scan only ⓘ

Others

Proxy Server:



Using proxy server

Asset Info:



Collect asset information when Scanning Tool is launched

- ☒ At the start
- ☐ At first scanning

Log Deletion Lock:



Restrict log deletion on scanning tool

Save

Cancel

3. Logs

ElementOne

louis

Scan Logs

ElementOne

louis

Portable Inspector Events

Add Filter

Last 30 days

ElementOne

louis

Audit Logs

Add Filter

Last 30 days

Time	Severity	User ID	Client IP	Result	M
2023/06/01 5:52:3 PM GMT+8	Info	masteradmin	118.163.84.211	Succeeded	
2023/06/01 5:51:43 PM GMT+8	Error	masteradmin	118.163.84.211	Failed	
2023/06/01 5:51:34 PM GMT+8	Info	masteradmin	118.163.84.211	Succeeded	
2023/06/01 5:51:29 PM GMT+8	Info	rico	118.163.84.211	Succeeded	

4. Assets (Scanned Computers)

ElementOne

User name

Assets

CurrentFull

Search

Taipei No.1
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei No.2
DESKTOP-HN8U71
8193rb4f2701r
ALASKA-1072009

Taipei-Group-A-AN5T 10:FA:10:60:14:00

Export

Details

Device Name
Device ID
Hostname
Domain Name
Operating System
OS Version and Build
CPU
Time Zone
Asset Info Collection Time

Taipei-Group-A-ST132
2203-3839-DE010708325E0DAD4422
Taipei-Group-A-AN5T
Taipei-Group-A-AN5T
Microsoft Win 10 (build 17763), 64-bit
Microsoft Windows 10 Pro 10.0.19045
Inter(R) Core(TM) i5-8210Y CPU @ 1.60GHz
UTC - 7:00
2023-12-12T02:38:40.18Z

New Missing Updates

New Detected Threats

New Vulnerabilities

Hardware Changes

Apps Changes

New Vulnerabilities (27)

Apps Changes (6)

Hardware Changes (0)

New Detected Threats (5)

Threat Name	File Path	Result	SHA-256
JokePrograms_Test_File	C:\et\ab\	Fixed	D2C88E70DE6DA17CB9F4FEAAD874921C3144F1894E6916BB5671CC90D8D150CB
JokePrograms_Test_File	C:\et\ab\	Fixed	D2C88E70DE6DA17CB9F4FEAAD874921C3144F1894E6916BB5671CC90D8D150CB
JokePrograms_Test_File	C:\et\ab\	Fixed	D2C88E70DE6DA17CB9F4FEAAD874921C3144F1894E6916BB5671CC90D8D150CB
JokePrograms_Test_File	C:\et\ab\	Fixed	D2C88E70DE6DA17CB9F4FEAAD874921C3144F1894E6916BB5671CC90D8D150CB

View Scan Log

TXOne Netw

txOne networks

4. Assets (Scanned Computers; con't)

× Arizona-1 5F:C9:EE:85:0B:F3		
Vulnerabilities	Assets Details	Application Info
Update Info		
Update Name	Program	Version
Update for Microsoft Windows (KB5022282)	Microsoft Windows	-
Update for Microsoft Windows (KB4592449)	Microsoft Windows	-
Microsoft Expression Design 4	Microsoft Corporation	350 KB
Microsoft Visual Studio 2005 Service Pack 1	Microsoft Corporation	116 KB
Microsoft Service Bus 1.1	Microsoft Corporation	970 KB
CVE-2016-3362	7.8	Microsoft Excel Viewer 2007 Service Pack 3
CVE-2016-3363	7.8	Microsoft Excel Viewer 2007 Service Pack 3

5. Account Management and RBAC

The image displays three overlapping screenshots of the ElementOne web interface, illustrating the Account Management and RBAC (Role-Based Access Control) functionality.

Top Screenshot: Shows the 'ElementOne' header and 'Account Management' section. It includes buttons for 'Add User Account' (yellow) and 'Delete' (grey).

Middle Screenshot: Shows a table of user accounts with columns for 'ID' and 'Role'. The roles listed are 'Master Admin', 'Admin', and 'Group Member'. A red box highlights the 'Group Member' role.

Bottom Screenshot: Shows the 'Device List' section. A red box highlights the 'My Assigned Group' link, which is connected by a red arrow to the 'Group Member' role in the middle screenshot.

Annotation: A red dot and text on the right side of the image state: "Group member can only access Assigned Group and logs".

ID	Role
masteradmin	Master Admin
admin	Admin
user1	Group Member

Name	Device ID
FAB12	-

Administration

ElementOne

Updates

Scan Component

Update Now

Component

Program
Scanning Tool

Engine
Advanced Threat
Advanced Threat
Advanced Threat
Advanced Threat
Behavior Monitoring Core Driver (32-bit)
Behavior Monitoring Core Driver (64-bit)
Damage Cleanup Engine (Digitally signed DLL, 32-bit)
Damage Cleanup Engine (Digitally signed DLL, 64-bit)
Scanner (32-bit)
Scanner (64-bit)
Virus Scan Engine (32-bit)
Virus Scan Engine (64-bit)

ElementOne

SSL Certificate

Certificate Issuer

Expiration

Upload Certificate

ElementOne

License

ElementOne Activated

You can manage assets, scan logs and update VDS pattern through ActiveUpdate server.

Activation Code: GCAL-YFRQ-QC3Y-BZBK

Expiration Date: 2023-09-30

Renew

Portable Inspector License

Activated

You can manage your Portable Inspector devices, and update pattern with ActiveUpdate server.

Activation Code: AYOH

Expiration Date: 2023-09-30

Renew

Portable Inspector Pro License

Activated

You can manage your Portable Inspector Pro devices, and update pattern with ActiveUpdate server.

Activation Code: CEOU

Expiration Date: 2023-09-30

Renew

ElementOne

Syslog

Enable

Address* 1.1.1.1

Port* 514

Save Cancel

Security (KB4586)

Security (KB4593)

Security (KB4598)

Security (KB4598)

Vulnera

CVSS V

Vulnera

CVE-202

CVE-202

System (OS Conf

Active P

Active: Servic

Scanner conf

Scan i

Exclud

Exclud

Excluded

Scanned F

Installed App

NA

Microsoft Visu

2019 Redistrib

14.24.28127

Python Launch

Microsoft Visu

2019 Redistrib

14.24.28127

7-Zip 19.00 (x

Notepad++ (6

VMware Tools

Microsoft Upd

Tools

Microsoft Visu

Redistributabl

9.0.30729.17

Microsoft One

Python 3.8.7 (

Windows Up

Update for Mi

(KB4586876)

Update for Mi

(KB4534170)

Security Upda

(KB4537759)

Security Upda

(KB4545706)

Security Upda

(KB4580325)

System Info

HOST ID

HOST NAME

DOMAIN NA

MAC

IP

OS DESC

OS TYPE

VENDOR NA

HW MODEL

HW SERIAL N

BIOS VERSIO

BIOS TYPE

SECURE BOO

CPU

CPU ARCHITE

PROCESSORS

PHISICAL ME

AVAILABLE M

OS VERSION

OS SERVICE P

OS PRODUCT

OS LANGUAG

OS INSTALLE

IE VERSION A

IE SERVICE PA

IE UPDATE VE

WINDOWS D

SYSTEM DIRE

SYSTEM DRIV

SYSTEM DRIV

BOOT DRIVE

TIME ZONE

SYSTEM DATE

LOGGEDIN A

LOGGEDIN D

Equipment Security Inspection Report

Start Date/Time: 2/1/2023 10:25:04 AM

End Date/Time: 2/1/2023 11:06:40 AM

OS Support Lifecycle Check

Malware Scan Result

Highest OS Vulnerability Severity Rating

Active Support

No Virus Found (Full System)

High

Scanned Device

Computer Name

Domain Name

User Name

IP Address

MAC Address

Platform

TW-IPC007

TXONE

Saul_Goodman

192.168.12.162

00:0C:29:DE:DE:80

Microsoft Windows 10 (build 19041), 64-bit

Scan Results

Scan Status

Scan Results

Infected

Fixed

Comment

Scan completed

No virus found

0

0

No threats found

Scanning Tool Information

Scanning Tool Name

Scanning Tool ID

Scanner Version

Advanced Threat Scan Engine

Virus Pattern Version

Virus Pattern Last Update

TPI_US_1 (TXOne Portable Inspector)

2203-3839-BE0107001BA900BD1284

1.61.1174

21.6.1006

17.783.00

Feb 28, 2023

Vulnerability Scan Result

Total Detected Vulnerabilities Count

Comment

2

Inspector:

Date:

Company Chop or Authorized representative signature:

1

2

Detailed reports

- Summary of the scan
- Detailed System Info
- Scanner Configuration
- Installed Application List
- Installed Windows Update
- Vulnerability Scan and Missing Patches
- OS Configuration
- Active Ports
- Active Services



USB tagging validation flow

Step 1: Perform Scan on Safe Port



Step 2: **Tagging Criteria:** Safe Port will tag the USB drive only when the scan result is "Green."
Please refer to the table below for details



Scan Action: Log only		Threats Count = 0		Threats Count > 0	
Unscanned Count = 0		No threats found!		Threats found!	
Unscanned Count > 0		Uncancellable items found!		Threats found!	
Scan Action: Delete threat directly					
	Threats Count = 0	Threats Count > 0, Delete Count < Threats Count		Threats Count > 0, Delete Count = Threats Count	
Unscanned Count = 0	No threats found!	Unable to fix all threats!		Threats fixed!	
Unscanned Count > 0	Uncancellable items found!	Unable to fix all threats!		Uncancellable items found!	
Scan Action: Lock					
	Threats Count = 0	Threats Count > 0, Lock Count < Threats Count		Threats Count > 0, Lock Count = Threats Count	
Unscanned Count = 0	No threats found!	Unable to fix all items!		All items fixed!	
Unscanned Count > 0, Lock Count < Unscanned Count	Unable to fix all items!	Unable to fix all items!		Unable to fix all items!	
Unscanned Count > 0, Lock Count = Unscanned Count	All items fixed!	Unable to fix all items!		All items fixed!	

Under what conditions does the result show as Green

Safe Port Agent

Step 3: The agent will verify the tagging file and decide whether to grant access permission.

Safe Port *Agent* for Removable Media Validation

- The Safe Port Agent is a lightweight Windows-based application that provides Removable Media Validation functionality. It works in the following ways:
 1. It operates as a persistent background service that starts automatically after system boot.
 2. It supports two validation methods when working with Safe Port:
 - File-based validation: Verifies USB files against an approved hash list generated by Safe Port after scanning. Only files matching the approved list can be opened.
 - Time-based validation: Checks whether file access falls within an allowed time period configured through ElementOne, using a timestamp tag created by Safe Port after scanning.
- The Safe Port Agent requires Safe Port build 1.0.1038 or later to function properly.

Secure Storage – Write a file to Secure Storage

Portable Inspector Pro

Secure Storage

0.0 GB / 63.9 GB

PI Pro-Fab13 (1.0.1000)

txOne networks

UserData

Block History

Name	Date Modified	Type	Size
 splwow64.exe	2010/11/21 上午 11:24	exe File	65 KB
 regedit.exe	2009/7/14 上午 09:39	exe File	417 KB
 notepad.exe	2009/7/14 上午 09:39	exe File	189 KB

Processing...



Attempting to copy a total of 4 items from **TMPS_Pro_Demo** :
3 copied, 1 blocked, 0 cancelled

Portable Inspector Pro



Threat found and blocked.

1 file transferred to your USB drive posed a security threat. It has been blocked for your protection.


DetailsOK

Last Update : 16/05/2023

TXOne Networks | Keep the Operation Running

 txOne
networks

Secure Storage – READ a file/folder from the storage



Required outgoing URLs


FQDN/URL	Protocol	Port	Description
2.debian.pool.ntp.org	UDP	123	NTP time source
apis.cs.txone.com	TCP	443	License activation
storage.cs.txone.com	TCP	443	Component + Vulnerability Pattern updates (VDS)
odc.cs.txone-networks.com	TCP	443	License activation (ElementOne 1.7 or older)
help.txone.com/docs/elementone	TCP	443	Online Help
txone.com/legal/license-agreements	TCP	443	EULA Page
txone.com/privacy-policy	TCP	443	Privacy Policy Page



ElementConnect

Secure File Transfer

Files to PI Pro using Secure Storage



Files to PI Pro via Safe Port




Files to Onedrive via Safe Port with AD authentication




Secure File Transfer

Dispatch file to local PI Pro via
ElementOne



Upload file to **OneDrive** via Safe Port
with AD authentication





Hands-on Labs

[OOBE - Disk configuration] Select a disk from the list below to designate it as the **data disk:**

- 1. /dev/sda - 35.0 GB (available)**
- [~] /dev/sdb - 100.0 GB (system disk)

Enter the number corresponding to your choice: 1

The disk "/dev/sda" will be formatted and designated as the data disk. Proceed (y/n)? **y**


```
[ 774.352433] sda:
[ 774.372963] sda:
[ 774.439297] sda: sda1
[ 774.501070] sda: sda1
[ 774.656765] sda: sda1
[ 774.725171] sda: sda1 sda2
[ 774.792389] sda: sda1 sda2
[ 774.911337] sda: sda1 sda2
[ 775.480937] device-mapper: uevent: version 1.0.3
[ 775.481435] device-mapper: ioctl: 4.43.0-iocli (2020-10-01) initialised: dm-devel@redhat.com
[ 776.313176] EXT4-fs (dm-0): mounted filesystem with ordered data mode. Opts: (null)
[ 776.411337] sda: sda1 sda2
```

[776.6[OOBE - Disk configuration] Select a disk from the list below to designate it as the **Element Connect**
Data disk:

- [~] /dev/sda - 35.0 GB (data disk)
- [~] /dev/sdb - 100.0 GB (system disk)

Debian GNU/Linux 11 elementone tty1

elementone login: [106.105020] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to load br_netfilter if you need this.
[106.109392] Bridge firewalling registered
[106.340753] Initializing XFRM netlink socket



Wait forever
or
press ENTER

Training evaluation: <https://tinyurl.com/....>

Hands-on labs

301 – Implementation Element Hands-on Labs

Lab1: ElementOne Deployment (use ElementOne_1.23.0.ova)

Lab2: Initial configuration of ElementOne management console

Lab3: ElementOne Upgrade and patch management for Portable Inspector

(use eleone.fw.en_1.27.1.acf and then in the upgrade lab, upgrade it to a later version)

(note: upgrading PI goes to 100%, then it can take 15-20 min to finish) -> lunch ?

Lab4: Portable Inspector Factory Reset

Lab5: Portable Inspector remote registration and configuration synchronization

Lab6: Scan Windows File System with the Scanning Tool

Lab7: Review scan results and transfer logs from the Scanning Tool to ElementOne

1. DataDisk = 25GB, Element Connect disk=200GB
2. Make a snapshot of your Win7 VM and then REMOVE the StellarProtect Agent
3. ElementOne just got an updated UI; some screenshots may not match

401 – Configuration Element Hands-on Labs

Lab1: PI Factory Reset

Lab2: Setup a ScanStation: Install the Scanning Tool Agent with automatic components update

Lab3: Scan a Linux File System with the Scanning Tool

Lab4: Security Inspection when onboarding new equipment

Lab5: Security Assessment for new OT equipment onboarding

Lab6: Secure Storage to ensure end-to-end data integrity

Lab7: RBAC (Role Based Access Control) on ElementOne



Let's Keep The Business Growing

