

Stellar Agent Discover Edition

Installation Guide

Version 5.0



TXOne Networks Incorporated reserves the right to make changes to this document and to the product described herein without notice. Before installing and using the product, review the readme files, release notes, and/or the latest version of the applicable documentation, which are available at:

<https://my.txone.com/>


TXOne Networks, StellarOne, and Stellar Agent are trademarks or registered trademarks of TXOne Networks Incorporated. All other product or company names may be trademarks or registered trademarks of their owners.

Copyright © 2026. TXOne Networks Incorporated. All rights reserved.

Document Part No.: APEMxxxxx/2403xxAPEMxxxxx/2403xx

Release Date: April 2026

Protected by U.S. Patent No.: Patents pending.




Privacy and Personal Data Collection Disclosure

Certain features available in TXOne Networks products collect and send feedback regarding product usage and detection information to TXOne Networks. Some of this data is considered personal in certain jurisdictions and under certain regulations. If you do not want TXOne Networks to collect personal data, you must ensure that you disable the related features.

Data collected by TXOne Networks is subject to the conditions stated in the TXOne Networks Global Privacy Notice:

<https://www.txone.com/privacy-policy/>

This documentation introduces the main features of the product and/or provides installation instructions for a production environment. Read through the documentation before installing or using the product.



Contents


Preface.....	v
About the Documentation.....	vi
Audience.....	vi
Document Conventions.....	vi
Terminology.....	vii
Chapter 1. Introduction.....	9
About TXOne Stellar.....	10
Key Features and Benefits.....	11
What's New.....	11
System Requirements.....	12
Software and Hardware Requirements.....	12
Operating Systems.....	14
Chapter 2. Installation (Windows).....	17
Getting the Agent's Installer Package.....	18
Setup Configuration File.....	18
Properties in the Config File.....	18
Encrypting Config File.....	34
Installation Methods.....	34
Attended Installation.....	35
Silent Installation.....	38
Installation Using the Command Line.....	44
Proxy Settings.....	46
Chapter 3. Upgrade.....	49
Supported Upgrade Paths.....	50
Preparing the Agent for Upgrade to a Later Version.....	50
Chapter 4. Uninstallation.....	53
Chapter 5. Technical Support.....	55
Troubleshooting Resources.....	56
Using the Support Portal.....	56
Threat Encyclopedia.....	56
Contacting TXOne Networks.....	56
Speeding Up the Support Call.....	57
Other Resources.....	57
Download Center.....	57
Index.....	a

Preface

This guide introduces TXOne Stellar Agent - Discover Edition™ and guides administrators through installation and deployment.

Topics in this chapter include:

- [About the Documentation \(on page vi\)](#)
- [Audience \(on page vi\)](#)
- [Document Conventions \(on page vi\)](#)
- [Terminology \(on page vii\)](#)



About the Documentation

TXOne Networks Stellar Agent - Discover Edition documentation includes the following:

Documentation	Description
Readme file	Contains a list of known issues and basic installation steps. It may also contain late-breaking product information not found in the other documents.
Installation Guide	A PDF document that discusses requirements and procedures for installing and managing Stellar Agent - Discover Edition.
Administrator's Guide	A PDF document that discusses Stellar Agent - Discover Edition agent installation, getting started information, and server and agent management
Knowledge Base	An online database of problem-solving and troubleshooting information. It provides the latest information about known product issues. To access the Knowledge Base, go to the following website: https://kb.txone.com/

Audience

TXOne Stellar Agent - Discover Edition™ documentation is intended for administrators responsible for Stellar Agent - Discover Edition™ management, including agent installation. These users are expected to have advanced networking and server management knowledge.

Document Conventions

The documentation uses the following conventions.

Table 1. Document Conventions

Convention	Description
UPPER CASE	Acronyms, abbreviations, and names of certain commands and keys on the keyboard
Bold	Menus and menu commands, command buttons, tabs, and options
<i>Italics</i>	References to other documents

Table 1. Document Conventions (continued)

Convention	Description
Monospace	Sample command lines, program code, web URLs, file names, and program output
Navigation > Path	The navigation path to reach a particular screen For example, File > Save means, click File and then click Save on the interface
 Note:	Configuration notes
 Tip:	Recommendations or suggestions
 Important:	Information regarding required or default configuration settings and product limitations
 Warning:	Critical actions and configuration options

Terminology

The following table provides the official terminology used throughout the TXOne Stellar Agent - Discover Edition documentation:

Terminology	Description
server	The StellarOne console server program
agents	The host running the Stellar Agent - Discover Edition program
managed agents	The hosts running the Stellar Agent - Discover Edition program that are known to the StellarOne server program

Terminology	Description
managed endpoints	
target endpoints	The hosts where the Stellar Agent - Discover Edition™ managed agents will be installed
Administrator (or Stellar Agent - Discover Edition administrator)	The person managing the Stellar Agent - Discover Edition agents
Stellar Agent - Discover Edition console	The user interface for configuring and managing Stellar Agent - Discover Edition settings
StellarOne (management) console	The user interface for configuring and managing the Stellar Agent - Discover Edition agents managed by StellarOne
CLI	Command Line Interface
license activation	Includes the type of Stellar Agent - Discover Edition agent installation and the allowed period of usage that you can use the application
agent installation folder	The folder on the host that contains the Stellar Agent - Discover Edition agent files. If you accept the default settings during installation, you will find the installation folder at one of the following locations: C:\Program Files\TXOne\StellarProtect C:\Program Files\TXOne\StellarProtect (Legacy Mode)

Chapter 1. Introduction

This section introduces TXOne Stellar Agent - Discover Edition the unified agent, and gives an overview of its functions.

Topics in this chapter include:

- [About TXOne Stellar \(on page 10\)](#)
- [Key Features and Benefits \(on page 11\)](#)
- [What's New \(on page 11\)](#)
- [System Requirements \(on page 12\)](#)

About TXOne Stellar

TXOne Stellar provides a context-focused security solution for OT endpoints and cyber-physical systems (CPS), aiming to defend operation stability with continuous detection and response aligned to the specific requirements of the OT domain.

TXOne Stellar platform is composed of the centralized management console server and unified agents apt for legacy OT devices and modern cyber-physical systems.

- StellarOne™, designed to streamline administration of the agents installed on modernized systems and legacy systems, along with its intuitive centralized management, consistent policy enforcement, and action-oriented alerts that empower security teams of all sizes and skill levels to successfully mature their organization's security posture.
- StellarAgent (Windows) / Stellar Agent (Windows-Legacy) / Stellar Agent (Linux), using a single-agent design that delivers seamless asset-centric protection and ensures coverage for modern CPS and legacy OT devices throughout their entire asset lifecycle. The lightweight unified agent simplifies security by combining CPS Detection and Response (CPSDR), threat prevention, operations lockdown, device control.
 - CPSDR: Embodied within the advanced Operations Behavior Anomaly Detection feature, which establishes a unique baseline fingerprint of each agent-device during practicable operating states and performs fingerprint deviation analysis by means of an expansive industrial application repository and ransomware detection engine to defend against unexpected changes that may impact stability.

Moreover, TXOne Stellar brings the contextualization of security into an operation-led view to allow both the operation and security teams to achieve their goals without needing to compromise. To illustrate, if a device suddenly tried to start launching different applications, it would be blocked from doing so.

From the operation view, this may be an unplanned auto-update that, if run, would take the device offline to reboot. From a security view, this could be an attempt to access an encryption library that is about to be used to execute ransomware. By applying the operation context, both security and operation-initiated changes can be detected, and appropriate responses are taken.

In both cases, CPSDR stopped the event before it could occur. The security team followed up and resolved the ransomware infection in a different part of the environment. The operation team scheduled the required update for during an upcoming planned maintenance window.

- Multi-Method Threat Prevention: Provides advanced threat scan on the basis of ICS root of trust and operations-focused machine learning to secure the agent-devices against known and unknown malware threats without compromising operational availability.
- Operations Lockdown: For fixed-function and devices with limited patching availability, operations lockdown enforcement prohibits unauthorized changes, including alterations to registry and function parameters.
- Trusted Peripheral Control: Unauthorized access from external sources, such as USB devices, is configurable and controlled to reduce physical access threats.

Leveraging an expansive OT application and certificate library and exclusive ransomware detection engine, TXOne Stellar maintains CPS operational integrity through behavioral anomaly detection and eliminates configuration drift for legacy and fixed-use assets with device lockdown. Security teams can confidently deliver detection and response outcomes across the OT terrain, with TXOne Stellar effectively secure organization's security posture while maintaining its business operations stability.

Key Features and Benefits

The Stellar Agent - Discover Edition provides following features and benefits.

Table 2. Features and Benefits

Feature	Benefit
One unified agent	TXOne Stellar Agent - Discover Edition simplifies security by combining multi-method threat prevention, operations lockdown, and OT anomaly detection. The unified agent provides long-term support throughout the asset life cycle from modern to legacy.
Scan functions for modern and legacy systems	For modern systems, the Stellar Agent - Discover Edition provides Multi-Method Threat Prevention; the ICS root of trust and advanced threat scan secure OT assets with no interruption to operations. This feature is the core protection of Stellar Agent - Discover Edition. TXOne Networks integrates signature-based and AI-based malware detection engine to provide manual scanning of any file or process activity. Meanwhile, the Stellar Agent - Discover Edition (Windows-Legacy) offers Threat Prevention that persistently scan new and changed files, along with system memory, to provide security assessment for maximum protection against malware in fixed-use and legacy systems.
Role Based Administration	TXOne Stellar Agent - Discover Edition and Stellar Agent - Discover Edition (Windows-Legacy) both provide a separate Administrator and User account, providing full control during installation and setup, as well as simplified monitoring and maintenance after deployment.
Graphical and Command Line Interfaces	Anyone who needs to check the software can use the console, while system administrators can take advantage of the command line interface (CLI) to access all of the features and functions available.

What's New

TXOne Stellar Agent - Discover Edition 5.0 provides following new features and enhancements.

Table 3. What's New in TXOne Stellar Agent - Discover Edition 5.0

Feature	Description
Discover Edition	Support for the new visibility-focused Discover Edition of Stellar Agent
Streamlined installation process	Reduced total number of installation steps
Specify UI language during installation	New language selection step in installer

System Requirements

This section introduces the system requirements for Stellar Agent - Discover Edition, including hardware and OS requirements.

Software and Hardware Requirements

TXOne Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) does not have specific hardware requirements beyond those specified by the operating system, with the following exceptions:

Table 4. Required Hardware for Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy)

Hardware	Description
Available free disk space	400MB
	 Note:

Table 4. Required Hardware for Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) (continued)

Hardware	Description
	 • Recommended free disk space for Stellar Agent - Discover Edition Single Installer required during the installation process: 1.5GB • Minimum memory usage required when Application Lockdown and Real-Time Scan are both enabled: ◦ Stellar Agent - Discover Edition: 120MB ◦ Stellar Agent - Discover Edition (Windows-Legacy): 100MB • Minimum memory usage required when Application Lockdown is enabled and Real-Time Scan is disabled: ◦ Stellar Agent - Discover Edition: 120MB ◦ Stellar Agent - Discover Edition (Windows-Legacy): 100MB
Monitor and resolution	VGA (640 x 480), 16 colors

Table 5. Required Software for Stellar Agent - Discover Edition

Software	Description
.NET framework	Version 3.5 SP1 or 4.0 available

**Note:**

Stellar Agent - Discover Edition (Windows-Legacy) does not have the software requirement for .NET framework.

By default, Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) uses port 14336 as the listening and communication port for StellarOne and port 14337 for Update Agent, which are sometimes blocked by firewalls. Please make sure this port is kept open for Stellar Agent - Discover Edition's use.

StellarOne component update needs to use the URLs below. Please ensure that you whitelist these URLs in your firewall.

- <https://ttau.cs.txone.com>
- <https://apis.cs.txone.com>
- <https://storage.cs.txone.com>
- <https://odc.cs.txone-networks.com>



Important:

- Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) cannot be installed on a system that already runs one of the following:
 - Trend Micro OfficeScan
 - Trend Micro Titanium
 - Other Trend Micro endpoint solutions
 - Other antivirus products

Operating Systems

Windows Client:

- Windows 2000 (SP4) [Professional] (32bit)
- Windows XP (SP1/SP2/SP3) [Professional/Professional for Embedded Systems] (32bit)
- Windows Vista (NoSP/SP1/SP2) [Business/Enterprise/Ultimate] (32bit)
- Windows 7 (NoSP/SP1) [Professional/Enterprise/Ultimate/Professional for Embedded Systems/Ultimate for Embedded Systems] (32/64bit)
- Windows 8 (NoSP) [Pro/Enterprise] (32/64bit)
- Windows 8.1 (NoSP) [Pro/Enterprise/with Bing] (32/64bit)
- Windows 10 [Pro/Enterprise/IoT Enterprise] (32/64bit), LTSC 2015, Anniversary Update, LTSC 2016, Creators Update, Fall Creators Update, April 2018 Update, October 2018 Update*, LTSC 2019, May 2019 Update, November 2019 Update, May 2020 Update, October 2020 Update, May 2021 Update, November 2021 Update, LTSC 2021, 2022 Update
- Windows 11 (NoSP) [Pro/Enterprise/IoT Enterprise] (64bit) 2022 Update, 2023 Update, 2024 Update, 2025 Update
- Windows XP Embedded (SP1/SP2) (32bit)
- Windows Embedded Standard 2009 (NoSP) (32bit)
- Windows Embedded POSReady 2009 (32bit)
- Windows Vista for Embedded Systems (NoSP/SP1/SP2) (32bit)
- Windows Embedded Standard 7 (NoSP/SP1) (32/64bit)

- Windows Embedded POSReady 7 (NoSP) (32/64bit)
- Windows Embedded 8 Standard (NoSP) (32/64bit)
- Windows Embedded 8 Industry (NoSP) [Pro/Enterprise] (32/64bit)
- Windows Embedded 8.1 Industry (NoSP) [Pro/Enterprise/Sideload] (32/64bit)
- Windows Embedded POSReady (32bit)



Note:

Windows 10 October 2018 Update is also known as version 1809, of which Microsoft resumed the public rollout on November 13, 2018.

Windows Server:

- Windows Server 2000 (SP4) (32bit)
- Windows Server 2003 (SP1/SP2) [Standard/Enterprise/Storage] (32bit)
- Windows Server 2003 R2 (NoSP/SP2) [Standard/Enterprise/Storage] (32bit)
- Windows Server 2008 (SP1/SP2) [Standard/Enterprise/Storage] (32/64bit)
- Windows Server 2008 R2 (NoSP/SP1) (Standard/Enterprise/Storage) (64bit)
- Windows Server 2012 (NoSP) (Essentials/Standard) (64bit)
- Windows Server 2012 R2 (NoSP) (Essentials/Standard) (64bit)
- Windows Server 2016 (NoSP) [Standard] (64bit), LTSC
- Windows Server 2019 (NoSP) [Standard] (64bit), LTSC
- Windows Server 2022 (NoSP) [Standard] (64bit), LTSC
- Windows Server 2025 (NoSP) [Standard] (64bit), LTSC
- Windows Storage Server 2012 (NoSP) [Standard] (64bit)
- Windows Storage Server 2012 R2 (NoSP) [Standard] (64bit)
- Windows Storage Server 2016 (NoSP) (64bit)
- Windows Server 2003 for Embedded Systems (SP1/SP2) (32bit)
- Windows Server 2003 R2 for Embedded Systems (NoSP/SP2) (32bit)
- Windows Server 2008 for Embedded Systems (SP1/SP2) (32/64bit)
- Windows Server 2008 R2 for Embedded Systems (NoSP/SP1) (64bit)
- Windows Server 2012 for Embedded Systems (NoSP) (64bit)

- Windows Server 2012 R2 for Embedded Systems (NoSP) (64bit)
- Windows Server Core 2025 (64bit)
- Windows Server Core 2022 (64bit)
- Windows Server Core 2019 (64bit)
- Windows Server Core 2016 (64bit)
- Windows Server Core 2012 R2 (64bit)
- Windows Server Core 2012 (64bit)

Chapter 2. Installation (Windows)

This chapter shows how to install the TXOne Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) agent.

Topics in this chapter include:

- [Getting the Agent's Installer Package \(on page 18\)](#)
- [Setup Configuration File \(on page 18\)](#)
- [Installation Methods \(on page 34\)](#)
- [Proxy Settings \(on page 46\)](#)

Getting the Agent's Installer Package

Follow the instructions below to get the agent's installer package.

Log on the StellarOne web console.



Note:

If this is the first time the StellarOne console being logged on, refer to *StellarOne Installation Guide* for detailed instructions on the initial settings.

Go to **Administration > Downloads/Updates > Agent**, click **Windows** and then **Discover Edition** from the dropdown menus, and press **Download** to download the agent's Installer Package.

A zipped folder is downloaded. Extract the folder and proceed with the installation for the agent.



Note:

The installer package downloaded from StellarOne contains StellarOne data files and license information, and can be used for Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) installation. After being invoked, the installer package can identify the version of Windows installed on the endpoint and launch the suitable agent installer for the endpoint to install.

(Optional) To register agents to a group during installation, users can also download the `Group.ini` file. Click the **download Group.ini** link on the StellarOne **Administration > Downloads/Updates > Agent** page. A pop-up window appears. Select a group for the target agent. Click **Download**. A file named `Group.ini` is downloaded. Place the `Group.ini` file as the top-level file in the agent's installer package.

Setup Configuration File

TXOne Networks pre-defines most of the values of the properties within the `StellarSetup.ini` file, which can be found in the installer package and used directly or adapted for different installation requirements. The launcher will parse `StellarSetup.ini` while executing.

Topics in this section include:

- See [Properties in the Config File \(on page 18\)](#) for more information about the setup config file and the properties used
- See [Encrypting Config File \(on page 34\)](#) for how to encrypt the setup config file by using the command prompt

Properties in the Config File

The following table lists the properties in the `StellarSetup.ini` config file along with the details of their use. If no values are specified in the setup file, the default values will be used.



Note:



- The **[shared_...]** entry consists of the properties shared by Stellar Agent - Discover Edition and Stellar Agent - Discover Edition (Windows-Legacy) agents.
- The **[protect_...]** entry consists of the properties exclusive to Stellar Agent - Discover Edition agent.
- The **[legacy_...]** entry consists of the properties exclusive to Stellar Agent - Discover Edition (Windows-Legacy) agent.

Table 6. Properties in the StellarSetup.ini File

Section	Property	Default Value	Description
[shared_install]	silent	0	Execute installation in silent mode. Possible values: • 0: Do not use silent mode • 1: Use silent mode
	password	empty string	Administrator password. The password will be required by specific functions, including uninstallation, the command line interface, and support tools.  Important: To install in silent mode, you must also specify the Administrator password value. For example: <pre>password=P@ssw0rd</pre> <pre>silent=1</pre>
	user_password	empty string	Specify the User password for logging on to the agent console.  Important:

Table 6. Properties in the StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			 The Administrator and User passwords cannot be the same.
			 Note: Only the Administrator can enable/disable the User account and grant it access to limited features on the agent console.
	enable_shell_integration	1	Enable or disable shell integration for adding or removing a scan option to or from the Windows context menu. Possible values: • 0: Disable shell integration • 1: Enable shell integration
	enable_real_time_scan	1	Setting for Real-Time Scan, which is effective only when both Real-Time Scan and Real-Time Protection is turned on. Possible values: • 0: Disable Real-Time Scan • 1: Enable Real-Time Scan
	display_language	0	1033: en-US 1041: ja-JP 1031: de-DE

Table 6. Properties in the StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			0: system default
	agent_edition	sensor	Discover License only supports sensor mode.
[shared_debug]	enable_debug_log	0	Enable or disable the debug logging function. Possible values: • 0: Disable debug logging (show the error level logs only) • 1: Enable debug logging
	enable_engine_debug_log	0	Enable or disable the engine debug logging function. Possible values: • 0: Disable engine debug logging • 1: Enable engine debug logging
[shared_popup]	threat_detect	0	Enable or disable the pop-up notification for a detected threat. Possible values: • 0: Disable • 1: Enable
[protect_install]	enable_start_menu	1	Enable Stellar Agent - Discover Edition in the Windows start menu.

Table 6. Properties in the StellarSetup.ini File (continued)

Section	Property	Default Value	Description
	enable_desktop_icon	1	Enable Stellar Agent - Discover Edition icon to be placed on the desktop.
	enable_systray_icon	1	Enable Stellar Agent - Discover Edition in the Windows system tray.

Hidden Properties in the Config File

Hidden properties requiring users to manually add in the corresponding section are listed in the following tables:

Table 7. Stellar Agent - Discover Edition's Hidden Properties in StellarSetup.ini File

Section	Property	Default Value	Description
[legacy_Property]	CUSTOM_ACTION	0	Custom action for blocked events. Possible values: • 0: Ignore • 1: Quarantine • 2: Ask server
[protect_install]	BYPASS_WINDEFEND_CHECK	0	Bypass checking Windows Defender status
[protect_prescan]	EXCLUDED_FILE<number>	empty string	An absolute file path to exclude from scanning Possible values: <file_path> Multiple files can be specified by creating new entries whose name starting with EXCLUDED_FILE Every entry name needs to be unique.

Table 7. Stellar Agent - Discover Edition's Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			For example: EXCLUDED_FILE=c:\file1.exe EXCLUDED_FILE2=c:\file2.exe EXCLUDED_FILE3=c:\file3.exe
	EXCLUDED_FOLDER<number>	empty string	An absolute folder path to exclude from scanning <folder_path> Multiple folders can be specified by creating new entries whose name starting with EXCLUDED_FOLDER Every entry name needs to be unique For example: EXCLUDED_FOLDER=c:\file1 EXCLUDED_FOLDER2=c:\file2 EXCLUDED_FOLDER3=c:\file3
	EXCLUDED_EXTENSION<number>	empty string	A file extension to exclude from scanning <file_extension> Multiple extensions can be specified by creating new entries whose name starting with EXCLUDED_EXTENSION Every entry name needs to be unique

Table 7. Stellar Agent - Discover Edition's Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			For example: EXCLUDED_EXTENSION= bmp EXCLUDED_EXTENSION2= png
	EXCLUDED_THREAT_NAME<number>	empty string	A threat name to exclude from scanning <threat_name> Multiple threat names can be specified by creating new entries whose name starting with EXCLUDED_THREAT_NAME Every entry name needs to be unique For example: EXCLUDED_THREAT_NAME=PE_TEST EXCLUDED_THREAT_NAME=TEST_VIRUS
	EXCLUDED_HASH<number>	empty string	A hash value to exclude from scanning <hash_value> Multiple hash values can be specified by creating new entries whose name starting with EXCLUDED_HASH
	EXCLUDED_REGEX_PATH<number>	empty string	A regular expression path to exclude from scanning <regular_expression_path>

Table 7. Stellar Agent - Discover Edition's Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			Multiple regular expression paths can be specified by creating new entries whose name starting with EXCLUDED_REGEX_PATH For example: EXCLUDED_REGEX_PATH1 = C:.*\Extra.*[1].*
	EXCLUDED_REGEX_THREAT_NAME<number>	empty string	A regular expression for threat name to exclude from scanning <regular_expression_threat_name> Multiple threat name can be specified by creating new entries whose name starting with EXCLUDED_REGEX_THREAT_NAME For example: EXCLUDED_REGEX_THREAT_NAME1 = .*NE.*

**Note:**

The BYPASS_WINDEFEND_CHECK property is designed for Windows 7 and Windows Server 2016+ platforms, on which the default setup of Stellar Agent - Discover Edition requires disabling Windows Defender first. If you would like to bypass checking Windows Defender status to get the Stellar Agent - Discover Edition installed without disabling Windows Defender, insert a line under the [protect_install] section, and then type bypass_windefend_check: 1

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File

Section	Property	Default Value	Description
[legacy_Property]	CONFIG_PATH	empty string	The file path to the sample config file used for agent feature settings
	LIST_PATH	empty string	The file path to the Approved List file
	APPLICATION_FOLDER	empty string	The installation path for agent program
	QUARANTINE_FOLDER_PATH	empty string	The quarantine path for agent program
	INIT_LIST_PATH	empty string	A folder path to be traversed for the Approved List initialization. Each local disk's root directory will be traversed if empty.  Note: If the specified folder path doesn't exist or the folder contains any executable or script files that are unable to be added to the Approved List, the installation will be aborted.
	INIT_LIST_PATH_OPTIONAL	empty string	A folder path to be traversed for the Approved List initialization. Each local disk's root directory will be traversed if empty.  Note:

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			 This property can be used to force the installation regardless of whether the specified folder path exists or the folder contains any executable or script files that are unable to be added to the Approved List,
	INIT_LIST_EXCLUDED_FOLDER	empty string	An absolute folder path to exclude from automatic file enumeration for Approved List initialization. The configuration applies to the Approved List first initialized and all subsequent Approved List updates. Specify multiple folders by creating new entries with names that start with INIT_LIST_EXCLUDED_FOLDER Ensure each entry name is unique. For example: INIT_LIST_EXCLUDED_FOLDER= c:\folder1 INIT_LIST_EXCLUDED_FOLDER2 =c:\folder2 INIT_LIST_EXCLUDED_FOLDER3 =c:\folder3 Possible values

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			- Folder path supports a maximum length of 260 characters. - Folder paths that do not exist may be specified. - The exclusion applies to subfolders.
	ALLOW_NON_MASS_STORAGE_USB_DEVICE	0	Allow some drivers (e.g., Touch screen/ Infrared sensor/Android mobile phone) from being loaded when those hardware devices are plugged in and storage device blocking is enabled. Possible values: 0: Disable (Default) 1: Enable
	USER_PASSWORD	empty string	Specify the User password to enable the User account and set its password
	USR_DEBUGLOG_ENABLE	1	Enable debug logging for user sessions. Possible values: 0: Do not log 1: Log
	USR_DEBUGLOGLEVEL	256	The number of debug log entries allowed for user sessions

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
	SRV_DEBUGLOG_ENABLE	1	Enable debug logging for service sessions. Possible values: • 0: Do not log • 1: Log
	SRV_DEBUGLOGLEVEL	256	The number of debug log entries allowed for service sessions
	FW_USR_DEBUGLOG_ENABLE	0	Enable debug log in user session of firewall. Possible values: • 0: Disable debug log • 1: Enable debug log
	FW_USR_DEBUGLOG_LEVEL	273	Debug level in user session of firewall. Possible values: number
	FW_SRV_DEBUGLOG_ENABLE	0	Enable debug log in service session of firewall. Possible values: • 0: Disable debug log • 1: Enable debug log
	FW_SRV_DEBUGLOG_LEVEL	273	Debug level in service session of firewall. Possible values: number
	BM_SRV_DEBUGLOG_ENABLE	0	Enable debug log of Behavior Monitoring Core service. Possible values:

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			• 0: Disable debug log • 1: Enable debug log
	BM_SRV_DEBUGLOG_LEVEL	51	Debug level of Behavior Monitoring Core service
[legacy_AGENT]	FIXED_IP	empty string	Set the agent IP address to communicate with the Stellar Agent - Discover Edition (Windows-Legacy) server. Possible values: A.B.C.D/E • A, B, C, D: 0~255 • E: 1~32 An example address might be 10.0.0.0/24 or 192.168.0.1  Note: Ensure that you also input and insert the section title [legacy_AGENT] above the FIXED_IP line.
[legacy_Prescan]	SPECIFIC_FOLDER	empty string	An absolute folder path to scan when the scan type is set [Specific]. Possible values: <folder_path> Multiple folders can be specified by creating new entries whose name starting with SPECIFIC_FOLDER

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			Every entry name needs to be unique. For example: SPECIFIC_FOLDER=c:\folder1 SPECIFIC_FOLDER2=c:\folder2 SPECIFIC_FOLDER3=c:\folder3
	EXCLUDED_FILE	empty string	An absolute file path to exclude from scanning Possible values: <file_path> Multiple files can be specified by creating new entries whose name starting with EXCLUDED_FILE Every entry name needs to be unique. For example: EXCLUDED_FILE=c:\file1.exe EXCLUDED_FILE2=c:\file2.exe EXCLUDED_FILE3=c:\file3.exe
	EXCLUDED_FOLDER	empty string	An absolute folder path to exclude from scanning <folder_path> Multiple folders can be specified by creating new entries whose name starting with EXCLUDED_FOLDER

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			Every entry name needs to be unique For example: EXCLUDED_FOLDER=c:\file1 EXCLUDED_FOLDER2=c:\file2 EXCLUDED_FOLDER3=c:\file3
	EXCLUDED_EXTENSION	empty string	A file extension to exclude from scanning <file_extension> Multiple extensions can be specified by creating new entries whose name starting with EXCLUDED_EXTENSION Every entry name needs to be unique For example: EXCLUDED_EXTENSION=bmp EXCLUDED_EXTENSION2=png
	EXCLUDED_THREAT_NAME<number>	empty string	A threat name to exclude from scanning <threat_name> Multiple threat names can be specified by creating new entries whose name starting with EXCLUDED_THREAT_NAME

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			Every entry name needs to be unique For example: EXCLUDED_THREAT_NAME=PE_TEST EXCLUDED_THREAT_NAME=TEST_VIRUS
	EXCLUDED_HASH<number>	empty string	A hash value to exclude from scanning <hash_value> Multiple hash values can be specified by creating new entries whose name starting with EXCLUDED_HASH
	EXCLUDED_REGEX_PATH<number>	empty string	A regular expression path to exclude from scanning <regular_expression_path> Multiple regular expression paths can be specified by creating new entries whose name starting with EXCLUDED_REGEX_PATH For example: EXCLUDED_REGEX_PATH1 = C:.*\Extra.*[1].*
	EXCLUDED_REGEX_THREAT_NAME<number>	empty string	A regular expression for threat name to exclude from scanning <regular_expression_threat_name>

Table 8. Stellar Agent - Discover Edition (Windows-Legacy) Hidden Properties in StellarSetup.ini File (continued)

Section	Property	Default Value	Description
			Multiple threat name can be specified by creating new entries whose name starting with EXCLUDED_REGEX_THREAT_NAME For example: <pre>EXCLUDED_REGEX_THREAT_NAME1 = .*NE.*</pre>

Encrypting Config File

Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) supports encrypting the setup config file to prevent sensitive data leakage. The encrypted config file name is fixed to StellarSetup.bin.

1. Prepare your StellarSetup.ini as mentioned in [Setup Configuration File \(on page 18\)](#).
2. Encrypt StellarSetup.ini by using the command prompt: StellarSetup.exe -e <CONFIG_FILE>. The parameter -e is used for encrypting the configuration file and generating StellarSetup.bin file in the working directory.
3. After the StellarSetup.bin file is generated, place it as the top-level file in the installer package.



Note:

For security reasons, the original StellarSetup.ini file can be removed from the installer package since the encrypted setup file (StellarSetup.bin) can replace it now.

4. The installation with encrypted configuration can now be executed.


Installation Methods

This section mainly explains the steps for installing Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) using **Attended Installation** or **Silent Installation**.

Attended Installation

1. Launch the installer StellarSetup.exe.

Figure 1. Installer Package Downloaded from StellarOne



Name	Date modified	Type	Size
Components	12/14/2022 1:54 AM	File folder	
protect	12/14/2022 1:53 AM	File folder	
protect_legacy	12/14/2022 1:54 AM	File folder	
lic.profile_tx	12/14/2022 1:54 AM	PROFILE_TX File	2 KB
server	12/14/2022 1:54 AM	Security Certificate	2 KB
StellarSetup	12/14/2022 1:54 AM	Application	1,505 KB
StellarSetup	12/14/2022 1:54 AM	Configuration sett...	1 KB
tlkapi.dll	12/14/2022 1:54 AM	Application exten...	687 KB
TmUpdateCore.dll	12/14/2022 1:54 AM	Application exten...	2,564 KB




Note:

To register Stellar Agent - Discover Edition to a specific group managed by StellarOne during the installation, after downloading the Group.ini file from the StellarOne server, the file must be placed as the top-level file in the agent's installer package before starting the installation.

2. Click **Yes** to start the installation.


Figure 2. Stellar Agent - Discover Edition Setup Screenshot



3. Choose a language and click **Next**.

4. A success message indicating valid license appears. Click **Next** to continue.

Figure 3. Admin Password & License Activation



TXOne Stellar Agent Setup

Administrator Password & License Activation

Administrator Password
The password must be 8 to 64 alphanumeric characters. The following characters are not supported: | > < \ " spaces.

Password:


Confirm Password:

License

✓ The license is valid. Click "Next" to continue.


5. The **End-User License Agreement** (EULA) window appears. Please read the content carefully, and then check **I accept the terms in the License Agreement** and click **Next**.

Figure 4. End-User License Agreement



6. The Stellar Agent - Discover Edition application will be installed.
7. When the installation is complete, the **Stellar Agent - Discover Edition has been successfully installed** window appears. Click **Finish**.

Figure 5. Stellar Agent - Discover Edition Successfully Installed



Silent Installation

Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) provides the silent installation based on a pre-defined setup configuration file. You can customize the configuration settings in the `StellarSetup.ini` file to enable silent installation, and then execute `StellarSetup.exe` in silent mode by double-clicking the installer or via the command line interface (CLI).

Topics in this section include:

- [An Example of Setup Config File Adapted for Silent Installation \(on page 38\)](#)
- [Executing Silent Installation \(on page 43\)](#)

An Example of Setup Config File Adapted for Silent Installation

See below as an example of the setup configuration file (`StellarSetup.ini`) adapted for installing agents in StellarOne managed and silent modes. You can define your own setup config file by changing the values for different installation requirements.



Note:

- The example of the defined setup config file uses **license file** for product activation.
- To run silent installation, ensure the values of the following properties are specified:
 - `[Shared_license]`
 - `product_serial_number`
 - `txone_license_file`
 - `[shared_install]`
 - `silent`
 - `password`
- If you would like to use a proxy server for communication with StellarOne, configure the `shared_proxy` properties as well.

An example of the setup config file adapted for silent installation

```
[shared_license]

product_serial_number = TExXXXXX-SAMP-LEXX-XXXX-TX0NESPXXXXX

txone_license_file = Stellar<License>Edition_XXXXXXXXXXXXX.txt

txone_license_env = prod

[shared_server]
```

```
host = 10.1.195.100

cert = server.crt

[shared_proxy]

host =

port =

username =

password =

[shared_install]

silent = 1

password = T8#qL9vP!aX3rZ

user_password =

enable_shell_integration = 1

enable_real_time_scan = 1

enable_ransomware_behavior_monitor = 1

display_language = 0

agent_edition = protection

kernel_exception_list =

[shared_debug]

enable_debug_log =

enable_engine_debug_log =

[shared_popup]

usb_block = 1

threat_detect = 0

lockdown_block = 0

[protect_server]

port = 9443

[protect_listen]

port = 14336

[protect_update]
```

```
source = https://10.1.195.100/rest/stellar-au/duplicate/protect
source_tx = https://10.1.195.100/rest/stellar-au

[protect_config]
include =

[legacy_server]
port = 8000

[legacy_listen]
port = 14336

[legacy_update]
source = https://10.1.195.100/rest/stellar-au/duplicate/enforce
source_tx = https://10.1.195.100/rest/stellar-au

[legacy_config]
include =

[protect_install]
asset_vendor = ABB
asset_model = ABB-1X2Y
asset_location = Factory1 North Area
asset_description = This is a machine
install_location = C:\test
enable_start_menu = 1
enable_desktop_icon = 1
enable_systray_icon = 1
enable_trusted_ics_cert = 1
enable_prescan = 1
enable_lockdown_al_building = 1
enable_lockdown_detection = 1
enable_oem_lockdown_enforce = 1

[protect_prescan]
action = 1
```

```
background = 0

cpu_usage_mode = 0

[protect_client]

import_source = C:\txsp_config

[legacy_Property]

PRESCAN = 1

WEL_SIZE = 10240

WEL_RETENTION = 0

WEL_IN_SIZE = 10240

WEL_IN_RETENTION = 0

INTEGRITY_MONITOR = 0

PREDEFINED_TRUSTED_UPDATER = 0

WINDOWS_UPDATE_SUPPORT = 0

STORAGE_DEVICE_BLOCKING = 0

INIT_LIST = 0

LOCKDOWN = 0

LOCKDOWN_DETECTION = 0

FILELESS_ATTACK_PREVENTION = 0

INTELLIGENT_RUNTIME_LEARNING = 0

NO_DESKTOP = 0

NO_STARTMENU = 0

NO_SYSTRAY = 0

MAX_EVENT_DB_SIZE = 1024

INIT_LIST_EXCLUDED_EXTENSION1 = log

INIT_LIST_EXCLUDED_EXTENSION2 = txt

INIT_LIST_EXCLUDED_EXTENSION3 = ini

ENABLE_REAL_TIME_PROTECTION = 0

[legacy_Prescan]

PRESCANCLEANUP = 2
```

Stellar Agent - Discover Edition 5.0 Installation Guide

```
IGNORE_THREAT = 2
REPORT_FOLDER =
SCAN_TYPE = Full
COMPRESS_LAYER = 2
MAX_FILE_SIZE = 0
SCAN_REMOVABLE_DRIVE = 0
FORCE_PRESCAN = 0
[legacy_BlockNotification]
ENABLE = 0
ALWAYS_ON_TOP = 1
SHOW_DETAILS = 1
AUTHENTICATE = 1
TITLE =
MESSAGE =
[legacy_EventLog]
Enable = 1
Level_WarningLog = 1
Level_InformationLog = 0
BlockedAccessLog = 1
ApprovedAccessLog = 1
ApprovedAccessLog_TrustedUpdater = 1
ApprovedAccessLog_DllDriver = 0
ApprovedAccessLog_ExceptionPath = 1
ApprovedAccessLog_TrustedCert = 1
ApprovedAccessLog_WriteProtection = 1
ApprovedAccessLog_TrustedHash = 1
SystemEventLog = 1
SystemEventLog_ExceptionPath = 1
SystemEventLog_WriteProtection = 1
```

```

ListLog = 1

UsbMalwareProtectionLog = 1

ExecutionPreventionLog = 1

NetworkVirusProtectionLog = 1

IntegrityMonitoringLog_FileCreated = 1

IntegrityMonitoringLog_FileModified = 1

IntegrityMonitoringLog_FileDeleted = 1

IntegrityMonitoringLog_FileRenamed = 1

IntegrityMonitoringLog_RegValueModified = 1

IntegrityMonitoringLog_RegValueDeleted = 1

IntegrityMonitoringLog_RegKeyCreated = 1

IntegrityMonitoringLog_RegKeyDeleted = 1

IntegrityMonitoringLog_RegKeyRenamed = 1

DeviceControlLog = 1

[legacy_MaintenanceMode]

ENABLE_DURATION = 0

SCAN = 0

[legacy_Message]

INITIAL_RETRY_INTERVAL = 120

MAX_RETRY_INTERVAL = 7680

```

**Note:**

- The license file name varies depending on different license editions (ICS/Kiosk/OEM). For example, if you use ICS license edition, the license file name appears like this: StellarICSEdition_xxxxxxxxxxxxx.txt.
-

Executing Silent Installation

After defining the setup configuration file, execute the silent installation on the endpoint.

1. If the agent installer package is downloaded from StellarOne, within the `StellarSetup.ini` config file, almost all the values needed should be automatically generated. If no additional configuration requirements are needed, you can just change the `silent` value to `1` and specify the password in the `[shared_install]` section of the configuration file.
2. Locate the defined `StellarSetup.ini` file in the installation package.
3. Choose one of the methods to launch the `StellarSetup.exe` installer.
 - Double-click the installer `StellarSetup.exe`.
 - Use the command prompt to execute `StellarSetup.exe` with the argument `-s`, e.g., type `C:\package>StellarSetup.exe -s`

**Note:**

- To view relevant information or progress status of the silent installation, check logs filed under `C:\Windows\Temp`.
- If using Windows batch `START` command with `/WAIT` option to execute the installation file, the installation results will be reported by a number. The number "0" indicates the installation is successfully completed and if other numbers are displayed, it indicates the installation failed.

4. Run Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) and log on with the configured password.
5. After successfully logging into Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy), the **Overview** window will be displayed.

Installation Using the Command Line

Administrators can also install Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) from the command line interface (CLI) or using a batch file, allowing for silent installation and mass deployment.

Installer Command Line Interface Parameters

The following table lists the command parameters available for Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) installation.

Table 9. Stellar Agent - Discover Edition Installer Command Line Options

Parameter	Value	Description
<code>-s</code>		Run the installer silently
		 Note: During the installation process, you can view the following log files in the folder <code>C:\windows\temp</code> to check the status of the prescan and initial approved process:

Table 9. Stellar Agent - Discover Edition Installer Command Line Options (continued)

Parameter	Value	Description
		 StellarProtect\StellarProtectPrescan_YYYYMMDD.log
-e		Encrypt the config file for installation

Table 10. Stellar Agent - Discover Edition (Windows-Legacy) Installer Command Line Options

Parameter	Value	Description
-s		Run the installer silently  Note: During the installation process, you can view the following log files in the folder C:\windows\temp to check the status of the prescan and initial approved process: • Prescan process: YYYYMMDDHHMMSS_wk_PreScanProgress.log • Initial approved process: YYYYMMDDHHMMSS_wk_InitListProgress.log
-p	<administrator_password>	Specify the administrator password
-d	<path>	Specify the installation path
-nd		Do not create a desktop shortcut
-ns		Do not add a shortcut to the Start menu
-ni		Hide the task tray icon

Table 10. Stellar Agent - Discover Edition (Windows-Legacy) Installer Command Line Options (continued)

Parameter	Value	Description
-cp	<path>	Specify the Stellar Agent - Discover Edition (Windows-Legacy) configuration file  Note: The Stellar Agent - Discover Edition (Windows-Legacy) configuration file can be exported after installing Stellar Agent - Discover Edition (Windows-Legacy).
-lp	<path>	Specify the Approved List  Note: After installing Stellar Agent - Discover Edition (Windows-Legacy) and creating the Approved List, the list can be exported.
-qp	<path>	Specify the folder path for quarantined files when custom action is set to “quarantine” mode
-nps		Do not execute Prescan
-ips		Do not cancel installation when Prescan detects threats

An example of using CLI for silent installation without creating a desktop shortcut would look like this:

```
StellarSetup.exe -s -p <administrator_password> -nd
```

Proxy Settings

If Stellar Agent - Discover Edition/Stellar Agent - Discover Edition (Windows-Legacy) agents use a proxy server for both communication with StellarOne and scan component updates, it is configurable using `StellarSetup.ini` before installation and the command line interface afterwards.

- For more information about using `StellarSetup.ini` to configure the proxy settings before installation, see [Setup Configuration File \(on page 18\)](#)
- For more information about using command line interface to configure the proxy settings after installation, see *TXOne Stellar Agent - Discover Edition Administrator's Guide* for the list of all commands.

Chapter 3. Upgrade

This chapter describes how to upgrade the Stellar Agent - Discover Edition and Stellar Agent - Discover Edition (Windows-Legacy) agents by installing patches.

Topics in this chapter include:

- [Supported Upgrade Paths \(on page 50\)](#)
- [Preparing the Agent for Upgrade to a Later Version \(on page 50\)](#)

Supported Upgrade Paths

The following tables illustrate the supported upgrade paths for Stellar Agent - Discover Edition and Stellar Agent - Discover Edition (Windows-Legacy) agents.



Note: 5.0 is the first version of Stellar Agent - Discover Edition and Stellar Agent - Discover Edition (Windows-Legacy), therefore the below tables are currently empty.

Table 11. Supported Upgrade Paths for Stellar Agent - Discover Edition

Current Version	Supported Target Upgrade Version	Local Upgrade	Remote Upgrade
5.0	N/A	N/A	N/A

Table 12. Supported Upgrade Paths for Stellar Agent - Discover Edition (Windows-Legacy)

Current Version	Supported Target Upgrade Version	Local Upgrade	Remote Upgrade
5.0	N/A	N/A	N/A

Preparing the Agent for Upgrade to a Later Version

See the following table for the appropriate actions to take according to your chosen installation method.



Note:

- The latest updates can be downloaded from the Stellar Agent - Discover Edition [Software Download Center](#).
- Before upgrading, close the Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) agent console and/or wksupporttool UI, and check the [Supported Upgrade Paths \(on page 50\)](#) for Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy).



Warning:

- If the agents are managed by StellarOne, ensure you upgrade the StellarOne server first before upgrading the Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) agents.

Table 13. Post-Installation Agent Upgrade

Installation Method	Required Action	Settings Retained
Local upgrade	Stellar Agent - Discover Edition: Extract the patch zip file and deploy patching by running <code>txone_sp_full_patch_win_version.exe [-s] [-p <PASSWORD>]</code>. To execute a silent upgrade, please add: <code>[-s] [-p <PASSWORD>]</code> For example, type <code>txone_sp_full_patch_win_5.0.0.1075.exe</code> to deploy the 5.0 patch file in silent mode.	Compatible settings retained
	Stellar Agent - Discover Edition (Windows-Legacy): Extract the patch zip file and deploy patching by running <code>txone_splm_full_patch_win_version.zip</code> and deploy the patch by running <code>patch.exe</code>. To execute a silent upgrade, please add: <code>-s -a -s/g</code> For example, type <code>patch.exe -s -a -s/g</code> to deploy the 5.0 patch file in silent mode.	Compatible settings retained
Remote upgrade	See the <i>StellarOne Administrator's Guide</i> for how to deploy patches to the agents remotely.  Note:	Compatible settings retained

Table 13. Post-Installation Agent Upgrade (continued)

Installation Method	Required Action	Settings Retained
	 TXOne Networks recommends using StellarOne 5.0 console or above to remotely deploy patches to the managed agents.	

Chapter 4. Uninstallation

Follow the below instructions to uninstall Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy).



Note:

Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) administrator password is required to uninstall Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) from an endpoint.



Important:

Please make sure the Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) UI is not open.

1. On an endpoint with the Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) agent installed, launch Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) Setup.
2. Follow one of the procedures listed below according to your operating system:

Operating System	Procedure
• Windows 10 Professional • Windows 10 Enterprise • Windows 10 IoT Enterprise • Windows 10 Fall Creators Update (Redstone 3) • Windows 10 April 2018 Update (Redstone 4) • Windows 10 November 2018 Update (Redstone 5) • Windows 11 Professional	a. Go to Start > Settings. b. Depending on your version of Windows 10, locate the Apps & Features section under one of the following categories: ◦ System ◦ Apps c. On the left pane, click Apps & Features. Or click Installed Apps. d. In the list, click Stellar Agent or Stellar Agent (Windows-Legacy). e. Click Uninstall.

Operating System	Procedure
• Windows 7 • Windows 8 • Windows Vista • Windows Server 2008 • Windows Server 2012 • Windows Server 2016 • Windows Server 2019 • Windows Server 2022 • Windows Server 2025 • Windows Storage Server 2012 • Windows Storage Server 2016	- Go to Start > Control Panel > Program and Features. - In the list, double-click TXOne Stellar Agent or Stellar Agent (Windows-Legacy).
• Windows Server 2003 • Windows XP • Windows 2000	- Go to Start > Control Panel > Add or Remove Programs. - In the list, select Stellar Agent (Windows-Legacy). - Click Remove.

- After the Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) Setup opens, click **Next**.
- Enter in the Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) administrator password and click **Next**.
- Make sure Stellar Agent - Discover Edition's or Stellar Agent - Discover Edition (Windows-Legacy)'s UI is completely closed before clicking **OK**.
- The message box indicating Stellar Agent - Discover Edition or Stellar Agent - Discover Edition (Windows-Legacy) being successfully removed will appear. Click **Finish**.



Note:

For Windows 7 and Windows Server 2016+ platforms, the installation of Stellar Agent - Discover Edition requires disabling Windows Defender first. Consequently, after uninstalling Stellar Agent - Discover Edition, TXOne Networks recommends that you manually enabling Windows Defender for security reasons.

Chapter 5. Technical Support

Learn about the following topics:

- [Troubleshooting Resources \(on page 56\)](#)
- [Contacting TXOne Networks \(on page 56\)](#)
- [Other Resources \(on page 57\)](#)

Troubleshooting Resources

Before contacting technical support, consider visiting the following TXOne Networks online resources.

Using the Support Portal

The TXOne Networks Support Portal is a 24x7 online resource that contains the most up-to-date information about both common and unusual problems.

1. Go to <https://help.txone.com/>.
2. Click the appropriate button to search for solutions.
3. Use the **Search** box to search for available solutions.
4. If no solution is found, click **Live Chat** or **VoIP** service to submit a support case online.

A TXOne Networks support engineer investigates the case and responds in 24 hours or less.

Threat Encyclopedia

Most malware today consists of blended threats, which combine two or more technologies, to bypass computer security protocols. TXOne Networks combats this complex malware with products that create a custom defense strategy. The Threat Encyclopedia provides a comprehensive list of names and symptoms for various blended threats, including known malware, spam, malicious URLs, and known vulnerabilities.

Go to <https://www.encyclopedia.txone.com/> to learn more about:

- Malware and malicious mobile code currently active or "in the wild"
- Correlated threat information pages to form a complete web attack story
- Internet threat advisories about targeted attacks and security threats
- Web attack and online trend information
- Weekly malware reports

Contacting TXOne Networks

TXOne Networks representatives are available by phone or chat/VoIP services:

Table 14. TXOne Networks Contact Information

U.S.	+1 (346) 586-7975
Netherland	+31 402-310-122
Taiwan	+886 (2) 7727-5120

Table 14. TXOne Networks Contact Information (continued)

Chat/VoIP services	https://help.txone.com/
Website	https://www.txone.com/contact/

- TXOne Networks product documentation:

<https://my.txone.com/>

Speeding Up the Support Call

To improve problem resolution, have the following information available:

- Steps to reproduce the problem
- Appliance or network information
- Computer brand, model, and any additional connected hardware or devices
- Amount of memory and free hard disk space
- Operating system and service pack version
- Version of the installed agent
- Product serial number and license file, or license key
- Detailed description of the environment where the agent is installed
- Exact text of any error message received

Other Resources

In addition to solutions and support, there are many other helpful resources available online to stay up to date, learn about innovations, and be aware of the latest security trends.

Download Center

From time to time, TXOne Networks may release a patch for a reported known issue or an upgrade that applies to a specific product or service. To find out whether any patches are available, go to:

<https://my.txone.com/>

If a patch has not been applied (patches are dated), open the Readme file to determine whether it is relevant to your environment. The Readme file also contains installation instructions.

Index

A

attended installation of Stellar Agent - Discover Edition	35
--	----

I

installation	17
installation methods	34
Installation Using the CLI	44
introduction	9
key features and benefits	11
what's new	11

P

proxy settings	46
----------------	----

S

setup configuration file	18
silent installation	38
support	
resolve issues faster	57
Supported upgrade paths	50
system requirements	12

T

technical support	55
contact	56
troubleshooting resources	56

U

uninstallation	53
Upgrade	49