Assessment 2



Gabriel Espinoza Rojas

22176691

Advanced Topics Seminars and Project Specification

CS6163

University of Limerick

1. Supervisor: Dr. Pepijn Van De Ven
Department of Electronics & Computer Engineering
Centre for Research Training in Foundations of Data Science
University *of* Limerick
Ireland

Contents

1 Introduction **1**

1.1 Background . . . 1

1.1.1 University's description . . . 1

1.1.1.1 Dataset . . . 1

1.1.2 Similar work . . . 1

1.2 Problem definition . . . 2

1.2.1 Problem context . . . 2

1.2.2 Problem justification . . . 2

1.2.3 Research question . . . 2

1.2.4 Hypothesis . . . 2

1.3 Objectives . . . 2

1.3.1 Main objective . . . 2

1.3.2 Specific objectives . . . 2

1.4 Methodology . . . 3

1.5 Constraints . . . 3

1.6 Structure . . . 3

2 Literature review **5**

2.1 Sensing Mental Health . . . 5

2.1.1 Mobile health . . . 5

2.1.2 Active digital phenotyping . . . 5

2.1.2.1 Ecological Momentary Assessments . . . 5

2.1.2.2 Interventions . . . 6

2.1.3 Passive digital phenotyping . . . 6

2.2 Machine learning in healthcare . . . 6

2.2.1 Sensor inference 6
2.2.2 Ethical considerations 6
2.3 State of the art 6
2.3.1 Predicting receptivity 7
2.3.2 Time series classification 7

3 Research planning matrix **9**

References **11**

1

Introduction

The introduction of this dissertation must include and explain and the key terms related: AI scheduled interventions for high-patient receptivity in psycho-oncology.

1.1 Background

1.1.1 University's description

Provide essential information about the University of Virginia and its involvement in psychology.

1.1.1.1 Dataset

The data consists of around 400 cancer survivors who were followed for 35 days, during which Ecological Momentary Assessments were taken up to 3 times per day, in addition to sensor data from the subjects' smartphones.

1.1.2 Similar work

Acknowledge recent research conducted over the same dataset also supervised by Dr. Pepijn Van De Ven.

1.2 Problem definition

1.2.1 Problem context

There's no consensus on what the best time is for AI interventions for high-patient receptivity.

1.2.2 Problem justification

Research shows that psychological interventions after successful cancer treatment can be sources of stress. Using AI to predict when it's the best time approach people has been explored in other domains, but not in psycho-oncology.

1.2.3 Research question

The main question that this dissertation addresses is "Does delivering interventions at a machine learning (ML)-detected time lead to higher receptivity than delivering interventions at a random time?"

1.2.4 Hypothesis

The expectation is that patients with a good mood will be more receptivity to EMA interventions.

1.3 Objectives

1.3.1 Main objective

The main question that this dissertation addresses is "Does delivering interventions at a machine learning (ML)-detected time lead to higher receptivity than delivering interventions at a random time?"

1.3.2 Specific objectives

In order to address the research question, this work focuses on the following issues:

- Create a data processing pipeline to transform the data.
- Investigate then determine the best time for interventions based on EMAs that will get higher receptivity.

1.4 Methodology

In order to address this question the following approach was taken: Use Deep Learning techniques and EMA data to predict the best time to approach subjects that recently finished their cancer treatment.

1.5 Constraints

Comment of limitations related to the dataset or the scope of the research. Work can only be conducted on authorised computers (hardware limitations). subjects from the dataset were allowed to turn off most of the smartphone sensors.

1.6 Structure

Explain here briefly the chapters that form this dissertation (thesis outline). Chapter 2: literature review, Chapter 3: methodology, Chapter 4: findings, Chapter 5: conclusions, Chapter 6: future work and recommendations.

2

Literature review

Literature review of smart healthcare systems. Concepts related to human psychology, digital phenotyping and machine learning will be explained. Projects in this domain will be evaluated too.

2.1 Sensing Mental Health

Smartphones and wearable devices created opportunities to better monitor mental health.

2.1.1 Mobile health

Explain important concepts of mobile health (*mHealth*): engagement, interruptibility, availability and Receptivity.

2.1.2 Active digital phenotyping

Sources health and behavioural data that require user engagement.

2.1.2.1 Ecological Momentary Assessments

Ecological momentary assessments (EMAs) are a well-studied method that has proven useful in understanding an individual's state of mind (Künzler et al. 2019).

2.1.2.2 Interventions

Interventions are often active ways of capture human behaviour. Frameworks are: just-in-time interventions (JITIs), just-in-time adaptive interventions (JITAIs), Ecological Momentary Interventions (EMIs). Acknowledge that EMAs can be consider interventions too.

2.1.3 Passive digital phenotyping

Describe other common sources of data that are gathered from the natural environment, with no need of user input (Künzler et al. 2019), (Mishra et al. 2021). Describe recently used wearables for this purpose (King et al. 2024).

2.2 Machine learning in healthcare

Big data and Electronic Health Records (EHRs) have allowed the implementation of Machine Learning (ML) solution for a variety of health problems (Rani et al. 2025).

2.2.1 Sensor inference

Acknowledge the smartphone data processing done by pioneers (Sarker et al. 2014) and a recent approach with a continual deep learning predictor (Katevas et al. 2017).

2.2.2 Ethical considerations

Address important considerations such as: data privacy and security, consent and transparency and algorithmic accountability (Rani et al. 2025).

2.3 State of the art

Explain how recent studies in psycho-oncology justify efforts to effectively intervene subjects with care (Heathcote et al. 2022).

2.3.1 Predicting receptivity

Express the differences in the datasets, machine learning models applied, architectures and results (Künzler et al. 2019), (Mishra et al. 2021), (King et al. 2024).

2.3.2 Time series classification

This space is now dominated by deep learning solutions like CNNs and transformers (Wang et al. 2025).

2. LITERATURE REVIEW

3

Research planning matrix

3. RESEARCH PLANNING MATRIX

Table 3.1: Research planning matrix

Research Topic	AI scheduled interventions for high-patient receptivity in psycho-oncology.
Identified Research Gap and Justification	Research shows that psychological interventions after successful cancer treatment can be sources of stress. Using AI to predict when it's the best time approach people has been explored in other domains, but not in psycho-oncology.
Research Problem	There's no consensus on what's the best time for interventions for high-patient receptivity
Research Goals	* Infer mood/stress or activities (walking, sitting, driving...) from sensor data * Investigate and then determine the best time for interventions based on EMAs that will get higher receptivity
Research Questions	* Does delivering interventions at a machine learning (ML)-detected time lead to higher receptivity than delivering interventions at a random time?
Research Methods for Achieving This	Use Deep Learning techniques and EMA data to predict the best time to approach subjects that recently finished their cancer treatment.
Type of Data Collected, Data Analysis Methods, and Triangulation Potential	The data consists of around 400 cancer survivors who were followed for 35 days, during which Ecological Momentary Assessments were taken up to 3 times per day, in addition to sensor data from the subjects' smartphones.
Possible Expected Results and Hypotheses	The expectation is that patients with a good mood will display higher receptivity to EMA interventions

References

Heathcote, L. C., Cunningham, S. J., Webster, S. N., Tanna, V., Mattke, E., Loecher, N., Spunt, S. L., Simon, P., Dahl, G., Walentynowicz, M., Murnane, E., Tutelman, P. R., Schapira, L., Simons, L. E. and Mueller, C. (2022), 'Smartphone-based ecological momentary assessment to study "scanxiety" among adolescent and young adult survivors of childhood cancer: A feasibility study', *Psycho-oncology (Chichester, England)* **31**(8), 1322–1330. 6

Katevas, K., Leontiadis, I., Pielot, M. and Serrà, J. (2017), 'Practical processing of mobile sensor data for continual deep learning predictions', *arXiv.org* . 6

King, Z. D., Yu, H., Vaessen, T., Myin-Germeys, I. and Sano, A. (2024), 'Investigating receptivity and affect using machine learning: Ecological momentary assessment and wearable sensing study', *JMIR mHealth and uHealth* **12**, e46347–. 6, 7

Künzler, F., Mishra, V., Kramer, J.-N., Kotz, D., Fleisch, E. and Kowatsch, T. (2019), 'Exploring the state-of-receptivity for mhealth interventions', *Proceedings of ACM on interactive, mobile, wearable and ubiquitous technologies* **3**(4), 1–27. 5, 6, 7

Mishra, V., Künzler, F., Kramer, J.-N., Fleisch, E., Kowatsch, T. and Kotz, D. (2021), 'Detecting receptivity for mhealth interventions in the natural environment', *Proceedings of ACM on interactive, mobile, wearable and ubiquitous technologies* **5**(2), 1–24. 6, 7

Rani, S., Kumar, R., Panda, B. S., Kumar, R., Muften, N. F., Abass, M. A. and Lozanović, J. (2025), 'Machine learning-powered smart healthcare systems in the era of big data: Applications, diagnostic insights, challenges, and ethical implications', *Diagnostics (Basel)* **15**(15), 1914–. 6

Sarker, H., Sharmin, M., Ali, A. A., Rahman, M. M., Bari, R., Hossain, S. M. and Kumar, S. (2014), Assessing the availability of users to engage in just-in-time inter-

vention in the natural environment, *in* 'Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing', ACM, New York, NY, USA, pp. 909–920. 6

Wang, Y., Wu, H., Dong, J., Liu, Y., Wang, C., Long, M. and Wang, J. (2025), 'Deep time series models: A comprehensive survey and benchmark'. 7