

include/Parser/Parser_AG.h

```
graph BT; PAG["src/Parser/Parser_AG.cpp"] --> PAH["include/Parser/Parser_AG.h"]; PAH --> SAH["include/Parser/Semantics_actions.h"]; SAH --> PSC["src/Parser/Semantics_actions.cpp"]; SAH --> MAG["src/Maglib.cpp"];
```

Detailed description: This diagram illustrates the dependencies between source files and header files in a project. At the top is the header file 'include/Parser/Parser_AG.h', which is shaded gray. Below it is the header file 'include/Parser/Semantics_actions.h'. At the bottom are two source files: 'src/Parser/Parser_AG.cpp' on the left and 'src/Parser/Semantics_actions.cpp' on the right. Arrows indicate the following dependencies: 'src/Parser/Parser_AG.cpp' depends on 'include/Parser/Parser_AG.h' (curved arrow); 'include/Parser/Parser_AG.h' depends on 'include/Parser/Semantics_actions.h' (straight arrow); 'include/Parser/Semantics_actions.h' depends on 'src/Parser/Semantics_actions.cpp' (straight arrow); and 'src/Maglib.cpp' depends on 'include/Parser/Parser_AG.h' (straight arrow).

include/Parser/Semantics_actions.h

src/Maglib.cpp

src/Parser/Parser_AG.cpp

src/Parser/Semantics_actions.cpp