

include/Parser/Parser_AG.h

```
graph BT; PAG["src/Parser/Parser_AG.cpp"] --> PAH["include/Parser/Parser_AG.h"]; PAH --> SAH["include/Parser/Semantics_actions.h"]; SAH --> PSC["src/Parser/Semantics_actions.cpp"]; SAH --> MAG["src/Maglib.cpp"];
```

Detailed description: The diagram illustrates the dependencies between source files and header files in a project. At the top is the header file 'include/Parser/Parser_AG.h' in a grey box. Below it is 'include/Parser/Semantics_actions.h' in a white box. At the bottom are two source files: 'src/Parser/Parser_AG.cpp' on the left and 'src/Parser/Semantics_actions.cpp' on the right, both in white boxes. A third source file, 'src/Maglib.cpp', is on the right side. Blue arrows indicate the dependencies: a curved arrow from 'src/Parser/Parser_AG.cpp' to 'include/Parser/Parser_AG.h'; a straight arrow from 'include/Parser/Parser_AG.h' to 'include/Parser/Semantics_actions.h'; a straight arrow from 'src/Parser/Semantics_actions.cpp' to 'include/Parser/Semantics_actions.h'; and a straight arrow from 'src/Maglib.cpp' to 'include/Parser/Parser_AG.h'.

include/Parser/Semantics_actions.h

src/Maglib.cpp

src/Parser/Parser_AG.cpp

src/Parser/Semantics_actions.cpp