

Continuous documentation

Table of Contents

nuous documentation	1
etting started	1
uild	1
EST-CONTENT	1
irst chapter	1
.1. Creating an application	
econd chapter	3
.1. Section	3
.2. MARKDOWN	3
.3. SAMPLE-REPO	3
ne PDF	4

1. Continuous documentation



Use this repo to generate HTML-with-PDF documentation for arbitrary collections of Asciidoc and Markdown files.

Conversion is handled by the separate image gerald1248/asciidoctor, which derives from the upstream image asciidoctor/asciidoctor, adding pandoc and charting plugins.

To document your own projects, consider including your own Git repositories as git modules in subfolders or simply copy the contents of this folder to the root folder of your repository, taking care not to overwrite files you care about.

The generated HTML page consolidates all images in a single images folder and ends with a download link to the PDF.

1.1. Getting started

Start by adjusting the file values.json. It contains the title of your project as it will appear at the top of the HTML output and on the title page of the PDF version. Another key is filename, which determines the name of the PDF outputl. (The web page always takes index.html.)

Simple Groovy Ratpack application

```
{
  "title": "Continuous documentation",
  "filename": "continuous-documentation",
  "substitutions": { ①
      "011235": "011235",
      "Iccanobif": "Iccanobif"
  }
}
```

1 This lookup table helps with cross-references and resource paths that would otherwise not be linked correctly. Keys and values represent find and replace expressions.

1.2. Build

```
$ make [build]
```

1.3. TEST-CONTENT

1.4. First chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut

labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

- Bullet point 1
- Bullet point 2
- Bullet point 3




Figure 1. Activity diagram

1.4.1. Creating an application

To create a simple Ratpack application we write the following code:

Simple Groovy Ratpack application

```
package com.mrhaki

import static ratpack.groovy.Groovy.ratpack

ratpack {
    handlers {
        get {
            render "Hello World!" ①
        }
    }
}
```

1 Render output

1.5. Second chapter




Figure 2. ASCII-based artwork



Figure 3. Logo bitmap courtesy of https://github.com/pigment/fake-logos

1.5.1. Section



This looks important, so be sure not to forget it.

1.5.2. MARKDOWN

Sample Markdown document

This is some text .

This sequence slows from exponential progression to Iccanobif:

011235

1.5.3. SAMPLE-REPO

Sample-repo

NESTED-FOLDER

Nested folder

2. Get the PDF

Download continuous-documentation.pdf