Answers ref a CSS

1.1

```
ul > :first-letter{
  font-size: 2rem;
  font-weight: bold;
  font-style: italic;
}

ul > :first-child{
  background-color: blueviolet;
}
```

2.2

```
div > p:first-child{
  background-color: lightblue;
}
```

5

```
div {
  border: 1px solid black;
  margin: 15px 0px 0px 0px;
  padding-top: 5px;
}

p:first-child{
  background-color: rgb(177, 13, 13);
  color: white;
}

p:not(:first-child){
  background-color: rgb(0, 216, 223);
}
```

Answers ref a CSS 1

```
div {
  border: 1px solid black;
  margin: 15px 0px 0px 0px;
  padding-top: 5px;
}
p:nth-child(3) { /*GLOBAL onde tiver P vai afetar*/
  background: red;
}
li:nth-child(1){
  background-color: tomato;
}
```

6.2

```
div {
  border: 1px solid black;
  margin: 15px 0px 0px 0px;
  padding-top: 5px;
}

:nth-child(3) { /*GLOBAL select every third element amoung group of siblings*/
  background: rgba(236, 65, 194, 0.822);
}
```

6.3

```
div {
  border: 1px solid black;
  margin: 15px 0px 0px 0px;
  padding-top: 5px;
}

div > p:first-child{
  background-color: yellow;
}

div > p:not(:first-child){
  background-color: violet;
}
```

Answers ref a CSS 2

```
div > p:last-child{ /*open exception */
  background-color: turquoise;
}
```

7.0

```
img {
    pointer-events: none;
}
```

8.0

```
div {
 border: 1px solid black;
 margin: 15px 0px 0px 0px;
 padding-top: 5px;
ol > li::before{
 content: '✓';
 background: chartreuse;
 border-radius: 5px;
}
li::after{
 content: '🔊';
}
h2{
 background: lightcoral;
 display: inline-block;
}
```

Answers ref a CSS 3