

# Pluto - The Customizable File Manager

*Geremachek*

geremachek.io

## 1. Installation

### 1.1. Downloading And Extracting

You can download pluto at <http://geremachek.io/repos/pluto.tar.gz> It doesn't matter where you extract this tar ball.

### 1.2. Setting it Up

The pluto.tar.gz file not only contains the pluto executable, but a **setup.sh** script aswell. This script acts as an installer for pluto. The script will give the user a choice between a "default" installation that will move pluto to your path and generate a standard **~/.plutorc** file and a standard **~/.pluto/themes** folder with the all default themes. You can also choose an "minimal" install option that lets the user choose what **~/.plutorc** options you want aswell as what themes to install in **~/.pluto/themes**.

## 2. Configuration

### 2.1. ~/.plutorc

As mentioned before, pluto comes with a rc file in the home directory. This rc file contains different variables that corespond to different aspects of pluto that can be configured with the following arguments.

- sel [bold, rev, dim, underline] - Changes how items are selected
- theme [Any .plut file in ~/.pluto/themes] - Changes the theme
- exit [any character] - Changes the key for exiting
- del [any character] - Changes the key for deleteing a file
- home [any character] - Changes the key for moving to ~
- up [up, any character] - Changes the key for the up function
- down [down, any character] - Changes the key for the down function
- left [left, any character] - Changes the key for the left function
- right [right, any character] - Changes the key for the right function

### 2.2. ~/.pluto/themes

All color configuration takes place in **.plut** files in the **themes** directory it uses the same variable system but has different variables. They are:

- file [0-256] - Changes the color of files
- dir [0-256] - Changes the color directories
- cwd-color [0-256] - Changes the color of the cwd
- cwd-format [bold, rev, dim, underline]

### 3. Macros

Macros allow the user to move to any directory with a simple keypress. Macros are formatted like **macro:/path/to/dir=key**