

# Cucumber Report

2024. szept. 4. 13:17:21

**Start : szept. 04, 1:16:38.027 du.**

**End : szept. 04, 1:17:20.095 du.**

**Duration : 42.068 s**

Features







PASSED - 6  
FAILED - 0  
SKIPPED - 0

Scenarios


PASSED - 12  
FAILED - 0  
SKIPPED - 0

Steps


PASSED - 41  
FAILED - 0  
SKIPPED - 0



<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Add product to cart</u>	9.691 s	2	2	0	0	6	6	0	0
<u>Checkout is working correctly</u>	4.228 s	1	1	0	0	6	6	0	0
<u>Details page show valid information</u>	3.586 s	1	1	0	0	3	3	0	0
<u>User Login</u>	8.294 s	3	3	0	0	9	9	0	0
<u>User Logout</u>	3.689 s	1	1	0	0	5	5	0	0
<u>Sorting Items</u>	12.543 s	4	4	0	0	12	12	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Add product to cart</u>	2	2	0	0	9.691 s
2	<u>Checkout is working correctly</u>	1	1	0	0	4.228 s
3	<u>Details page show valid information</u>	1	1	0	0	3.586 s
4	<u>User Login</u>	3	3	0	0	8.294 s
5	<u>User Logout</u>	1	1	0	0	3.689 s
6	<u>Sorting Items</u>	4	4	0	0	12.543 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add product to cart</u>	<u>Add one product to cart</u>	3	3	0	0	6.785 s
2		<u>Add multiple products to cart</u>	3	3	0	0	2.892 s
3	<u>Checkout is working correctly</u>	<u>Checkout with product in the cart</u>	6	6	0	0	4.227 s
4	<u>Details page show valid information</u>	<u>Details page show valid information</u>	3	3	0	0	3.586 s
5	<u>User Login</u>	<u>Login with invalid credentials</u>	3	3	0	0	2.701 s
6		<u>Login with invalid credentials</u>	3	3	0	0	2.721 s
7		<u>Successfully Login</u>	3	3	0	0	2.863 s
8	<u>User Logout</u>	<u>SuccessFully Logout</u>	5	5	0	0	3.689 s
9	<u>Sorting Items</u>	<u>Descending order of products</u>	3	3	0	0	3.380 s
10		<u>Descending order of products</u>	3	3	0	0	3.033 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Sorting Items</u>	<u>Ascending order of products</u>	3	3	0	0	3.075 s
12		<u>Ascending order of products</u>	3	3	0	0	3.044 s



## Add product to cart

PASSED	DURATION - 9.691 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:16:38.027 du. // 1:16:47.718 du. /					


## Add one product to cart

PASSED	DURATION - 6.785 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:16:38.030 du. // 1:16:44.815 du. /					
Add product to cart					




#	Step / Hook Details	Status	Duration
1	Given I am on the home page	PASSED	1.085 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.218 s
	image		
2	When I add one product to the cart	PASSED	0.171 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.123 s
	image		

#	Step / Hook Details	Status	Duration
			
3	Then The product show in the cart	PASSED	0.032 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image  	PASSED	0.100 s


## Add multiple products to cart




#	Step / Hook Details	Status	Duration
1	Given I am on the home page	PASSED	1.000 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.188 s

#	Step / Hook Details	Status	Duration
			
2	When I add two product to the cart AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.324 s
	<b>image</b> 	PASSED	0.120 s
3	Then The product show in the cart AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.036 s
	<b>image</b> 	PASSED	0.095 s





**Checkout is working correctly**



## Checkout with product in the cart




#	Step / Hook Details	Status	Duration
1	Given I am on the home page  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  	PASSED	1.076 s
	image	PASSED	0.174 s
2	And I add one product to the cart  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  	PASSED	0.175 s
	image	PASSED	0.111 s
3	When I click on the checkout button  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.049 s
	image	PASSED	0.120 s


#	Step / Hook Details	Status	Duration
			
4	And I fill the inputs fields	PASSED	0.315 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.122 s
			
5	And I confirm the purchase	PASSED	0.057 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.109 s
			
6	Then Confirmation message show up	PASSED	0.025 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.088 s
			



## Details page show valid information




## Details page show valid information




#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	0.653 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.134 s
	image		
			
2	When I log in with valid username and password	PASSED	0.411 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.141 s
	image		



#	Step / Hook Details	Status	Duration
			
3	Then I click on a product so i can see more details	PASSED	0.651 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image  	PASSED	0.136 s

## User Login






## Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given I am on the login page AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.431 s
	 A screenshot of a web browser displaying the Swag Labs login page. The page has a light blue header with the text "Swag Labs". Below it is a form with two input fields: "Username" and "Password", both currently empty. A green "Login" button is centered below the inputs. At the bottom of the form, there is a small table-like section titled "Accepted usernames are:" containing a list of user names: "testuser", "locked_out_user", "problem_user", "performance_glitch_user", "user1", and "user2". To the right of this table is the text "Password for all users: secret_sauce".	PASSED	0.214 s
2	When I log in with "non_existing_user" as invalid username and "secret_sauce" as password AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.380 s
	 A screenshot of the same Swag Labs login page as above, but with invalid credentials entered. The "Username" field contains "non_existing_user" and the "Password" field contains "secret_sauce". A red error message box is displayed in the center of the page with the text "Epic sadface: Username and password do not match any user in this service".	PASSED	0.093 s
3	Then I should see an error message "Epic sadface: Username and password do not match any user in this service" AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.048 s
	 A screenshot of the same Swag Labs login page as the previous row, showing the same error message: "Epic sadface: Username and password do not match any user in this service". The invalid credentials from the previous step are still present in the input fields.	PASSED	0.093 s


## Login with invalid credentials




#	Step / Hook Details	Status	Duration
1	Given I am on the login page  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image  	PASSED	0.417 s
2	When I log in with "locked_out_user" as invalid username and "secret_sauce" as password  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image  	PASSED	0.390 s
3	Then I should see an error message "Epic sadface: Sorry, this user has been locked out."  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.039 s

#	Step / Hook Details	Status	Duration
			

## Successfully Login

PASSED	DURATION - 2.863 s  / 1:17:00.992 du. // 1:17:03.855 du. /		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
User Login				


#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	0.433 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.123 s
	image		
			
2	When I log in with valid username and password	PASSED	0.452 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.152 s
	image		




#	Step / Hook Details	Status	Duration
3	Then I should be redirected to the home page	PASSED	0.007 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image  	PASSED	0.113 s



## User Logout



## SuccessFully Logout




#	Step / Hook Details	Status	Duration
1	Given I am on the login page AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.411 s
		PASSED	0.168 s
2	And I log in with valid username and password AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.490 s
		PASSED	0.184 s
3	When I should be redirected to the home page AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.006 s
		PASSED	0.098 s
4	And I click on the logout AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.695 s
		PASSED	0.100 s




#	Step / Hook Details	Status	Duration
			
5	Then I should be redirected to the login page	PASSED	0.008 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario) 	PASSED	0.085 s

## Sorting Items






## Descending order of products




#	Step / Hook Details	Status	Duration
1	Given I am on the home page AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	1.022 s
2	When I select the "Price (high to low)" of sorting AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.109 s
3	Then I see the products sorted in descending order by "inventory_item_price" AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.119 s


Descending order of products






#	Step / Hook Details	Status	Duration
1	Given I am on the home page  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image 	PASSED	0.789 s
2	When I select the "Name (Z to A)" of sorting  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image 	PASSED	0.097 s
3	Then I see the products sorted in descending order by "inventory_item_name"  AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.112 s
		PASSED	0.125 s

#	Step / Hook Details	Status	Duration
			


### Ascending order of products

PASSED	DURATION - 3.075 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:17:13.972 du. // 1:17:17.047 du. /	Sorting Items			

#	Step / Hook Details	Status	Duration
1	Given I am on the home page	PASSED	0.903 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.186 s
	image		
			
2	When I select the "Price (low to high)" of sorting	PASSED	0.105 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.109 s
	image		

#	Step / Hook Details	Status	Duration
			
3	Then I see the products sorted in ascending order by "inventory_item_price"	PASSED	0.106 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image  	PASSED	0.109 s

### Ascending order of products



#	Step / Hook Details	Status	Duration
1	Given I am on the home page	PASSED	0.858 s
	AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)  image	PASSED	0.189 s

#	Step / Hook Details	Status	Duration
2	When I select the "Name (A to Z)" of sorting AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.094 s
	<b>image</b> 	PASSED	0.106 s
3	Then I see the products sorted in ascending order by "inventory_item_name" AFTER_STEP - org.example.stepDefinitions.Hook.takeScreenShot(io.cucumber.java.Scenario)	PASSED	0.116 s
	<b>image</b> 	PASSED	0.099 s