# THIS IS A VERY IMPORTANT TITLE

Arthur First<sup>1</sup>\*, Johnny Second<sup>1,2</sup>
<sup>1</sup>Department name, Institution, country

<sup>&</sup>lt;sup>2</sup>Department name, Institution 2, country

<sup>\*</sup>Correspondence to: Arthur First, Department name, PO Box, Postal Code, City, State, Country. Tel: 000000000, Fax: 000000001, E-mail: author@nameless.domain

#### Abstract

### 1 Introduction

#### 1.1 Even more introduction

## References

- Agresti, A. (2002). Categorical data analysis. John Wiley & Sons.
- D., & Bartlett, D. (1982).Chemical specificity larvngeal apneic reflexJournal of of in puppies. Physiology, 53(2),455-462.Retrieved from http://jap.physiology.org/content/53/2/455.short
- Cowan, R. H., Jukkola, A. F., & Arant, B. S. (1980). Pathophysiologic evidence of gentamicin nephrotoxicity in neonatal puppies. *Pediatric research*, 14(11), 1204–1211. Retrieved from http://www.nature.com/pr/journal/v14/n11/abs/pr1980535a.html
- Little, R. J., & Rubin, D. B. (1987). Statistical analysis with missing data (Vol. 539). Wiley New York.
- Rubin, D. B. (2009). Multiple imputation for nonresponse in surveys (Vol. 307). Wiley. com.
- Scott, J., & Marston, M.-V. (1950). Critical periods affecting the development of normal and mal-adjustive social behavior of puppies. The Pedagogical Seminary and Journal of Genetic Psychology, 77(1), 25–60. Retrieved from http://www.tandfonline.com/doi/pdf/10.1080/08856559.1950.10533536
- Warner, S. L. (1965). Randomized response: A survey technique for eliminating answer bias. *Journal of the American Statistical Association*, 60, 63-69.