

Example Tables in L^AT_EX

Gerko Vink

November 11, 2019

1 Tables in L^AT_EX

For more detailed information on how to influence the printing location and order of a table, see the section on ‘Floating Bodies’ in the *The not so short introduction to LaTeX*, p. 41:

```
\begin{table}[!hbt]
```

h stands for here, *b* and *t* stand for bottom and top respectively and *p* gives L^AT_EX the choice to put the table in the best place. The ! before the letters forces L^AT_EX to put the table on this page at the location indicated.

To center a floating table the **centering** command must be used instead of the center environment because the latter inserts an undesired additional vertical space (see Mori, p. 8).

Table 1: This table is at the bottom, because we used !b. The exclamation mark tells L^AT_EX that we are really serious about the placement of this table.

	2000 (<i>n</i> =1308)	2002 (<i>n</i> =1760)	2004 (<i>n</i> =830)
n_1^*	388	466	197
n_2^*	920	1294	633
$\hat{\pi}_1$	0.16	0.10	0.07
95% CI	[0.13, 0.19]	[0.07, 0.13]	[0.03, 0.11]

Table 2: This table is sideways, something that not all journals accept. It is still pretty handy, though.

Slope of X in Complete Data (β_1)		Slope of X^2 in complete data (β_2)				
		0	0.25	0.5	0.75	1
0	Intercept in imputed data (α)	0	0	0	0	0
	Slope of X in imputed data (β_1)	0	0.01	0	0	0
	Slope of X^2 in imputed data (β_2)	0	0.25	0.50	0.75	1
	Residual S.D. in imputed data (σ_ϵ)	0.99	1	1	1	1
0.25	Intercept in imputed data ($\alpha_{Y,X_2}^{(m)}$)	0	0	0	0	0
	Slope of X in imputed data ($\beta_{Y,X}^{(m)}$)	0.25	0.25	0.25	0.25	0.24
	Slope of X^2 in imputed data ($\beta_{Y,2}^{(m)}$)	-0.01	0.25	0.50	0.75	1
	Residual S.D. in imputed data (σ_ϵ)	1	1	1	1	1
0.5	Intercept in imputed data (α)	0	0	0	0	0
	Slope of X in imputed data (β_1)	0.50	0.50	0.50	0.50	0.50
	Slope of X^2 in imputed data (β_2)	-0.01	0.25	0.50	0.75	1
	Residual S.D. in imputed data (σ_ϵ)	1	1	1	1	1
0.75	Intercept in imputed data (α)	0	0	0	0	0
	Slope of X in imputed data (β_1)	0.75	0.75	0.75	0.75	0.75
	Slope of X^2 in imputed data (β_2)	0	0.25	0.50	0.75	1
	Residual S.D. in imputed data (σ_ϵ)	0.99	1	0.99	1	1
1	Intercept in imputed data (α)	0	0	0	0	0
	Slope of X in imputed data (β_1)	1	1	0.99	1	1
	Slope of X^2 in imputed data (β_2)	0	0.25	0.50	0.75	1
	Residual S.D. in imputed data (σ_ϵ)	1	1	1	1	1

	Missingness Mechanism				
	MCAR	MARleft	MARmid	MARtail	MARright
<i>Polynomial combination</i>					
Intercept (α)	0	-0.01	-0.01	-0.05	-0.07
Slope of X (β_1)	1	1	1	0.96	0.96
Slope of X^2 (β_2)	1	1	1.01	1.06	1.09
Residual SD (σ_ϵ)	1	1	1	1.03	1.05
R^2	0.75	0.75	0.75	0.73	0.73
<i>Impute, then transform</i>					
Intercept (α)	0.39	0.29	0.26	0.52	0.56
Slope of X (β_1)	0.93	0.94	0.87	1.01	1.06
Slope of X^2 (β_2)	0.61	0.60	0.67	0.56	0.66
Residual SD (σ_ϵ)	1.48	1.44	1.41	1.56	1.62
R^2	0.45	0.48	0.5	0.39	0.34
<i>Passive imputation</i>					
Intercept (α)	0.39	0.29	0.26	0.52	0.56
Slope of X (β_1)	0.93	0.94	0.87	1.01	1.05
Slope of X^2 (β_2)	0.61	0.60	0.68	0.56	0.66
Residual SD (σ_ϵ)	1.48	1.45	1.41	1.57	1.62
R^2	0.45	0.48	0.50	0.38	0.34
<i>Transform, then impute</i>					
Intercept (α)	0	0.19	-0.13	0.01	-0.05
Slope of X (β_1)	1	0.91	0.97	1.14	1.32
Slope of X^2 (β_2)	1	0.91	0.95	1.14	1.32
Residual SD (σ_ϵ)	1	0.95	1	1.06	1.15
R^2	0.75	0.77	0.75	0.72	0.67

Table 3: This table is a bit more complex, with a lot of visual typesetting by hand. It is very easy to create this table, though. And the caption is at the bottom of the table.

Table 4: This table is horribly wrong. It does not fit on the page. Maybe rotating it would solve it, but we may also make the table a bit smaller. The table uses an interesting scheme of multiple rows and columns. Also the caption is at the top of the table. That is nice.

		2-Part				BGLoM				PMM					
	pm	mar	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias
Y ₁	0.3	Left	0.00	0.96	0.55	0.30	-0.38	0.20	0.56	0.38	-0.01	0.97	0.55	0.30	0.1
	0.3	Mid	-0.04	0.95	0.55	0.31	-0.08	0.97	0.58	0.32	-0.01	0.94	0.51	0.30	-0.0
	0.3	Right	-0.02	0.96	0.53	0.31	0.05	0.99	0.80	0.29	-0.01	0.93	0.49	0.30	-0.1
	0.3	Tail	0.02	0.95	0.50	0.30	-0.13	0.91	0.58	0.33	-0.02	0.94	0.49	0.30	0.0
	0.5	Left	0.03	0.99	0.55	0.49	-0.19	0.79	0.53	0.54	0.00	0.95	0.53	0.50	0.1
	0.5	Mid	0.03	0.93	0.58	0.49	0.01	0.94	0.61	0.50	0.00	0.89	0.54	0.50	0.0
	0.5	Right	-0.02	0.95	0.59	0.50	0.13	0.96	0.95	0.46	0.00	0.95	0.55	0.50	-0.1
	0.5	Tail	-0.01	0.95	0.52	0.50	0.01	0.90	0.58	0.50	0.00	0.97	0.52	0.50	-0.0
Y ₂	0.3	Left	0.00	0.95	0.35	0.30	-0.20	0.34	0.34	0.38	-0.01	0.91	0.34	0.30	0.1
	0.3	Mid	-0.03	0.96	0.36	0.31	-0.04	0.97	0.40	0.32	0.00	0.97	0.34	0.30	-0.0
	0.3	Right	-0.02	0.94	0.37	0.31	-0.01	0.96	0.68	0.29	0.00	0.91	0.36	0.30	-0.0
	0.3	Tail	0.00	0.96	0.33	0.30	-0.07	0.91	0.39	0.33	-0.02	0.92	0.33	0.30	0.0
	0.5	Left	0.02	0.98	0.33	0.49	-0.10	0.83	0.32	0.54	0.00	0.98	0.33	0.50	0.0
	0.5	Mid	0.01	0.97	0.36	0.49	0.00	0.91	0.38	0.50	0.00	0.90	0.34	0.50	0.0
	0.5	Right	-0.01	0.98	0.40	0.50	0.05	1.00	0.84	0.46	0.00	0.96	0.38	0.50	-0.1
	0.5	Tail	-0.01	0.94	0.35	0.50	0.00	0.99	0.41	0.50	0.00	0.94	0.34	0.50	-0.0
Y ₃	0.3	Left	0.00	0.94	0.18	0.30	-0.06	0.69	0.17	0.38	0.00	0.94	0.17	0.30	0.0
	0.3	Mid	-0.01	0.96	0.20	0.31	-0.01	0.99	0.25	0.32	0.00	0.97	0.18	0.30	0.0
	0.3	Right	-0.02	0.85	0.20	0.31	-0.01	1.00	0.55	0.29	0.00	0.96	0.22	0.30	0.0
	0.3	Tail	-0.01	0.94	0.18	0.30	-0.02	0.99	0.22	0.33	-0.01	0.86	0.18	0.30	0.0
	0.5	Left	0.00	0.98	0.16	0.49	-0.03	0.82	0.14	0.54	0.00	0.96	0.15	0.50	0.0
	0.5	Mid	0.01	0.93	0.18	0.49	0.00	0.97	0.21	0.50	0.00	0.94	0.16	0.50	0.0
	0.5	Right	-0.01	0.88	0.20	0.50	0.00	1.00	0.78	0.46	0.00	0.86	0.19	0.50	0.0
	0.5	Tail	-0.01	0.91	0.17	0.50	0.01	1.00	0.27	0.50	0.00	0.92	0.17	0.50	0.0

		2-Part				BGLoM				PMM				MI				IRMI				
	pm	mar	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero
Y ₁	0.3	Left	0.00	0.96	0.55	0.30	-0.38	0.20	0.56	0.38	-0.01	0.97	0.55	0.30	0.19	0.88	0.81	0.26	-0.04	0.79	0.44	0.31
	0.3	Mid	-0.04	0.95	0.55	0.31	-0.08	0.97	0.58	0.32	-0.01	0.94	0.51	0.30	-0.05	0.91	0.62	0.32	0.07	0.86	0.43	0.29
	0.3	Right	-0.02	0.96	0.53	0.31	0.05	0.99	0.80	0.29	-0.01	0.93	0.49	0.30	-0.10	0.84	0.60	0.32	0.03	0.91	0.43	0.29
	0.3	Tail	0.02	0.95	0.50	0.30	-0.13	0.91	0.58	0.33	-0.02	0.94	0.49	0.30	0.03	0.95	0.60	0.29	-0.02	0.90	0.44	0.31
	0.5	Left	0.03	0.99	0.55	0.49	-0.19	0.79	0.53	0.54	0.00	0.95	0.53	0.50	0.13	0.93	0.67	0.47	-0.09	0.79	0.46	0.52
	0.5	Mid	0.03	0.93	0.58	0.49	0.01	0.94	0.61	0.50	0.00	0.89	0.54	0.50	0.01	0.95	0.65	0.50	0.02	0.82	0.46	0.50
0.5	Right	-0.02	0.95	0.59	0.50	0.13	0.96	0.95	0.46	0.00	0.95	0.55	0.50	-0.19	0.85	0.79	0.53	0.04	0.89	0.45	0.49	
0.5	Tail	-0.01	0.95	0.52	0.50	0.01	0.90	0.58	0.50	0.00	0.97	0.52	0.50	-0.03	0.94	0.58	0.50	-0.01	0.94	0.46	0.50	
Y ₂	0.3	Left	0.00	0.95	0.35	0.30	-0.20	0.34	0.34	0.38	-0.01	0.91	0.34	0.30	0.10	0.90	0.44	0.26	-0.02	0.90	0.29	0.31
	0.3	Mid	-0.03	0.96	0.36	0.31	-0.04	0.97	0.40	0.32	0.00	0.97	0.34	0.30	-0.01	0.95	0.43	0.32	0.04	0.86	0.28	0.29
	0.3	Right	-0.02	0.94	0.37	0.31	-0.01	0.96	0.68	0.29	0.00	0.91	0.36	0.30	-0.06	0.91	0.51	0.32	0.01	0.84	0.27	0.29
	0.3	Tail	0.00	0.96	0.33	0.30	-0.07	0.91	0.39	0.33	-0.02	0.92	0.33	0.30	0.02	0.95	0.44	0.29	-0.01	0.90	0.28	0.31
	0.5	Left	0.02	0.98	0.33	0.49	-0.10	0.83	0.32	0.54	0.00	0.98	0.33	0.50	0.06	0.93	0.42	0.47	-0.04	0.80	0.29	0.52
	0.5	Mid	0.01	0.97	0.36	0.49	0.00	0.91	0.38	0.50	0.00	0.90	0.34	0.50	0.02	0.92	0.41	0.50	0.02	0.88	0.29	0.50
0.5	Right	-0.01	0.98	0.40	0.50	0.05	1.00	0.84	0.46	0.00	0.96	0.38	0.50	-0.13	0.76	0.53	0.53	0.01	0.87	0.27	0.49	
0.5	Tail	-0.01	0.94	0.35	0.50	0.00	0.99	0.41	0.50	0.00	0.94	0.34	0.50	-0.02	0.95	0.41	0.50	0.00	0.94	0.28	0.50	
Y ₃	0.3	Left	0.00	0.94	0.18	0.30	-0.06	0.69	0.17	0.38	0.00	0.94	0.17	0.30	0.02	1.00	0.11	0.26	-0.01	0.96	0.15	0.31
	0.3	Mid	-0.01	0.96	0.20	0.31	-0.01	0.99	0.25	0.32	0.00	0.97	0.18	0.30	0.02	0.99	0.16	0.32	0.01	0.91	0.15	0.29
	0.3	Right	-0.02	0.85	0.20	0.31	-0.01	1.00	0.55	0.29	0.00	0.96	0.22	0.30	0.03	0.99	0.31	0.32	-0.02	0.76	0.13	0.29
	0.3	Tail	-0.01	0.94	0.18	0.30	-0.02	0.99	0.22	0.33	-0.01	0.86	0.18	0.30	0.03	0.99	0.20	0.29	-0.01	0.85	0.14	0.31
	0.5	Left	0.00	0.98	0.16	0.49	-0.03	0.82	0.14	0.54	0.00	0.96	0.15	0.50	0.01	0.96	0.07	0.47	-0.01	0.88	0.13	0.52
	0.5	Mid	0.01	0.93	0.18	0.49	0.00	0.97	0.21	0.50	0.00	0.94	0.16	0.50	0.02	0.97	0.13	0.50	0.01	0.87	0.14	0.50
0.5	Right	-0.01	0.88	0.20	0.50	0.00	1.00	0.78	0.46	0.00	0.86	0.19	0.50	0.02	0.97	0.25	0.53	-0.02	0.74	0.11	0.49	
0.5	Tail	-0.01	0.91	0.17	0.50	0.01	1.00	0.27	0.50	0.00	0.92	0.17	0.50	0.02	0.99	0.21	0.50	-0.01	0.88	0.13	0.50	

Table 5: This table is alright, although a bit small. Also the caption is at the bottom of the table. Isn't it cool?

	pm	mar	2-Part						BGLoM						PMM						MI						IRMI					
			bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero		
Y_1	0.3	Left	0.00	0.96	0.55	0.30	-0.38	0.20	0.56	0.38	-0.01	0.97	0.55	0.30	0.19	0.88	0.81	0.26	-0.04	0.79	0.44	0.31	-0.04	0.79	0.44	0.31	-0.04	0.79	0.44	0.31		
	0.3	Mid	-0.04	0.95	0.55	0.31	-0.08	0.97	0.58	0.32	-0.01	0.94	0.51	0.30	-0.05	0.91	0.62	0.32	0.07	0.86	0.43	0.29	0.07	0.86	0.43	0.29	0.07	0.86	0.43	0.29		
	0.3	Right	-0.02	0.96	0.53	0.31	0.05	0.99	0.80	0.29	-0.01	0.93	0.49	0.30	-0.10	0.84	0.60	0.32	0.03	0.91	0.43	0.29	0.03	0.91	0.43	0.29	0.03	0.91	0.43	0.29		
	0.3	Tail	0.02	0.95	0.50	0.30	-0.13	0.91	0.58	0.33	-0.02	0.94	0.49	0.30	0.03	0.95	0.60	0.29	-0.02	0.90	0.44	0.31	-0.02	0.90	0.44	0.31	-0.02	0.90	0.44	0.31		
	0.5	Left	0.03	0.99	0.55	0.49	-0.19	0.79	0.53	0.54	0.00	0.95	0.53	0.50	0.13	0.93	0.67	0.47	-0.09	0.79	0.46	0.52	-0.09	0.79	0.46	0.52	-0.09	0.79	0.46	0.52		
Y_2	0.5	Mid	0.03	0.93	0.58	0.49	0.01	0.94	0.61	0.50	0.00	0.89	0.54	0.50	0.01	0.95	0.65	0.50	0.02	0.82	0.46	0.50	0.02	0.82	0.46	0.50	0.02	0.82	0.46	0.50		
	0.5	Right	-0.02	0.95	0.59	0.50	0.13	0.96	0.95	0.46	0.00	0.95	0.55	0.50	-0.19	0.85	0.79	0.53	0.04	0.89	0.45	0.49	0.04	0.89	0.45	0.49	0.04	0.89	0.45	0.49		
	0.5	Tail	-0.01	0.95	0.52	0.50	0.01	0.90	0.58	0.50	0.00	0.97	0.52	0.50	-0.03	0.94	0.58	0.50	-0.01	0.94	0.46	0.50	-0.01	0.94	0.46	0.50	-0.01	0.94	0.46	0.50		
	0.3	Left	0.00	0.95	0.35	0.30	-0.20	0.34	0.34	0.38	-0.01	0.91	0.34	0.30	0.10	0.90	0.44	0.26	-0.02	0.90	0.29	0.31	-0.02	0.90	0.29	0.31	-0.02	0.90	0.29	0.31		
	0.3	Mid	-0.03	0.96	0.36	0.31	-0.04	0.97	0.40	0.32	0.00	0.97	0.34	0.30	-0.01	0.95	0.43	0.32	0.04	0.86	0.28	0.29	0.04	0.86	0.28	0.29	0.04	0.86	0.28	0.29		
Y_3	0.3	Right	-0.02	0.94	0.37	0.31	-0.01	0.96	0.68	0.29	0.00	0.91	0.36	0.30	-0.06	0.91	0.51	0.32	0.01	0.84	0.27	0.29	0.01	0.84	0.27	0.29	0.01	0.84	0.27	0.29		
	0.3	Tail	0.00	0.96	0.33	0.30	-0.07	0.91	0.39	0.33	-0.02	0.92	0.33	0.30	0.02	0.95	0.44	0.29	-0.01	0.90	0.28	0.31	-0.01	0.90	0.28	0.31	-0.01	0.90	0.28	0.31		
	0.5	Left	0.02	0.98	0.33	0.49	-0.10	0.83	0.32	0.54	0.00	0.98	0.33	0.50	0.06	0.93	0.42	0.47	-0.04	0.80	0.29	0.52	-0.04	0.80	0.29	0.52	-0.04	0.80	0.29	0.52		
	0.5	Mid	0.01	0.97	0.36	0.49	0.00	0.91	0.38	0.50	0.00	0.90	0.34	0.50	0.02	0.92	0.41	0.50	0.02	0.88	0.29	0.50	0.02	0.88	0.29	0.50	0.02	0.88	0.29	0.50		
	0.5	Right	-0.01	0.98	0.40	0.50	0.05	1.00	0.84	0.46	0.00	0.96	0.38	0.50	-0.13	0.76	0.53	0.53	0.01	0.87	0.27	0.49	0.01	0.87	0.27	0.49	0.01	0.87	0.27	0.49		
Y_4	0.5	Tail	-0.01	0.94	0.35	0.50	0.00	0.99	0.41	0.50	0.00	0.94	0.34	0.50	-0.02	0.95	0.41	0.50	0.00	0.94	0.28	0.50	0.00	0.94	0.28	0.50	0.00	0.94	0.28	0.50		
	0.3	Left	0.00	0.94	0.18	0.30	-0.06	0.69	0.17	0.38	0.00	0.94	0.17	0.30	0.02	1.00	0.11	0.26	-0.01	0.96	0.15	0.31	-0.01	0.96	0.15	0.31	-0.01	0.96	0.15	0.31		
	0.3	Mid	-0.01	0.96	0.20	0.31	-0.01	0.99	0.25	0.32	0.00	0.97	0.18	0.30	0.02	0.99	0.16	0.32	0.01	0.91	0.15	0.29	0.01	0.91	0.15	0.29	0.01	0.91	0.15	0.29		
	0.3	Right	-0.02	0.85	0.20	0.31	-0.01	1.00	0.55	0.29	0.00	0.96	0.22	0.30	0.03	0.99	0.31	0.32	-0.02	0.76	0.13	0.29	-0.02	0.76	0.13	0.29	-0.02	0.76	0.13	0.29		
	0.3	Tail	-0.01	0.94	0.18	0.30	-0.02	0.99	0.22	0.33	-0.01	0.86	0.18	0.30	0.03	0.99	0.20	0.29	-0.01	0.85	0.14	0.31	-0.01	0.85	0.14	0.31	-0.01	0.85	0.14	0.31		
Y_5	0.5	Left	0.00	0.98	0.16	0.49	-0.03	0.82	0.14	0.54	0.00	0.96	0.15	0.50	0.01	0.96	0.07	0.47	-0.01	0.88	0.13	0.52	-0.01	0.88	0.13	0.52	-0.01	0.88	0.13	0.52		
	0.5	Mid	0.01	0.93	0.18	0.49	0.00	0.97	0.21	0.50	0.00	0.94	0.16	0.50	0.02	0.97	0.13	0.50	0.01	0.87	0.14	0.50	0.01	0.87	0.14	0.50	0.01	0.87	0.14	0.50		
	0.5	Right	-0.01	0.88	0.20	0.50	0.00	1.00	0.78	0.46	0.00	0.86	0.19	0.50	0.02	0.97	0.25	0.53	-0.02	0.74	0.11	0.49	-0.02	0.74	0.11	0.49	-0.02	0.74	0.11	0.49		
	0.5	Tail	-0.01	0.91	0.17	0.50	0.01	1.00	0.27	0.50	0.00	0.92	0.17	0.50	0.02	0.99	0.21	0.50	-0.01	0.88	0.13	0.50	-0.01	0.88	0.13	0.50	-0.01	0.88	0.13	0.50		
	0.5	Tail	-0.01	0.91	0.17	0.50	0.01	1.00	0.27	0.50	0.00	0.92	0.17	0.50	0.02	0.99	0.21	0.50	-0.01	0.88	0.13	0.50	-0.01	0.88	0.13	0.50	-0.01	0.88	0.13	0.50		

57

Table 6: This table looks alright, but is too wide and extends beyond the printable margins of your document.

	pm	mar	2-Part			BGLoM			PMM			MI			IRMI							
			bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero	bias	cov	ciw	zero				
Y ₁	0.3	Left	0.00	0.96	0.55	0.30	-0.38	0.20	0.56	0.38	-0.01	0.97	0.55	0.30	0.19	0.88	0.81	0.26	-0.04	0.79	0.44	0.31
	0.3	Mid	-0.04	0.95	0.55	0.31	-0.08	0.97	0.58	0.32	-0.01	0.94	0.51	0.30	-0.05	0.91	0.62	0.32	0.07	0.86	0.43	0.29
	0.3	Right	-0.02	0.96	0.53	0.31	0.05	0.99	0.80	0.29	-0.01	0.93	0.49	0.30	-0.10	0.84	0.60	0.32	0.03	0.91	0.43	0.29
	0.3	Tail	0.02	0.95	0.50	0.30	-0.13	0.91	0.58	0.33	-0.02	0.94	0.49	0.30	0.03	0.95	0.60	0.29	-0.02	0.90	0.44	0.31
	0.5	Left	0.03	0.99	0.55	0.49	-0.19	0.79	0.53	0.54	0.00	0.95	0.53	0.50	0.13	0.93	0.67	0.47	-0.09	0.79	0.46	0.52
Y ₂	0.5	Mid	0.03	0.93	0.58	0.49	0.01	0.94	0.61	0.50	0.00	0.89	0.54	0.50	0.01	0.95	0.65	0.50	0.02	0.82	0.46	0.50
	0.5	Right	-0.02	0.95	0.59	0.50	0.13	0.96	0.95	0.46	0.00	0.95	0.55	0.50	-0.19	0.85	0.79	0.53	0.04	0.89	0.45	0.49
	0.5	Tail	-0.01	0.95	0.52	0.50	0.01	0.90	0.58	0.50	0.00	0.97	0.52	0.50	-0.03	0.94	0.58	0.50	-0.01	0.94	0.46	0.50
	0.3	Left	0.00	0.95	0.35	0.30	-0.20	0.34	0.34	0.38	-0.01	0.91	0.34	0.30	0.10	0.90	0.44	0.26	-0.02	0.90	0.29	0.31
	0.3	Mid	-0.03	0.96	0.36	0.31	-0.04	0.97	0.40	0.32	0.00	0.97	0.34	0.30	-0.01	0.95	0.43	0.32	0.04	0.86	0.28	0.29
Y ₃	0.3	Right	-0.02	0.94	0.37	0.31	-0.01	0.96	0.68	0.29	0.00	0.91	0.36	0.30	-0.06	0.91	0.51	0.32	0.01	0.84	0.27	0.29
	0.3	Tail	0.00	0.96	0.33	0.30	-0.07	0.91	0.39	0.33	-0.02	0.92	0.33	0.30	0.02	0.95	0.44	0.29	-0.01	0.90	0.28	0.31
	0.5	Left	0.02	0.98	0.33	0.49	-0.10	0.83	0.32	0.54	0.00	0.98	0.33	0.50	0.06	0.93	0.42	0.47	-0.04	0.80	0.29	0.52
	0.5	Mid	0.01	0.97	0.36	0.49	0.00	0.91	0.38	0.50	0.00	0.90	0.34	0.50	0.02	0.92	0.41	0.50	0.02	0.88	0.29	0.50
	0.5	Right	-0.01	0.98	0.40	0.50	0.05	1.00	0.84	0.46	0.00	0.96	0.38	0.50	-0.13	0.76	0.53	0.53	0.01	0.87	0.27	0.49
Y ₃	0.5	Tail	-0.01	0.94	0.35	0.50	0.00	0.99	0.41	0.50	0.00	0.94	0.34	0.50	-0.02	0.95	0.41	0.50	0.00	0.94	0.28	0.50
	0.3	Left	0.00	0.94	0.18	0.30	-0.06	0.69	0.17	0.38	0.00	0.94	0.17	0.30	0.02	1.00	0.11	0.26	-0.01	0.96	0.15	0.31
	0.3	Mid	-0.01	0.96	0.20	0.31	-0.01	0.99	0.25	0.32	0.00	0.97	0.18	0.30	0.02	0.99	0.16	0.32	0.01	0.91	0.15	0.29
	0.3	Right	-0.02	0.85	0.20	0.31	-0.01	1.00	0.55	0.29	0.00	0.96	0.22	0.30	0.03	0.99	0.31	0.32	-0.02	0.76	0.13	0.29
	0.3	Tail	-0.01	0.94	0.18	0.30	-0.02	0.99	0.22	0.33	-0.01	0.86	0.18	0.30	0.03	0.99	0.20	0.29	-0.01	0.85	0.14	0.31
Y ₃	0.5	Left	0.00	0.98	0.16	0.49	-0.03	0.82	0.14	0.54	0.00	0.96	0.15	0.50	0.01	0.96	0.07	0.47	-0.01	0.88	0.13	0.52
	0.5	Mid	0.01	0.93	0.18	0.49	0.00	0.97	0.21	0.50	0.00	0.94	0.16	0.50	0.02	0.97	0.13	0.50	0.01	0.87	0.14	0.50
	0.5	Right	-0.01	0.88	0.20	0.50	0.00	1.00	0.78	0.46	0.00	0.86	0.19	0.50	0.02	0.97	0.25	0.53	-0.02	0.74	0.11	0.49
	0.5	Tail	-0.01	0.91	0.17	0.50	0.01	1.00	0.27	0.50	0.00	0.92	0.17	0.50	0.02	0.99	0.21	0.50	-0.01	0.88	0.13	0.50

Table 7: This table is definitely alright! Well done!

	age	bmi	hyp	chl
1	1.00			
2	2.00	22.70	1.00	187.00
3	1.00		1.00	187.00
4	3.00			
5	1.00	20.40	1.00	113.00
6	3.00			184.00
7	1.00	22.50	1.00	118.00
8	1.00	30.10	1.00	187.00
9	2.00	22.00	1.00	238.00
10	2.00			
11	1.00			
12	2.00			
13	3.00	21.70	1.00	206.00
14	2.00	28.70	2.00	204.00
15	1.00	29.60	1.00	
16	1.00			
17	3.00	27.20	2.00	284.00
18	2.00	26.30	2.00	199.00
19	1.00	35.30	1.00	218.00
20	3.00	25.50	2.00	
21	1.00			
22	1.00	33.20	1.00	229.00
23	1.00	27.50	1.00	131.00
24	3.00	24.90	1.00	
25	2.00	27.40	1.00	186.00