Riansares 4R — hypothetical consultation cases to broaden coverage

Provenance notice for ALL cases

All cases C-01 to C-12 are hypothetical and fictional. They do not represent work completed, clients served, quotations issued or results achieved by Riansares 4R. Their purpose is to help explain common renovation questions and decisions. Every solution requires verification of the real case.

C-01 — Kitchen with a leak and damaged cabinets (hypothetical)

Question: “A pipe has broken behind the kitchen cabinets; must I replace them all?”

Guidance: Shut off the water supply, assess safety, repair and verify the pipe, inspect moisture and cabinet condition. Replace only damaged elements or those the owner chooses to renew; there is no general technical obligation to replace every cabinet. Document damage for insurance where appropriate.

C-02 — Kitchen renovation and tiles (hypothetical)

Question: “I have old leaks, want to renovate and then replace tiles. In what order?”

Guidance: Leak diagnosis; define water, drainage and electricity routes; necessary repair or renewal; watertightness tests; substrate repair and preparation; wall tiling and cabinet installation. Assess an itemised quotation without inventing floor area.

C-03 — Kitchen with new appliances (hypothetical)

Question: “If I renovate the plumbing, can I install a new oven and dishwasher?”

Guidance: Yes, as an optional part of renovation, checking dimensions, water connections, drainage, ventilation and appropriate electrical circuits. Replacing pipes does not make appliance replacement compulsory.

C-04 — Windowless bathroom with recurring mould (hypothetical)

Question: “I clean mould from the ceiling, but it returns. Should I repaint?”

Guidance: Diagnose moisture and ventilation; repair any leak; review extractor and substrate. Cleaning and painting without moisture control may fail. EPA.

C-05 — Narrow bathroom with toilet relocation (hypothetical)

Question: “Can I turn the toilet to gain space?”

Guidance: Measure distances, drain, gradient, stack, floor level and access; establish feasibility before promising a change. Building work and drainage alterations may be required.

C-06 — Old wall with salt deposits (hypothetical)

Question: “Should I put lime mortar on a wall with salts?”

Guidance: Locate the moisture source, clean and prepare a compatible substrate, assess salts and drying before choosing the finish. Lime mortar does not eliminate water entry.

C-07 — Patio sloping towards a door (hypothetical)

Question: “Water enters when it rains after laying tiles. What should I check?”

Guidance: Levels, gradient, drain, threshold, gutters and junctions. Avoid solutions that raise water even further beside the door.

C-08 — Office work during business hours (hypothetical)

Question: “Can we renovate the toilets without stopping office activity?”

Guidance: Plan phases, service interruptions, isolated zones, user safety and alternative toilets; feasibility depends on occupancy and technical requirements.

C-09 — Commercial premises with a partition to remove (hypothetical)

Question: “I want to remove a wall to enlarge my shop.”

Guidance: First assess stability, services, escape routes, licensing and accessibility. Do not determine load-bearing status from a verbal description.

C-10 — Pool water leak (hypothetical)

Question: “The pool loses water; is painting the shell enough?”

Guidance: No; first determine whether loss comes from evaporation, hydraulic systems, joints or shell lining. Do not promise that paint repairs leaks.

C-11 — Home renovation with occupants (hypothetical)

Question: “We must live in the flat while renovating the kitchen and bathroom.”

Guidance: Agree phases, interruptions, access, dust, temporary storage and available toilets. Work is more complex in an occupied property. NAHB.

C-12 — Quotation priced per square metre (hypothetical)

Question: “How much does renovating 80 m² cost, with no other information?”

Guidance: Do not provide a fixed figure; ask about layout, services condition, quality levels, access, location and scope. If using a documented example, identify its date and state that it is not a current rate.