

Ảnh 1 (phpMyAdmin):

The screenshot shows the phpMyAdmin interface connected to the 'cse485_web' database. The left sidebar lists databases like 'information_schema', 'mysql', 'performance_schema', 'phpmyadmin', 'qslv', and 'test'. The 'sinhvien' table is selected in the central workspace. The table has columns: id, ten_sinh_vien, email, and ngay_tao. Three rows are displayed with IDs 1, 2, and 3, corresponding to the data shown in the 'Kết quả truy vấn các thao tác' (Execution results) section.

ID	Tên Sinh Viên	Email	Ngày Tạo
1	a	ducnguyen2005105@gmail.com	2025-11-28 21:01:04
2	a	ducnguyen2005105@gmail.com	2025-11-28 21:01:08
3	gerNguyen	abc@gmail.com	2025-11-28 21:35:22

Ảnh 2 (Trình duyệt Web):

The screenshot shows a web application titled 'Thêm Sinh Viên Mới (Chủ đề 4.3)'. On the left, there is a form to add a new student with fields for 'Tên sinh viên' and 'Email', and a 'Thêm' button. On the right, there is a table titled 'Danh Sách Sinh Viên (Chủ đề 4.2)' displaying the same data as the phpMyAdmin screenshot. The table has columns: ID, Tên Sinh Viên, Email, and Ngày Tạo.

ID	Tên Sinh Viên	Email	Ngày Tạo
3	gerNguyen	abc@gmail.com	2025-11-28 21:35:22
2	a	ducnguyen2005105@gmail.com	2025-11-28 21:01:08
1	a	ducnguyen2005105@gmail.com	2025-11-28 21:01:04

Câu hỏi Phản biện:

Người dùng có thể thay đổi giá trị GET trên URL không? Điều gì xảy ra nếu chương trình không kiểm tra dữ liệu GET?