



C *The Crochet Cap Blueprint™*

MAIN PATTERN COLLECTION

THE CROCHET CAP BLUEPRINT

Five complete, from-scratch crochet patterns - three full-size caps and two quick accessory projects - written step-by-step for confident beginners and beyond.



- ✓ Read-this-first guide to hooks, yarn, gauge, and every abbreviation used
- ✓ Classic Crochet Visor Cap - the base construction every other pattern builds on
- ✓ Sunflower Motif Crown Cap - appliqué flowers over an open lattice crown
- ✓ Floral Lace Openwork Visor - a lightweight fan-stitch summer style
- ✓ Bonus mini-patterns: keychain flower, baby booties, hair clip and jewelry motifs

Pattern collection - Main product

2026 edition



Main product of the collection

Contents



1. Getting Started

Hooks, yarn, gauge & abbreviations

3



2. Pattern 1

Classic Crochet Visor Cap

6



3. Pattern 2

Sunflower Motif Crown Cap

10



4. Pattern 3

Floral Lace Openwork Visor

12



5. Bonus Mini-Patterns

Keychains, booties, jewelry & hair clips

14



6. Finishing

Blocking, stiffening & fixing common mistakes

16

Every pattern in this book shares the same crown construction, so once you make Pattern 1 the other two go twice as fast. Read Getting Started in full before you pick up your hook - it explains the gauge check that keeps every cap fitting properly, no matter which yarn weight you use.



Hooks, Yarn, Gauge & Abbreviations

Everything you need to know before you make your first stitch - part 1 of 3.

Every pattern in this collection is written in US crochet terms and builds from the same flat-circle crown. Get comfortable with the abbreviations and the gauge swatch below and you will be able to follow - and resize - every pattern in this book.



WHAT YOU'LL NEED



Yarn: DK or worsted weight (US #3-#4) cotton or cotton-blend for warm-weather caps; acrylic or wool-blend worsted for cooler climates. Cotton holds its shape best for visors.



Hook: 4.0-4.5mm (US G/6-7) for worsted weight. Go down half a size if your stitches look loose.



Notions: Stitch markers, yarn needle, sharp scissors, tape measure.



Optional: Plastic canvas or heavy fusible interfacing (for a crisp, structured visor), fabric glue, small beads or tassels for the drop-tie details shown in Patterns 1-2.



Abbreviations Used in This Book

Part 2 of 3 - keep this page open while you work every pattern.



ABBREV.	MEANING
ch	chain
sl st	slip stitch
sc	single crochet
hdc	half double crochet
dc	double crochet
tr	treble crochet
MR	magic ring (adjustable ring)
inc	increase, 2 stitches worked into the same stitch
dec	invisible decrease, 2 stitches worked together as one
st(s)	stitch(es)
rnd	round
sp	space
BLO / FLO	back loop only / front loop only
[]	repeat the instructions inside the brackets the stated number of times
()	total stitch count at the end of the round



Gauge & Reading a Pattern

Part 3 of 3 – the two checks that make every pattern in this book fit.



GAUGE SWATCH - DON'T SKIP THIS

Every crown in this book is built the same way: start with a magic ring and increase by 6 stitches every round until the flat circle matches the size you need, then work even (no more increases) for the sides. Before you start a full cap, crochet a small flat circle through round 6 with your yarn and hook, lay it flat and measure the diameter. If it is smaller than 4in / 10cm, go up a hook size; if it is bigger, go down. This one check is what keeps every pattern below fitting properly regardless of the exact yarn you use.

READING THE ROUND-BY-ROUND INSTRUCTIONS

Each pattern below is written round by round. The number in parentheses at the end of a round is the total stitch count you should have when that round is complete - use it to check your work before moving on. If your count is off, undo back to the last round where it matched and re-count before continuing; crochet unravels cleanly, so this always costs less time than pushing forward with a mistake buried in the work.



Classic Crochet Visor Cap

The base construction every other pattern in this book builds on - crown, part 1 of 2.



Finished size: Adult, one size (fits ~21-23in / 53-58cm head)

Yarn: ~150g worsted weight cotton

Hook: 4.0mm (US G/6)

Gauge: Rnd 1-6 circle = 4in / 10cm diameter



CROWN (WORKED IN THE ROUND)

Rnd 1: MR, ch 1, 6 sc into ring. Pull tail to close. (6)

Rnd 2: inc in each st around. (12)

Rnd 3: [sc, inc] rep around. (18)

Rnd 4: [sc 2, inc] rep around. (24)

Rnd 5: [sc 3, inc] rep around. (30)

Rnd 6: [sc 4, inc] rep around. (36)



Make a magic ring (MR), ch 1, then work 6 sc into the ring.



Pull the tail to close the ring.



Rnd 2: inc in each st around. (12)



Rnd 3: [sc, inc] rep around. (18)



Rnd 4: [sc 2, inc] rep around. (24)



Rnd 5: [sc 3, inc] rep around. (30)

Classic Crochet Visor Cap

Crown, part 2 of 2 - continued from the previous page.

CROWN (WORKED IN THE ROUND), CONTINUED

Rnd 7: [sc 5, inc] rep around. (42)

Rnd 8: [sc 6, inc] rep around. (48)

Rnd 9: [sc 7, inc] rep around. (54)

Rnd 10: [sc 8, inc] rep around. (60)

Rnd 11-12 (check-and-adjust): Lay the crown flat. It should measure roughly 6.5-7in / 16.5-18cm across. If it is smaller, repeat the increase pattern one more round (adding 6 sts, one more plain stitch between increases) before moving on; if it already matches, work these two rounds even (sc in every st, no increases) instead. (60)



Classic Crochet Visor Cap

Sides / band and front opening.

SIDES / BAND (WORKED EVEN, NO MORE INCREASES)

- Rnd 13-17:** sc in every st around, 5 rounds total. This forms the fitted band that sits on the head. (60)



FITTING NOTE

This is the point to try the cap on (or measure against the wearer's head). If it feels loose, switch to a hook 0.5mm smaller for the remaining band rounds; if it is tight, size up 0.5mm. Cotton has very little stretch, so it is worth adjusting here rather than after the brim is attached.

FRONT OPENING (FOR THE DROP-TASSEL DETAIL)

On the final band round, mark the center-back stitch with a stitch marker - this is your reference point for placing the brim in the next step, and it is also where the decorative tie or tassel drop shown in the reference photos is attached once the cap is finished.



Insert hook into next stitch.



Yarn over and pull up a loop.



Yarn over and pull through both loops on hook. (sc made)



Classic Crochet Visor Cap

Brim / visor, worked flat in rows across the front third of the band.

BRIM / VISOR

- Row 1:** With the band right side up, count 20 sts centered on the front (opposite the center-back marker). Join yarn in the first of these 20 sts. Ch 2 (counts as first hdc), hdc in same st and each st across. (20)
- Row 2:** Ch 2, turn. dec, hdc across to last 2 sts, dec. (18)
- Row 3:** Ch 2, turn. hdc across, working a dec at each end as in Row 2. (16)
- Row 4:** Repeat Row 3. (14)
- Row 5:** Repeat Row 3, then fasten off, leaving a long tail. (12)



The shaping above curves the brim outward from the head. For a stiffer, flatter visor like the one in the reference photos, cut a matching curved piece of plastic canvas or two layers of fusible interfacing, sandwich it between the brim and a second layer of single crochet worked back over Row 1 (a lining row), and slip-stitch the edges closed – this is the standard way pattern designers give a soft-yarn brim the structure to hold its curve.



Row 1:
Join yarn and work 20 hdc across.



Row 2:
Ch 2, turn. dec, hdc across to last 2 sts, dec.



Row 3:
Ch 2, turn. hdc across, working a dec at each end.



Row 4:
Repeat Row 3.



Row 5:
Repeat Row 3, then fasten off, leaving a long tail.



YOU NOW HAVE THE BASE CAP

This crown, band and structured brim is the shape used for every design in this book. Weave in your ends, block lightly (see Finishing, page 16), and your Classic Visor Cap is complete – plain, or ready for the motifs in Patterns 2 and 3.



Sunflower Motif Crown Cap

The same crown, worked as an open lattice, dressed with layered flower motifs and a drop-tassel tie.



Base: Uses the Band + Brim from Pattern 1

Extra materials: Contrast yarn for flowers, 8-10 small beads (optional, for the tassel ends)

LATTICE CROWN

Rnd 1: MR, ch 1, 6 sc into ring. (6)

Rnd 2: [ch 3, sl st in next st] rep around — 6 chain loops. (6 loops)

Rnd 3: In each ch-3 loop work [sl st, ch 5, sl st] — this doubles your loops and starts the lattice diamond pattern. (12 loops)

Rnd 4-8: Continue working ch-5 loops between the midpoints of the previous round's loops, adding one extra loop every other round, until the lattice circle reaches the same 6.5-7in / 16.5-18cm diameter as Pattern 1's crown (check by laying flat, same as the gauge note on page 5).

Rnd 9: Work 1 sc into every ch-5 loop and chain space around to convert the lattice back into a stitch count you can join to a Pattern-1 band (aim for 60 sts to match; sc twice into a loop here and there if you are a few short).

From here, continue with the Sides / band and Brim instructions from Pattern 1 (pages 8-9) exactly as written.



Rnd 1
6 sc into magic ring.



Rnd 2
Ch 3, sl st in next st (repeat around).



Rnd 3
Work [sl st, ch 5, sl st] in each loop.



Rnd 4-8
Continue ch-5 loops (adding one extra loop every other round).



Rnd 9
1 sc into every ch-5 loop and chain space.



Sunflower Motif Crown Cap

Flower motifs, make 6 to 9.

FLOWER MOTIFS (MAKE 6-9)

- Rnd 1:** MR, ch 1, 6 sc into ring, join with sl st. (6)
- Rnd 2:** [ch 3, dc, ch 3, sl st in next st] rep around — this makes one petal per repeat. (6 petals)
- Fasten off, leaving a 6in / 15cm tail for sewing.



Sew one flower at each lattice intersection using the tail from Rnd 2, following the placement in the reference photo (denser near the crown center, spreading out toward the band). For the drop-tie detail at center back, chain a 10-14in / 25-35cm cord, thread on 2-3 beads near the end, and knot to secure; attach the cord to the center-back marker point from Pattern 1.



SUNFLOWER MOTIF CAP COMPLETE

Weave in all ends before wearing – with this many motifs, that is the step that is easiest to rush. Block lightly to help the lattice sit flat.

Floral Lace Openwork Visor

A lightweight fan-stitch crown for warm weather, finished with a scalloped picot edge - crown, part 1 of 2.



Base: Uses the Band + Brim from Pattern 1

Best in: Light DK-weight cotton for maximum drape

FAN-STITCH CROWN

- Rnd 1:** MR, ch 3 (counts as dc), 11 dc into ring, join with sl st to top of ch-3. (12)
- Rnd 2:** Ch 3, dc in same st, [2 dc in next st] rep around, join. (24)
- Rnd 3:** [Sk 1 st, 5 dc in next st (a shell), sk 1 st, sl st in next st] rep around. (6 shells)
- Rnd 4:** In each shell, work [sl st, ch 2, 5 dc, ch 2, sl st] between the shells to grow the fan pattern outward, keeping the shells centered over the shells below.



Floral Lace Openwork Visor

Fan-stitch crown, part 2 of 2, and the picot edge.

FAN-STITCH CROWN, CONTINUED

- 1. Rnd 5-7:** Continue the shell pattern, adding one extra shell every other round, until the flat circle again reaches the 6.5-7in / 16.5-18cm target from page 5.
- 2. Rnd 8:** Work 1 sc into the top of every dc and chain space around to give yourself a clean stitch count (aim for 60, matching Pattern 1).
- 3. Edge:** Before joining to the band, work one round of picot edging along what will become the front edge of the crown: [sc in next st, ch 3, sl st in first ch (picot), sc in next st] rep across the front third — this is the scalloped trim visible in the reference photo.

Continue with the Sides / band and Brim instructions from Pattern 1 (pages 8-9).



FLORAL LACE VISOR COMPLETE

Because this stitch is open, block it more firmly than the other two patterns - pin it out to the target diameter while damp and let it dry fully before wearing, so the shells sit evenly.

Keychains, Booties, Jewelry & Hair Clips

Four quick projects that reuse the flower motif from Pattern 2 - part 1 of 2.

All four projects below are intentionally quick - each one uses less than 15g of yarn and works up in under an hour once you are comfortable with the abbreviations from page 4.



FLOWER KEYCHAIN



Make one Pattern-2 flower motif (page 11), sew it to a 2in / 5cm crocheted circle (MR, 6 sc, inc every st = 12, sl st to close) backed with felt for stability. Attach a keyring through a ch-8 loop at the top. A best-selling, low-material item for craft sales.



BABY BOOTIES



Sole: ch 11, work 1 rnd of sc around the chain (inc 3 sts at each end to turn the corner) = oval sole. **Upper:** sc evenly around the sole edge for 6 rounds, decreasing gradually at the toe over the last 2 rounds to shape. Add a ch-40 tie threaded through eyelets on rnd 4 for the ankle strap.

Jewelry & Hair Clips

Part 2 of 2.



CROCHET JEWELRY



Work the Pattern-2 flower motif at a smaller gauge (2.5mm hook, thread-weight cotton) and glue a jewelry finding (earring post, ring blank, or pendant bail) to the back once the flower is blocked flat and fully dry.



HAIR CLIPS



Ch 20, work a simple bow: 2 dc-shell loops folded and cinched at the center with a wrapped ch-4 tie, exactly as shown wrapped through the caps' center-back drop tie in Patterns 1-2. Glue the finished bow to a metal alligator clip.



FABRIC TOTE BAG CLASSES

The tote bag technique taught in the video lessons uses the same fan-stitch panel from Pattern 3, worked as a rectangle instead of a circle, then seamed up the sides with a woven cotton lining for structure - follow the video for the exact panel count for a 12x14in / 30x35cm bag.



Blocking, Stiffening & Fixing Common Mistakes

The last 10% of the work that makes a handmade cap look finished instead of homemade.



BLOCKING

Wet-block cotton pieces by soaking for 15 minutes in cool water, pressing out (not wringing) the excess, then pinning to shape on a towel or foam mat over the target measurements from each pattern. Let dry fully - usually 12-24 hours - before removing pins.



STIFFENING THE BRIM - TWO OPTIONS, BEST RESULT FIRST

Best: plastic canvas or heavy fusible interfacing sandwiched inside the brim, as described in Pattern 1.

Faster: a light coat of fabric stiffener or a 50/50 white-glue-and-water mix brushed onto the wrong side of the brim, then shaped over a bowl to dry - gives a lighter hold, good for soft everyday wear.



COMMON MISTAKES & FIXES

PROBLEM	CAUSE	FIX
Crown cups instead of lying flat	Not enough increases	Add one more increase round before moving to the band
Crown ruffles at the edge	Too many increases	Skip the next increase round and work one round even instead
Cap too loose on the head	Band worked at too large a gauge	Frog back to the band and redo with a smaller hook
Brim won't hold its curve	No stiffening layer	Add plastic canvas or fusible interfacing per the Pattern 1 note



You're Ready to Make & Sell.

Head to Bonus 1 - Supplier List to source yarn and findings, then Bonus 4 - Pricing Guide before you quote your first customer.

The Crochet Cap Blueprint™

2026 edition - Pattern Collection

