
Case 1A from SPE21221 COMMENT Figure_3 600 -OPC, MSTB Data_Source SPE_Paper 400 -200 -400 1200 800 Time, in days

Case 1A from SPE21221 COMMENT Figure_3 1000 -OPR, BOPD Data_Source SPE_Paper 500 -800 400 1200 Time, in days


Case 1A from SPE21221 COMMENT Figure_9 12.5 -10.0 -7.5 **-**WOR, STB Data_Source SPE_Paper 5.0 -2.5 **-**1000 500 1500 Time, in days




Case 1B from SPE21221 COMMENT Figure_4 1000 -750 **-**OPC, MSTB Data_Source SPE_Paper 500 -250 **-**400 800 1200 Time, in days

Case 1B from SPE21221 COMMENT Figure_4 1500 -OPR, BOPD Data_Source 1000 -SPE_Paper 500 -400 800 1200 Time, in days


Case 1B from SPE21221 COMMENT Figure_10






Case 2A from SPE21221 COMMENT Figure_5 1000 -800 -OPC, MSTB Data_Source SPE_Paper 600 -400 -200 -400 800 1200 Time, in days

Case 2A from SPE21221 COMMENT Figure_5




Case 2A from SPE21221 COMMENT Figure_11 20 -15 **-**WOR, STB Data_Source SPE_Paper 10 -5 -800 1200 400 Time, in days




Case 2B from SPE21221 COMMENT Figure_6 1500 -OPC, MSTB Data_Source 1000 -SPE_Paper 500 -400 1200 800 Time, in days

Case 2B from SPE21221 COMMENT Figure_6




Case 2B from SPE21221 COMMENT Figure_12 15 **-**WOR, STB Data_Source SPE_Paper 5 -0 -1200 400 800 Time, in days




Case 3A from SPE21221 COMMENT Figure_7 1250 -1000 -OPC, MSTB Data_Source 750 **-**SPE_Paper 500 -250 **-**400 800 1200 Time, in days


Case 3A from SPE21221 COMMENT Figure_7



Case 3A from SPE21221 COMMENT Figure_13




Case 3A from SPE21221 COMMENT Figure_17 12.5 -10.0 -7.5 **-**WPC, MMSTB Data_Source SPE_Paper 5.0 -2.5 -0.0 -400 800 1200 Time, in days




Case 3B from SPE21221 COMMENT Figure_8 2000 -OPR, BOPD Data_Source SPE_Paper 1000 -400 800 1200 Time, in days

Case 3B from SPE21221 COMMENT Figure_14




Case 3B from SPE21221 COMMENT Figure_17 12.5 -10.0 -7.5 **-**WPC, MMSTB Data_Source SPE_Paper 5.0 -2.5 -0.0 -400 800 1200 Time, in days

Case 4A from SPE21221 COMMENT Figure_27 3500 -3000 -2500 **-**BHP, PSIA Data_Source SPE_Paper 2000 -




Case 4A from SPE21221 COMMENT Figure_29 40 -30 -DP, PSIA 20 -Data_Source SPE_Paper 10 -0 -400 800 1200 Time, in days


Case 4A from SPE21221 COMMENT Figure_23



Case 4A from SPE21221 COMMENT Figure_25 7500 -5000 -GPC, MMSCF Data_Source SPE_Paper




Case 4A from SPE21221 COMMENT Figure_18 800 -600 -OPC, MSTB Data_Source SPE_Paper 400 -




Case 4A from SPE21221 COMMENT Figure_18 1500 -1000 -OPR, BOPD Data_Source SPE_Paper 500 -0 -400 800 1200 Time, in days

Case 4A from SPE21221 COMMENT Figure_22




Case 4A from SPE21221 COMMENT Figure_20 7500 -WPR, BPD Data_Source SPE_Paper 5000 -2500 -



Case 4B from SPE21221 COMMENT Figure_28 3000 -2000 -BHP, PSIA Data_Source SPE_Paper 1000 -0 -400 800 1200 Time, in days

Case 4B from SPE21221 COMMENT Figure_30 100 -75 **-**DP, PSIA 50 -Data_Source SPE_Paper 25 -0 -400 800 1200 Time, in days

Case 4B from SPE21221 COMMENT Figure_24



Case 4B from SPE21221 COMMENT Figure_26 7500 -5000 -GPC, MMSCF Data_Source SPE_Paper 2500 -0 -

800


Time, in days

1200


400

Case 4B from SPE21221 COMMENT Figure_19 500 -OPC, MSTB Data_Source SPE_Paper 0 -800 1200 400 Time, in days

Case 4B from SPE21221 COMMENT Figure_19



Case 4B from SPE21221 COMMENT Figure_22



Case 4B from SPE21221 COMMENT Figure_21

