

Edit Selection View ...

EXPLORER

GESELLYN NEGRE QUARTE... .vscode CSS Text Style Live Demo live_demo.html # stylelivedemo.css > css_box_model_activity > css_grid > CSS_Lesson1 > css-grid-bingo-card > css-styling-links

Gessilyn Negre_Quarter2

live_demo.html

CSS Text Style Live Demo > live_demo.html > ...

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Business Solutions - Home</title>
7     <link rel="stylesheet" href="stylelivedemo.css">
8 </head>
9 <body>
10    <!-- Header with navigation -->
11    <header>
12        <div class="header-content">
13            <div class="logo">BusinessSolutions</div>
14            <nav>
15                <ul>
16                    <li><a href="#home">Home</a></li>
17                    <li><a href="#features">Features</a></li>
18                    <li><a href="#about">About</a></li>
19                    <li><a href="#testimonials">Testimonials</a></li>
20                    <li><a href="#contact">Contact</a></li>
21                </ul>
22            </nav>
23        </div>
24    </header>
```



stylelivedemo.css X

CSS Text Style Live Demo > # stylelivedemo.css > body

```
1  body{  
2      font-family: 'Courier New', Courier, monospace;  
3  }  
  
4  
5  header{  
6      text-align: center;  
7      margin-bottom: 40%;  
8  }  
9  
10 h1{  
11     font-family: Arial, sans-serif;  
12     font-size: 1.8rem;  
13     font-weight: bold;  
14     letter-spacing: 1px;  
15     text-transform: uppercase;  
16     color: green;  
17     text-decoration: underline overline;  
18  }  
19  
20  
21 .my-custom-h1{  
22     font-family: serif;  
23     font-size: 1.5em;
```

Gessilyn_Negre_Q2_Act2.html X

```
css_box_model_activity > css_box_model_activity > Gessilyn_Negre_Q2_Act2.html ...  
1  <!DOCTYPE html>  
2  <html lang="en">  
3      <head>  
4          <title></title>  
5          <link rel="stylesheet" href="style.css">  
6      </head>  
7      <body>  
8  
9          <h2>Fox</h2>  
10         <div class="FirstFox">  
11             <img src = "fox One.jpg" alt="Fox Image" width="300" height="200">  
12         </div>  
13  
14  
15         <h2></h2>  
16         <div class="SecondFox">  
17             <p><ins><b>Fox is a common name for many species of carnivorous mammals</b></ins></p>  
18         </div>  
19  
20  
21  
22
```

NEGRE_QUARTE... D E U S
xt Style Live Demo
emo.html
vedemo.css
x_model_activity\css_box_model...
ox_ModelPart1.PNG
ox_ModelPart2.PNG
Box_ModelPart3.PNG
One.jpg
lyn_Negre_Q2_Act2.html
css
d
esson1 Negre_Quarter2\css_box_model_activity\css_box_model_activity\style.css
d-bingo-card
ling-links

SILYN NEGRE_QUARTE... ⌂ ⌂ ⌂ ⌂

vscode

CSS Text Style Live Demo

live_demo.html

stylelivedemo.css

css_box_model_activity\css_box_model...

CSS_Box_ModelPart1.PNG

CSS_Box_ModelPart2.PNG

CSS_Box_ModelPart3.PNG

Fox_One.jpg

Gessilyn_Negre_Q2_Act2.html

style.css

css_grid

CSS_Lesson1

css-grid-bingo-card

css-styling-links

style.css X

css_box_model_activity > css_box_model_activity > # style.css > ...

```
1
2 .FirstFox{
3     border: 4px solid orange;
4     align-items: center;
5     width: 300px;
6     height: 200px;
7     border-style: solid;
8     border-width: thick;
9
10 }
11
12 .SecondFox{
13     border: 4px solid orange;
14     align-items: center;
15     width: 300px;
16     height: 410px;
17     border-style: dashed;
18     border-width: 5px;
19     background-color: #FFFF00;
20
21 }
22 }
```



SILYN NEGRE_QUARTE... ...

code

CSS Text Style Live Demo

live_demo.html

stylelivedemo.css

ss_box_model_activity\css_box_model...

CSS_Box_ModelPart1.PNG

CSS_Box_ModelPart2.PNG

CSS_Box_ModelPart3.PNG

Fox_One.jpg

Gessilyn_Negre_Q2_Act2.html

style.css

s_grid\cssgrid

grid.html

styles.css

SS_Lesson1

s-grid-bingo-card

s-styling-links

grid.html

```
css_grid > cssgrid > grid.html > ...
1   <!DOCTYPE html>
2   <html lang="en">
3     <head>
4       <meta charset="UTF-8">
5       <meta name="viewport"
6           content="width=device-width,
7           initial-scale=1.0">
8       <title>Grid Demo</title>
9       <link rel="stylesheet" href="styles.css">
10    </head>
11    <body>
12      <div class="container">
13        <div class="grid-item1">Header</div>
14        <div class="grid-item2">Menu</div>
15        <div class="grid-item3">Main Content</div>
16        <div class="grid-item4">Right</div>
17        <div class="grid-item5">Footer</div>
18      </div>
19    </body>
20  </html>
```

EXPLORER

GESELLYN NEGRE_QUARTE...

> .vscode

✓ CSS Text Style Live Demo

↳ live_demo.html

stylelivedemo.css

✓ css_box_model_activity\css_box_model...

🖼 CSS_Box_ModelPart1.PNG

🖼 CSS_Box_ModelPart2.PNG

🖼 CSS_Box_ModelPart3.PNG

🖼 Fox_One.jpg

↳ Gessilyn_Negre_Q2_Act2.html

style.css

✓ css_grid\cssgrid

↳ grid.html

style.css

> CSS_Lesson1

> css-grid-bingo-card

> css-styling-links

styles.css

```
css_grid > cssgrid > # styles.css > .container
1   .container {
2     display: grid;
3     grid-template-columns: auto auto auto;
4     background-color: #dodgerblue;
5     padding: 10px;
6     gap: 10px;
7   }
8
9   .container > div {
10    background-color: #f1f1f1;
11    border: 1px solid black;
12    padding: 10px;
13    font-size: 30px;
14    text-align: center;
15  }
16
17  .grid-item1 {
18    grid-column: 1 / span 3;
19
20  }
21
22  .grid-item2 {
23    grid-row: 2 / span 3;
```

EXPLORER

- ✓ GESSILYN NEGRE_QUARTE...
 - > .vscode
 - ✓ CSS Text Style Live Demo
 - ↳ live_demo.html
 - # stylelivedemo.css
 - ✓ css_box_model_activity\css_box_model...
 - 🖼 CSS_Box_ModelPart1.PNG
 - 🖼 CSS_Box_ModelPart2.PNG
 - 🖼 CSS_Box_ModelPart3.PNG
 - 🖼 Fox_One.jpg
 - ↳ Gessilyn_Negre_Q2_Act2.html
 - # style.css
 - ✓ css_grid\cssgrid
 - ↳ grid.html
 - # styles.css
 - > CSS_Lesson1
 - > css-grid-bingo-card
 - > css-styling-links

styles.css

```
css_grid > cssgrid > # styles.css > .container
17   .grid-item1 {
18     grid-column: 1 / span 3;
19
20
21 }
22   .grid-item2 {
23     grid-row: 2 / span 3;
24
25
26 }
27   .grid-item5 {
28     grid-column: 2 / 4;
29
30
31 }
32
```

Gessilyn Negre_Quarter2

index.html X

```
CSS_Lesson1 > css_box_model > index.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  |   <title></title>
5  |   <link rel="stylesheet" href="style.css">
6  </head>
7  <body>
8  |   <div class="card">
9  |   |   <h2>CSS Box model</h2>
10 |   |   <p>This card uses padding, border and margin to look clean and professional</p>
11 |   </div> I
12
13 </body>
14 </html>
```

EXPLORER

GESELLYN NEGRE QUARTE...

✓ CSS Text Style Live Demo
stylelivedemo.css

✓ css_box_model_activity\css_box_model...
 CSS_Box_ModelPart1.PNG
 CSS_Box_ModelPart2.PNG
 CSS_Box_ModelPart3.PNG
 Fox_One.jpg

◇ Gessilyn_Negre_Q2_Act2.html

style.css

✓ css_grid\cssgrid
◇ grid.html

styles.css

✓ CSS_Lesson1

✓ css_box_model
◇ index.html

style.css

Gessilyn Negre_Quarter2

style.css

CSS_Lesson1 > css_box_model > # style.css > .card

```
1   .card{  
2     border: 5px solid red;  
3     border-radius: 15px;  
4     /*border-style: dotted;*/  
5     background: #ffafcc;  
6     text-align: center;  
7     padding: 10px 20px;  
8     width: 300px;  
9     height: 200px;           I  
10    font-family: monospace;  
11    font-size: 16px;  
12 }
```

```
... D+ E+ U S  
CSS_Lesson1.css X  
08 00 00 -  
ity\css_box_model...  
t1.PNG  
t2.PNG  
t3.PNG  
  
_Act2.html  
  
Q2_CSS_Font_Acti...  
  
CSS_Lesson1 > # CSS_Lesson1.css > .h1  
1 .h1 {  
2   font-family: 'Roboto', sans-serif;  
3   src: url('https://fonts.googleapis.com/css2?family=Roboto&display=swap');  
4 }  
5  
6 .intro {  
7   font-size: 18px;  
8   font-weight: bold;  
9   text-align: justify;  
10 }  
11 }  
12  
13 .quote {  
14   font-style: italic;  
15   font-family: Georgia, serif;  
16   font-size: 20px;  
17   text-decoration: underline;  
18 }  
19  
20 .note {  
21   font-size: 14px;  
22   letter-spacing: 2px;  
23   text-transform: uppercase;
```

SILYN NEGRE_QUARTE...

css_box_model_activity\css_box_model...

CSS_Box_ModelPart1.PNG

CSS_Box_ModelPart2.PNG

CSS_Box_ModelPart3.PNG

Fox_One.jpg

Gessilyn_Negre_Q2_Act2.html

style.css

css_grid\cssgrid

grid.html

styles.css

CSS_Lesson1

css_box_model

index.html

style.css

CSS_Lesson1.css

Gessilyn_Negre_L1_Q2_CSS_Font_Acti...

css-grid-bingo-card

css-styling-links

CSS_Lesson1.css

CSS_Lesson1 > # CSS_Lesson1.css > .h1

```
1
2
3
4     }
5
6     .intro {
7         font-size: 18px;
8         font-weight: bold;
9         text-align: justify;
10
11    }
12
13    .quote {
14        font-style: italic;
15        font-family: Georgia, serif; I
16        font-size: 20px;
17        text-decoration: underline;
18    }
19
20    .note {
21        font-size: 14px;
22        letter-spacing: 2px;
23        text-transform: uppercase;
24
25    }
```

SILYN NEGRE_QUARTE... ...

css_box_model_activity\css_box_model...
CSS_Box_ModelPart1.PNG
CSS_Box_ModelPart2.PNG
CSS_Box_ModelPart3.PNG
Fox_One.jpg
Gessilyn_Negre_Q2_Act2.html
style.css
css_grid\cssgrid
grid.html
styles.css
CSS_Lesson1
css_box_model
index.html
style.css
CSS_Lesson1.css
Gessilyn_Negre_L1_Q2_CSS_Font_Acti...
css-grid-bingo-card
css-styling-links

CSS_Lesson1.css X

CSS_Lesson1 > # CSS_Lesson1.css > .h1

```
1
2
3
4    }
5
6    .intro {
7        font-size: 18px;
8        font-weight: bold;
9        text-align: justify;
10
11    }
12
13    .quote {
14        font-style: italic;
15        font-family: Georgia, serif;
16        font-size: 20px;
17        text-decoration: underline;
18    }
19
20    .note {
21        font-size: 14px;
22        letter-spacing: 2px;
23        text-transform: uppercase;
24
25    }
```

new ... ← →

... Gessilyn Negre_Quarter2

Gessilyn_Negre_L1_Q2_CSS_Font_Activity.html x

CSS_Lesson1 > Gessilyn_Negre_L1_Q2_CSS_Font_Activity.html ...

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <title>Font Styling Activity</title>
6      <link rel="stylesheet" href="CSS_Lesson1.css">
7  </head>
8  <body>
9      <h1 class="h1">CSS Font Styling Activity</h1>
10     <p class="intro">This is a simple paragraph that you will style using CS
11     <p class="quote">"Good design is a little design as possible." - Dieter
12     <p class="note">Note: Experiment with different font properties to see t
13  </body>
14  </html>
```



bingo_card_css.html

```
css-grid-bingo-card > bingo_card_css.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Bingo Card</title>
7      <link rel="stylesheet" href="styles.css">
8  </head>
9  <body>
10     <div class="bingo-card">
11         <div class="header">B</div>
12         <div class="header">I</div>
13         <div class="header">N</div>
14         <div class="header">G</div>
15         <div class="header">O</div>
16         <div class="cell">8</div>
17         <div class="cell">26</div>
18         <div class="cell">40</div>
19         <div class="cell">52</div>
20         <div class="cell">68</div>
21         <div class="cell">13</div>
22         <div class="cell">19</div>
```

... < bingo_card_css.html > ...

```
css-grid-bingo-card > bingo_card_css.html > ...
2   <html lang="en">
9     <body>
10    <div class="bingo-card">
25      <div class="cell">33</div>
26      <div class="cell">60</div>
27      <div class="cell">62</div>
28
29
30      <div class="cell">1</div>
31      <div class="cell">18</div>
32      <div class="cell free">FREE</div>
33      <div class="cell">54</div>
34      <div class="cell">72</div>
35
36      <div class="cell">10</div>
37      <div class="cell">22</div>
38      <div class="cell">41</div>
39      <div class="cell">48</div>
40      <div class="cell">66</div>
41
42      <div class="cell">15</div>
43      <div class="cell">25</div>
44      <div class="cell">38</div>
45      <div class="cell">57</div>
```

```
css-grid-bingo-card > bingo_card_css.html > ...
2   <html lang="en">
9     <body>
10    <div class="bingo-card">
11      <div class="cell">1</div>
12      <div class="cell">18</div>
13      <div class="cell free">FREE</div>
14      <div class="cell">54</div>
15      <div class="cell">72</div>
16
17      <div class="cell">10</div>
18      <div class="cell">22</div>
19      <div class="cell">41</div>
20      <div class="cell">48</div>
21      <div class="cell">66</div>
22
23      <div class="cell">15</div>
24      <div class="cell">25</div>
25      <div class="cell">38</div>
26      <div class="cell">57</div>
27      <div class="cell">74</div>
28
29    </div>
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
```

✓ GESSILYN NEGRE_QUARTE... ⌂ ⌂ ⌂ ⌂

- ✓ css_box_model_activity\css_box_model...
 - 🖼 Fox_One.jpg
 - ↳ Gessilyn_Negre_Q2_Act2.html
 - # style.css
- ✓ css_grid\cssgrid
 - ↳ grid.html
 - # styles.css
- ✓ CSS_Lesson1
 - ✓ css_box_model
 - ↳ index.html
 - # style.css
 - # CSS_Lesson1.css
 - ↳ Gessilyn_Negre_L1_Q2_CSS_Font_Acti...
- ✓ css-grid-bingo-card
 - > .vscode
 - ↳ bingo_card_css.html
 - # styles.css
 - > css-styling-links

> TIMELINE

> VS CODE PETS

* styles.css X

```
css-grid-bingo-card > # styles.css > 📸 .bingo-card
1   .bingo-card {
2     display: grid;
3     background-color: ■rgb(107, 177, 200);
4     grid-template-columns: repeat(5, 1fr);
5     width: 325px;
6     text-align: center;
7     font-weight: bold;
8     margin: auto;
9     border-radius: 15px;
10    █
11
12  }
13
14  .cell {
15    background-color: ■#a2c3f5;
16    padding: 20px;
17    border: 1px solid □rgba(0, 0, 0, 0.8);
18    text-align: center;
19    font-family: 'Courier New', Courier, monospace;
20
21
22  }
23  .free {
24    background-color: ■skyblue;
```

Ln 1, Col 1 Spaces: 4 UTF-8

✓ GESSILYN NEGRE_QUARTE... ⌂ ⌂ ⌂ ⌂

✓ css_box_model_activity\css_box_model...
style.css

✓ css_grid\cssgrid
↳ grid.html
styles.css

✓ CSS_Lesson1

✓ css_box_model
↳ index.html
style.css

CSS_Lesson1.css

↳ Gessilyn_Negre_L1_Q2_CSS_Font_Acti...

✓ css-grid-bingo-card

> .vscode

↳ bingo_card_css.html
styles.css

✓ css-styling-links

styles.css

↳ stylinglinks.html

> TIMELINE

> VS CODE PETS

styles.css x

css-styling-links > # styles.css > ↳ a:link

```
1 a:link{  
2     color: blue;  
3     text-decoration: none;  
4 }  
5  
6  
7 a:visited{  
8     color: green;  
9 }  
10  
11 a:hover{  
12     color: purple;  
13     text-decoration: underline;  
14 }  
15  
16 a:active{  
17     color: black;  
18 }  
19  
20 a.button1{  
21     display: inline-block;  
22     background-color: blue;  
23     color: white;  
24     padding: 10px, 20px;  
25 }
```

...
GESSILYN NEGRE_QUARTE... ↗ E+ ⌂ ↖
✓ css_box_model_activity\css_box_model...
 # style.css
✓ css_grid\cssgrid
 grid.html
 # styles.css
✓ CSS_Lesson1
 ✓ css_box_model
 index.html
 # style.css
 # CSS_Lesson1.css
 grid.html
 Gessilyn_Negre_L1_Q2_CSS_Font_Acti...
 ✓ css-grid-bingo-card
 .vscode
 bingo_card_css.html
 # styles.css
✓ css-styling-links
 # styles.css
 stylinglinks.html

styles.css X
css-styling-links > # styles.css > a:link
11 a:hover{
12 text-decoration: underline;
13 }
14
15
16 a:active{
17 color: black;
18 }
19
20 a.button1{
21 display: inline-block;
22 background-color: blue;
23 color: white;
24 padding: 10px, 20px;
25 border-radius: 10px;
26 text-decoration: none;
27 }
28
29 a.button1:hover{
30 background-color: orange;
31 font-size: xx-large;
32 }

✓ GESSILYN NEGRE_QUARTE...

...

✓ css_box_model_activity\css_box_model...
 # style.css

✓ css_grid\cssgrid
 ↳ grid.html
 # styles.css

✓ CSS_Lesson1
 ✓ css_box_model
 ↳ index.html
 # style.css
 # CSS_Lesson1.css
 ↳ Gessilyn_Negre_L1_Q2_CSS_Font_Acti...

✓ css-grid-bingo-card
 > .vscode
 ↳ bingo_card_css.html
 # styles.css

✓ css-styling-links
 # styles.css
 ↳ stylinglinks.html

↳ stylinglinks.html ×

```
css-styling-links > ↳ stylinglinks.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <title>Link Styling Examples</title>
6      <link rel="stylesheet" href="styles.css">
7  </head>
8  <body>
9      <h2>Styled Link Examples</h2>
10     <p>Try ho Follow link \(ctrl + click\) /p>
11     <a href="https://example.com" class="button"
12         target="_blank">Go to example.com</a>
13
14     <br><br>
15
16     <a href="https://google.com" class="button1"
17         target="_blank">Go to google.com</a>
18
19 </body>
20 </html>
21
```