

Match Details

Detailed match information

Changelog [\(show\)](#)

Input

The following input parameters exist:

Simple	Detailed
--------	----------

Inputs for all different file versions are shown and marked.

required file = matchdetails

optional version = 3.1 ▾

optional matchEvents = false {default} ▾
Whether match events shall be shown or not

false {default}
Show no match events.

true
Show match events.

required matchID : unsigned Integer
Which match to show details for.

Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2

~~**optional** isYouth : Boolean~~ (Default: false)
~~Is request for youth or not.~~

required sourceSystem : sourceSystem
Specifies which source system the match belongs to, this replace the old isYouth param

Output

Here you can see the output, based on the values of the input parameters and selected action type.

Simple	Detailed	XML	Example
--------	----------	-----	---------

All containers and elements for the selected action type are shown. Containers/Elements for other file version are shown and marked.

- HattrickData
Hattrick Data Container for matchEvents=false

Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2
~~isYouth : Boolean~~
~~Is file request for youth or not.~~

SourceSystem : sourceSystem
Which sourceSystem the request was made for.

Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3
~~UserIsSupporter : Boolean~~
~~Indicated if the fetching user has a supporter subscription or not.~~

UserSupporterTier : supporterTier
Indicates which Supporter package the fetching user has, or empty if not a Supporter.

Available in Version(s): 1.5, 1.6

~~UserHasClubhouse~~ : **Boolean**

~~Indicated if the fetching user has a Clubhouse or not.~~

- Match

A match.

MatchID : **unsigned Integer**

The globally unique identifier of the match.

MatchType : **MatchTypeID**

Integer defining the type of match.

MatchContextId : **unsigned Integer**

This will be either LeagueLevelUnitId (for League), CupId (Cup, Hatrick Masters, World Cup and U-20 World Cup), LadderId, TournamentId, or 0 for friendly, qualification, single matches and preparation matches.

MatchRuleId : **MatchRuleID**

This will contain the rules that's in place for the ladder or tournament in question. It's provided for all matchtypes and defaults to 0 = No rules

CupLevel : **unsigned Integer**

1 = National/Divisional cup, 2 = Challenger cup, 3 = Consolation cup. 0 if MatchType is not 3.

CupLevelIndex : **unsigned Integer**

In Challenger cups: 1 = Emerald (start week 2), 2 = Ruby (start week 3), 3 = Sapphire (start week 4). Always 1 for National/Divisional (main cups) and Consolation cups. 0 if MatchType is not 3.

MatchDate : **DateTime**

The start date and time (kick-off) of the match.

FinishedDate : **DateTime***

The date and time when the match was finished. Not supplied until it is finished.

AddedMinutes : **Integer**

How many minutes of added time the match had. Not supplied until it is finished.

- HomeTeam

The Home (formal, not taking arena location into account) team of the match.

HomeTeamID : **Integer**

The teamID of the Home team in the match. (Negative for street teams.)

HomeTeamName : **String**

The team name of the Home team in the match.

Available in Version(s): 1.5, 1.6, 1.7, 1.8

~~Dress~~ : **String**

~~7 character string representing the dress of the team: First characters is a letter indicating type pf dress. Next two numbers indicate the shirt colour, next two indicate pants colour and final two numbers indicate socks colour.~~

DressURI : **URI**

URI to an image representing the dress of the team. FOR SENIORS ONLY

Formation : **String**

Character string (x-x-x) representing the formation the team started with.

HomeGoals : **unsigned Integer**

The current number of goals in the match for the home team.

TacticType : **MatchTacticType**

Integer value representing the the team tactic type specified for the match.

TacticSkill : **SkillLevel**

Integer value representing the tactic skill of the team.

RatingMidfield : MatchRating

Integer value representing the midfield rating of the team.

RatingRightDef : MatchRating

Integer value representing the right defence rating of the team.

RatingMidDef : MatchRating

Integer value representing the middle defence rating of the team.

RatingLeftDef : MatchRating

Integer value representing the left defence rating of the team.

RatingRightAtt : MatchRating

Integer value representing the right attack rating of the team.

RatingMidAtt : MatchRating

Integer value representing the middle attack rating of the team.

RatingLeftAtt : MatchRating

Integer value representing the left attack rating of the team.

TeamAttitude : MatchTeamAttitude

Integer value representing the team attitude specified for the match. Only shown to the owner of the team - otherwise omitted.

RatingIndirectSetPiecesDef : MatchRating

Integer value representing the defensive indirect set pieces rating of the team.

RatingIndirectSetPiecesAtt : MatchRating

Integer value representing the attacking indirect set pieces rating of the team.

Added in this Version**NrOfChancesLeft : unsigned Integer**

Number of chances the team had on the left side.

Added in this Version**NrOfChancesCenter : unsigned Integer**

Number of chances the team had in the middle.

Added in this Version**NrOfChancesRight : unsigned Integer**

Number of chances the team had on the right side.

Added in this Version**NrOfChancesSpecialEvents : unsigned Integer**

Number of special event chances.

Added in this Version**NrOfChancesOther : unsigned Integer**

Number of chances of other types that doesn't fit into any of the above categories.

- AwayTeam

The Away (formal, not taking arena location into account) team of the match.

AwayTeamID : Integer

The teamID of the Away team in the match. (Negative for street teams.)

AwayTeamName : String

The team name of the Away team in the match.

*Available in Version(s): 1.5, 1.6, 1.7, 1.8***~~Dress : String~~**~~7-character string representing the dress of the team: First character is a letter indicating type of dress. Next two numbers indicate the shirt colour, next two indicate pants colour and final two numbers indicate socks colour.~~**DressURI : URI**

URI to an image representing the dress of the team. FOR SENIORS ONLY

Formation : String

Character string (x-x-x) representing the formation the team started with.

AwayGoals : unsigned Integer

The current number of goals in the match for the away team.

TacticType : MatchTacticType

Integer value representing the the team tactic type specified for the match.

TacticSkill : SkillLevel

Integer value representing the tactic skill of the team.

RatingMidfield : MatchRating

Integer value representing the midfield rating of the team.

RatingRightDef : MatchRating

Integer value representing the right defence rating of the team.

RatingMidDef : MatchRating

Integer value representing the middle defence rating of the team.

RatingLeftDef : MatchRating

Integer value representing the left defence rating of the team.

RatingRightAtt : MatchRating

Integer value representing the right attack rating of the team.

RatingMidAtt : MatchRating

Integer value representing the middle attack rating of the team.

RatingLeftAtt : MatchRating

Integer value representing the left attack rating of the team.

TeamAttitude : MatchTeamAttitude

Integer value representing the the team attitude specified for the match. Only shown to the owner of the team - otherwise omitted.

RatingIndirectSetPiecesDef : MatchRating

Integer value representing the defensive indirect set pieces rating of the team.

RatingIndirectSetPiecesAtt : MatchRating

Integer value representing the attacking indirect set pieces rating of the team.

Added in this Version**NrOfChancesLeft : unsigned Integer**

Number of chances the team had on the left side.

Added in this Version**NrOfChancesCenter : unsigned Integer**

Number of chances the team had in the middle.

Added in this Version**NrOfChancesRight : unsigned Integer**

Number of chances the team had on the right side.

Added in this Version**NrOfChancesSpecialEvents : unsigned Integer**

Number of special event chances.

Added in this Version**NrOfChancesOther : unsigned Integer**

Number of chances of other types that doesn't fit into any of the above categories.

- Arena

Container for the data about the arena where the match was played.

ArenaID : <u>unsigned Integer</u> The globally unique arenaID.
ArenaName : <u>String</u> The name of the arena.
WeatherID : <u>WeatherID</u> Integer defining the weather during the match.
SoldTotal : <u>unsigned Integer</u> The total number of sold tickets (number of spectators).
Removed in this Version Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0 SoldTerraces : <u>unsigned Integer</u> The number of sold tickets for the terraces section. Only provided to the owner of the home team.
Removed in this Version Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0 SoldBasic : <u>unsigned Integer</u> The number of sold tickets for the basic seating section. Only provided to the owner of the home team.
Removed in this Version Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0 SoldRoof : <u>unsigned Integer</u> The number of sold tickets for the seating under roof section. Only provided to the owner of the home team.
Removed in this Version Available in Version(s): 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3.0 SoldVIP : <u>unsigned Integer</u> The number of sold tickets for the VIP section. Only provided to the owner of the home team.
Added in this Version SoldTerraces : <u>unsigned Integer</u> The number of sold tickets for the terraces section.
Added in this Version SoldBasic : <u>unsigned Integer</u> The number of sold tickets for the basic seating section.
Added in this Version SoldRoof : <u>unsigned Integer</u> The number of sold tickets for the seating under roof section.
Added in this Version SoldVIP : <u>unsigned Integer</u> The number of sold tickets for the VIP section.

- MatchOfficials
Container for data about the match officials, only shown for matches with SourceSystem=Hattrick.

- Referee Container for the referee.
Refereeld : <u>unsigned Integer</u> The globally unique PlayerID for the referee.
RefereeName : <u>String</u> The name of the referee.

RefereeCountryId : unsigned Integer

The countryID of the country the referee is from.

RefereeCountryName : String

The name of the country the referee is from.

RefereeTeamId : unsigned Integer

The teamId of the team that the referee is a Hall of Fame member of.

RefereeTeamname : String

The name of the team that the referee is a Hall of Fame member of.

- RefereeAssistant1

Container for the first assistant referee.

Refereeld : unsigned Integer

The globally unique PlayerID for the referee.

RefereeName : String

The name of the referee.

RefereeCountryId : unsigned Integer

The countryID of the country the referee is from.

RefereeCountryName : String

The name of the country the referee is from.

RefereeTeamId : unsigned Integer

The teamId of the team that the referee is a Hall of Fame member of.

RefereeTeamname : String

The name of the team that the referee is a Hall of Fame member of.

- RefereeAssistant2

Container for the second assistant referee.

Refereeld : unsigned Integer

The globally unique PlayerID for the referee.

RefereeName : String

The name of the referee.

RefereeCountryId : unsigned Integer

The countryID of the country the referee is from.

RefereeCountryName : String

The name of the country the referee is from.

RefereeTeamId : unsigned Integer

The teamId of the team that the referee is a Hall of Fame member of.

RefereeTeamname : String

The name of the team that the referee is a Hall of Fame member of.

- Scorers

Container for the data about the scorers.

*Available in Version(s): 1.5***- Goal**

Container for a certain goal.

*Available in Version(s): 1.5***ScorerPlayerID** : unsigned Integer

The globally unique PlayerID for the scorer.

*Available in Version(s): 1.5***ScorerPlayerName** : String

The name of the scorer.

Available in Version(s): 1.5

ScorerTeamID : Integer

The teamID of the team that scored.

Available in Version(s): 1.5

ScorerHomeGoals : unsigned Integer

The number of goals for the home team after the goal.

Available in Version(s): 1.5

ScorerAwayGoals : unsigned Integer

The number of goals for the away team after the goal.

Available in Version(s): 1.5

ScorerMinute : unsigned Integer

The minute that the goal was scored in.

MatchPart : matchPart

Which part of the match the goal was scored in.

- Goal

Attribute: 'Index' : unsigned Integer

The relative number of the goal in the list.

Container for a certain goal.

ScorerPlayerID : unsigned Integer

The globally unique PlayerID for the scorer.

ScorerPlayerName : String

The name of the scorer.

ScorerTeamID : Integer

The teamID of the team that scored.

ScorerHomeGoals : unsigned Integer

The number of goals for the home team after the goal.

ScorerAwayGoals : unsigned Integer

The number of goals for the away team after the goal.

ScorerMinute : unsigned Integer

The minute that the goal was scored in.

MatchPart : matchPart

Which part of the match the goal was scored in.

- Bookings

Container for the data about the warned or sent off players.

Available in Version(s): 1.5

- Booking

Container for a certain yellow/red card.

Available in Version(s): 1.5

BookingPlayerID : unsigned Integer

The globally unique PlayerID for the booked player.

Available in Version(s): 1.5

BookingPlayerName : String

The name of the booked player.

Available in Version(s): 1.5

BookingTeamID : Integer

The teamID of the team that suffered the booking.

Available in Version(s): 1.5

BookingType : unsigned Integer

Specifies whether it was a warning (BookingType=1) or red card (BookingType=2).

Available in Version(s): 1.5

BookingMinute : unsigned Integer

The minute that the booking happened.

MatchPart : matchPart

Which part of the match the booking happened.

- Booking

Attribute: 'Index' : unsigned Integer

The relative number of the booking in the list.
Container for a certain yellow/red card.

BookingPlayerID : unsigned Integer

The globally unique PlayerID for the booked player.

BookingPlayerName : String

The name of the booked player.

BookingTeamID : Integer

The teamID of the team that suffered the booking.

BookingType : unsigned Integer

Specifies whether it was a warning (BookingType=1) or red card (BookingType=2).

BookingMinute : unsigned Integer

The minute that the booking happened.

MatchPart : matchPart

Which part of the match the booking happened.

- Injuries

Container for the data about injured players.

- Injury

Attribute: 'Index' : unsigned Integer

The relative number of the booking in the list.
Container for a certain injury.

InjuryPlayerID : unsigned Integer

The globally unique PlayerID for the injured player.

InjuryPlayerName : String

The name of the injured player.

InjuryTeamID : Integer

The teamID of the team that suffered the injury.

InjuryType : unsigned Integer

Specifies whether it was a bruise (InjuryType=1) or an injury (InjuryType=2).

InjuryMinute : unsigned Integer

The minute that the injury happened.

MatchPart : matchPart

Which part of the match the booking happened.

PossessionFirstHalfHome : unsigned Integer

Home team's ball possession in % for first half.

PossessionFirstHalfAway : unsigned Integer
Away team's ball possession in % for first half.

PossessionSecondHalfHome : unsigned Integer
Home team's ball possession in % for second half.

PossessionSecondHalfAway : unsigned Integer
Away team's ball possession in % for second half.