

Matches

The most recent and upcoming matches for a particular team (Senior or Youth).

[Changelog](#) [\(show\)](#)

Input

The following input parameters exist:

Simple	Detailed
--------	----------

Inputs for all different file versions are shown and marked.

required file = matches

optional version =

optional teamID : **unsigned Integer** {Default:Your senior or youth teamID}
What team to show the matches for: Either teamID or youthTeamID depending on isYouth.

optional isYouth : **Boolean** {Default:false}
Is request for youth or not.

optional LastMatchDate : **DateTime** {Default:Datetime.Now + 28 days}
Last date to show matches to. If more than 50 matches are affected, only the 50 first will be returned.

Output

Here you can see the output, based on the values of the input parameters and selected action type.

Simple	Detailed	XML	Example
--------	----------	-----	---------

All containers and elements for the selected action type are shown. Containers/Elements for other file version are shown and marked.

- HattrickData
Hattrick Data Container

- Team
The team that the list applies to.

TeamID : **unsigned Integer**
The team's TeamID.

TeamName : **String**
The full name of the team.

ShortTeamName : **String**
The short team name. Only available when isYouth is false.

- League
Container for the data about the league ('Sverige', 'England' and so on) the team is part of.

LeagueID : **unsigned Integer**
The globally unique LeagueID.

LeagueName : **String**
The league name.

- LeagueLevelUnit

Data about the team's LeagueLevelUnit ('series'). If the team is playing a qualification match the tag will be empty. Only available when isYouth is false.

LeagueLevelUnitID : unsigned Integer

The globally unique LeagueLevelUnitID.

LeagueLevelUnitName : String

The name of the LeagueLevelUnit.

LeagueLevel : unsigned Integer

Integer value stating the relative level of the LeagueLevelUnit, with 1 indicating the league's top series.

- MatchList

Container for the matches.

- Match

A match.

MatchID : unsigned Integer

The globally unique identifier of the match.

- HomeTeam

The Home (formal, not taking arena location into account) team of the match.

HomeTeamID : Integer

The teamID of the Home team in the match. (Negative for street teams)

HomeTeamName : String

The team name of the Home team in the match.

HomeTeamShortName : String

The short team name of the Home team in the match.

- AwayTeam

The Away (formal, not taking arena location into account) team of the match.

AwayTeamID : Integer

The teamID of the Away team in the match. (Negative for street teams)

AwayTeamName : String

The team name of the Away team in the match.

AwayTeamShortName : String

The short team name of the Away team in the match.

MatchDate : DateTime

The start date and time (kick-off) of the match.

SourceSystem : sourceSystem

SourceSystem tells from which system the match is ex: hatrick, youth, htointegrated

MatchType : MatchTypeID

Integer defining the type of match.

MatchContextId : unsigned Integer

This will be either LeagueLevelUnitId (for League), CupId (Cup, Hatrick Masters, World Cup and U-20 World Cup), LadderId, TournamentId, or 0 for friendly, qualification, single matches and preparation matches.

CupLevel : unsigned Integer

1 = National/Divisional cup, 2 = Challenger cup, 3 = Consolation cup. 0 if MatchType is not 3.

CupLevelIndex : unsigned Integer

In Challenger cups: 1 = Emerald (start week 2), 2 = Ruby (start week 3), 3 = Sapphire (start week 4). Always 1 for National/Divisional (main cups) and Consolation cups. 0 if MatchType is not 3.

HomeGoals : unsigned Integer

The current number of goals in the match for the home team.

AwayGoals : unsigned Integer

The current number of goals in the match for the away team.

Status : MatchStatus

Specifying whether the match is FINISHED, ONGOING or UPCOMING.

OrdersGiven : Boolean*

A boolean value only supplied for upcoming matches (haven't started yet) of your own team that signifies whether you have given orders or not. If the request is for another team than your own (even if it is for your opponent), this data is not sent.