

GET LUCKY GOLF

Insurance-backed hole-in-one gaming

Creative Direction & Front-End Reskin Brief

Scope of work for a creative director / lead designer to take the product from a working but undesigned beta build to a designed public beta.

Prepared by Johannes Le Roux, Founder

Contact johannes@getluckygolfclub.com

Date 25 August 2026

Status Working beta — the app functions end to end; the visual layer has never been designed

1. Project snapshot

Get Lucky Golf is a mobile-first web app that lets golfers place an insurance-backed bet on any par-3: stake R50–R1,000 on a hole-in-one and win up to R1,000,000 if they sink an ace. Indwe Risk Services (FSP 3425) is the headline sponsor and insurer, with Santam as co-insurer. The product is South-Africa-first: ZAR, en-ZA, PayFast payments, 18+, SA residents only.

The player journey is: pick a course and a par-3 → choose a stake tier → pay → film the tee shot in the app → declare the result → if it went in, upload a video, a course certificate and a 4-ball affidavit → manual verification → payout.

Where we are. A genuinely working beta. The full player journey, an admin back-office, membership status and the payments and verification plumbing are built and deployed on Vercel. A closed beta round has already run. Separately, an engineering brief covers the hardening needed to run real money at public scale.

What this brief covers is different. The app works. It does not look like it is worth R1,000,000 of anyone's trust. The visual layer grew out of the build rather than out of a design, and it now needs a creative director.

1.1 What we are asking for

A reskin of the player-facing app, with permission to restructure the layout of any screen. 27 surfaces. Flat comps plus two short spreadsheets and a one-page note per screen. A proper logo set. An icon set to replace the emoji currently doing that job.

1.2 Tech context (for orientation only — no code required from you)

Layer	Technology
Framework	Next.js 16 (App Router), React 19, TypeScript
Styling	One global stylesheet plus design tokens; Tailwind v4 installed
Fonts	Poster Gothic Round ATF (display), Inter (body), Space Mono (numerals)
Data / auth	Supabase, Google sign-in
Payments	PayFast — hosted checkout, off-site
Hosting	Vercel

You will not touch code. The design pack is structured so that your files can be handed straight to the engineering side and implemented from.

2. What exists today — an honest assessment

Screenshots of every reachable screen are in [design/00-reference/current-app/](#). Look at those before reading further. The summary below is what a technical audit of the front end found, and it is the reason this engagement exists.

2.1 There is a brand, and the app is roughly aligned to it

`docs/brand-guide.md` documents a palette taken from the live site: deep forest greens (`#1e3120` , `#335231` , `#4a7a3d`), gold (`#c9a94e`), cream (`#f5f0e1`), with Poster Gothic for display and Inter for body. The app's design tokens now match those values. The mood is "accessible luxury": prize numbers set large, gold on green, high-quality course photography, paired with insurance-backed trust signals.

That much is sound and is the starting point, not something to discard.

2.2 But the design system is not actually enforced

The app declares a clean set of design tokens and then largely ignores them. **55 distinct hardcoded colour values appear across 45 files — roughly 350 occurrences.** The brand green is written out as a literal 49 times rather than referenced as a token. A legacy red (`#c0392b`) appears 23 times and contradicts the official red. There are off-palette greens and golds that exist for no reason anyone can now recall.

The practical consequence: **changing a colour today changes almost nothing.** This is being fixed on the engineering side while you design — see section 8 — so that your palette lands in one place rather than 45.

2.3 Thirteen emoji are doing the work of an icon set

The Play button at the centre of the main navigation is 🏏. The magnifying glass in the search field is 🔍 injected through CSS. There are eleven more. These render as a different picture on iPhone, Android, Windows and Mac, cannot be recoloured or aligned precisely, and read as unfinished to anyone who notices.

2.4 The logo is a machine trace in the wrong colour

`logo.svg` is a single auto-vectorised path filled `#007728` — a bright emerald that contradicts the brand's forest green. The version that actually ships is a 292 KB PNG. The favicon is a 296 KB PNG. There is no reversed lockup, so on dark backgrounds the app fakes one with a CSS filter that flattens the mark to pure white.

2.5 There are real accessibility failures

Measured, not estimated:

Combination	Contrast	Verdict
Gold <code>#c9a94e</code> on cream	2.12:1	Fails badly. Gold is used as text on cream today.
Gold on green <code>#335231</code>	3.87:1	Fails for body text. Visible in the stake multiplier chips.
Gray <code>#999</code> on cream	2.66:1	Fails — and it is the secondary text colour in 12+ places.
Green <code>#335231</code> on cream	8.20:1	Good.

Reduced-motion preferences are honoured for a deleted marketing page but not for any of the fifteen animations in the app itself.

2.6 The desktop experience is a phone in a bezel

Every screen renders inside a literal simulated iPhone — black chassis, notch, camera dot — floating on a near-black page. There is no desktop layout behind it. This is the single loudest "this is a prototype" signal in the product.

2.7 What is genuinely good and should survive

- **The fluid scale.** Type, spacing and radius all scale continuously from a 320px phone up to a tablet with no breakpoint jumps. It works well and we are keeping it.
- **The motion language.** A consistent expo-out curve with staggered entrances. Restrained and confident.
- **Poster Gothic set large in gold on green.** When the app shows a prize number, it looks like the product it wants to be. That moment is the brand; it just does not extend to the other 90% of the interface.

3. Scope

3.1 In scope

- **The player app: 27 surfaces**, listed in section 5 and in [design/00-reference/screen-inventory.md](#).
- **Reskin and layout redesign.** Colour, type, spacing, components, imagery, iconography, motion — and the arrangement and hierarchy of any screen.
- **A logo set and an icon set.**
- **A photographic treatment recipe** for course imagery.
- **One desktop backdrop comp.**

3.2 Out of scope

- **The admin back-office** — nine screens used by staff for claims adjudication. Deliberately left as-is for beta.
- **Routes and flow order.** How a screen looks is yours. Which screens exist, and in what order, is fixed. See 3.3.
- **The PayFast checkout page.** Payment happens off-site on PayFast's own hosted page. We cannot design it.
- **The marketing website** at [getluckygolf.co.za](#).
- **New photography.** Use the 19 course photographs already in the repo.
- **A responsive desktop application layout.** One backdrop comp only.
- **Code.** You design; the engineering side builds.

3.3 Non-negotiables

These protect money, law and contracts. They are not design opinions and they are not negotiable — but everything about *how* they look is yours.

#	Constraint	Why
1	The 18+ age gate stays a hard blocking step, with date-of-birth entry and an explicit consent checkbox. It cannot become a dismissible banner.	Legal requirement for real-money play.
2	The Indwe sponsor banner stays visible above the tab bar on every screen.	Contractual. Its height is not fixed — see 4.6.
3	Terms, Privacy and Responsible Play stay reachable, and the National Responsible Gambling link stays on the under-18 block screen.	Regulatory posture.
4	The six stake tiers keep their exact amounts. No rounding, no invented tiers.	Server-validated; they are the product's pricing.
5	Routes and flow order are unchanged.	Payment and verification logic depends on them.
6	Minimum tap target 44 x 44pt.	Usability floor.
7	Text contrast at least 4.5:1, or 3:1 above 24px.	See 2.5.

The six tiers, for reference: R50 → R25,000 · R100 → R60,000 · R150 → R100,000 · R250 → R200,000 · R500 → R500,000 · R1,000 → R1,000,000.

4. How the handback works

This section is the operational core of the brief. Read it before you start drawing.

Everything goes in the `design/` folder, which is already built and pre-filled. Open `design/README.md` first — it is the one-page version of this section.

4.1 The principle: blank means unchanged

Every sheet and every screen card arrives already populated with what the app does today. You edit only what you are changing. A token sheet with eight edited cells is a complete and correct deliverable. Nothing here asks you to fill in a blank form.

4.2 The canvas

375pt wide, always. Height is whatever the content needs, rounded to a multiple of 8 — most screens scroll, so do not force everything into one viewport height.

The app is built on a fluid scale, so what you design at 375 stretches smoothly to about 480 with no second design needed. **You never design a tablet or a desktop layout.** Safe areas, reserved regions and font constraints are in `design/00-reference/device-spec.md`.

4.3 Comps

PNG, 750px wide (2x the canvas), sRGB, flattened, under 1.5 MB each. 750px is comfortably enough to read type sizes and measure spacing off the image.

Named `NN-slug__state.png`, dropped into the matching folder in `design/02-screens/`:

```
design/02-screens/16-home/16-home__default.png
design/02-screens/16-home/16-home__empty.png
design/02-screens/08-choose-stake/08-choose-stake__error.png
```

`state` comes from a closed list of nine words, given in section 5.2. A closed list is what keeps a folder from filling up with `__hover-2-final-FINAL.png`.

For each screen and state, exactly one file has no `--` suffix, and that file is the one we build. Anything suffixed is commentary. Exploration you want seen but not built gets `--alt-a`, `--alt-b`.

4.4 The redline twin

If you restructure a screen, export a second copy of the comp with **numbered magenta circles** on it, saved as `16-home__default--redline.png`. The numbers key to the notes in your screen card.

That is all the annotation we need. No measurements, no specs, no callout syntax to learn — a layer of numbered circles, so the image and the words can point at each other.

4.5 The screen card

One markdown file per screen, already sitting in each folder, pre-filled with what that screen does today. `design/02-screens/_EXAMPLE.md` is a completed one — **read it before filling in your first**.

Four of its sections carry real weight, and each exists because a flat image cannot carry that information:

- **Change type** — `RESKIN-ONLY`, `RESTRUCTURED` or `REBUILT`. One word that tells the engineering side whether this is a colour change or a rebuild.
- **Added / Removed / Kept** — because **removal is invisible in an image**. If you delete a paragraph, the comp simply does not show it, and that is indistinguishable from you forgetting it.
- **Final copy** — because your comp will contain realistic placeholder text. Anything not listed here is treated as placeholder and left wired to live data. Without this we would commit "Leopard Creek Country Club" as literal text and break the database binding behind it.
- **Fixed vs scrolls, and which blocks repeat** — neither is visible in a still image, and getting either wrong puts content behind the tab bar or replaces a live list with six hardcoded rows.

4.6 The two spreadsheets

`design/01-tokens/tokens.csv` — colour, spacing, radius, shadow, motion. About 38 rows, pre-filled. `design/01-tokens/type-scale.csv` — nine type roles.

CSV rather than a design tool export, so they open in Numbers or Excel and you can see them as tables. Give sizes in pixels at 375 width; the responsive scale is derived from that, so you never write a breakpoint or a `clamp()`.

`design/01-tokens/README.md` explains both, and carries the contrast table you should read before committing to gold anywhere.

One thing worth your attention while you are in there: the bottom tab bar currently takes **120pt of an 812pt screen — nearly 15% of the viewport** — because the sponsor banner sits stacked above five tabs. The banner must stay visible; its height is yours to solve. Every screen in the app gains room if you can.

4.7 Assets

`design/03-assets/ASSETS.md` has the full specification: the logo set, the 19-icon set with exact export settings, and the imagery treatment recipe. These two sets are the highest-value items in the engagement, because both are genuinely broken rather than merely dated.

4.8 Work in progress

`design/04-inbox/` is ignored by version control. Nothing there will ever be built by accident. Move a file out of the inbox when it is ready to be looked at.

5. Screen inventory

27 surfaces. The full table, with the source file and current purpose of each, is in `design/00-reference/screen-inventory.md`. Summary by group:

Group	Screens	Count
Onboarding and auth	Splash, onboarding carousel, age check, auth, payment setup	5
The play loop	Select course, challenge-hole panel, choose stake, stake confirmation, payment return, record, confirm, claim, miss, verify	10
Main app	Home, leaderboard, history, account, membership	5
Chrome and system	Tab bar, legal template, 404, error, loading, toast	6
Desktop	Desktop backdrop	1

49 comps in total, plus a redline twin for each restructured screen.

5.1 The five most important screens

If attention has to be unevenly distributed, distribute it here:

1. **Choose stake** — the money screen. Six tiers, the prize number as hero. It is where the product either feels credible or does not.
2. **Home** — the densest screen, and the one a returning player sees most.
3. **Result: claim** — the ace. The single best moment the product can deliver, and currently a trophy emoji.
4. **Result: miss** — the far more common outcome. Getting the tone right here is what makes someone play again.
5. **Onboarding** — four slides to explain an unfamiliar and slightly improbable proposition to a first-time visitor.

5.2 The state vocabulary

`default`, `empty`, `loading`, `error`, `success`, `selected`, `modal`, `permission`, `blocked`. Which states each screen needs is already decided and listed in the inventory — you decide how they look, not which exist.

Empty and error states matter more here than in most products. A new user meets the empty state first, and an error on a screen where money has just moved is the moment trust is won or lost.

6. Deliverables and acceptance criteria

6.1 Package acceptance

A package is accepted when it passes `npm run check:design`, an automated check that validates:

1. Every screen folder matches the inventory.
2. Every required state has a comp, with no state names outside the closed vocabulary.
3. Exactly one unsuffixed file per screen and state.
4. Every comp is PNG, 750px wide, under 1.5 MB.
5. Every screen folder has a filled-in card with all required sections and a valid change type.
6. Every `RESTRUCTURED` or `REBUILT` screen has a redline twin.
7. Both token sheets parse, with no renamed, reordered or deleted rows, and valid values.
8. Every icon SVG is 24x24 with no embedded raster or gradients.

A checklist a person runs is a checklist a person skips. This one is a script, and it runs before anyone reviews anything — so a package either passes or comes back with a specific list.

6.2 Implementation acceptance

Per screen, on the engineering side:

- Renders correctly at 375, 430 and 768px.
- Reviewed side by side against the comp and signed off by you.
- Every declared state built and reachable.
- Zero hardcoded colours; everything through tokens.
- Zero emoji in the player app; every glyph from the icon set.
- Routes, flow order and navigation targets unchanged.
- No live data replaced by placeholder text from a comp.
- Contrast at least 4.5:1; tap targets at least 44pt.
- Reduced-motion preferences honoured.
- Build, lint and tests pass.

7. Phasing — and the pilot

7.1 The pilot gate

We are not asking for 27 screens before we have built any of them.

Phase 1 is exactly two screens, plus everything global:

- **08-choose-stake** — a decision screen with a hero number, a repeating data-driven list, a modal, and four states.
- **16-home** — the densest screen in the app, mixing static and live content, with an empty state.
- The **logo set**, the **icon set**, and both **token sheets** — because these touch every screen, and discovering the icon export spec is wrong on screen 20 is a disaster while discovering it on screen 2 is a Tuesday.

We then build both screens end to end and sit down together to fix whatever this brief got wrong — which fields were unclear, what was missing, where the format broke down. The brief is amended. **Then** the remaining 25 are drawn.

The gate costs about a week. Skipping it risks replicating a single format problem 27 times.

7.2 Waves

Phase	You	Engineering	Gate
0	Read the pack	Design pack built, current-state captured, token refactor begun	Pack handed over
1	Pilot: 2 screens + logo + icons + token sheets	Token refactor: colours consolidated, emoji-free icon component ready	Refactor leaves the app pixel-identical
2	Format retro	Build the two pilot screens, apply the new palette	Both pilot screens accepted
3	Wave A onboarding · Wave B play loop · Wave C main app · Wave D chrome and legal	Build wave by wave	Section 6 per wave
4	Review fixes	Desktop backdrop, accessibility sweep, asset weight budget	Full acceptance across all 27

Delivering in waves is what lets building start on onboarding while the play loop is still being drawn. A single drop at the end wastes half the calendar.

8. What is happening in the codebase while you design

One thing, and it is worth knowing about because it directly affects how cheaply your work can be applied.

The engineering side is running a **token consolidation pass**: replacing all 350 hardcoded colour values with references to the design tokens, collapsing the two duplicate token

declarations into one, and removing five dead token references that currently resolve to nothing. It also puts an icon component in place with today's emoji inside it, so your SVGs become a straight swap rather than a refactor.

The app looks pixel-identical when this is finished — that is the acceptance test for it. What changes is that afterwards, applying your palette is a twenty-line edit in one file instead of a hunt across 45 files where every missed value ships as a visible bug.

It runs while you draw, so it costs no calendar time. It also means the token sheet you are filling in will actually govern the app, which today it would not.

9. One open question for the creative director

`docs/brand-guide.md` names the live website as the source of truth for the palette and states that where the site and the app disagree, the site wins.

We need to decide together whether that still holds.

- If the forest/gold/cream palette is **locked**, the colour rows in the token sheet are reference material, and this engagement is layout, hierarchy, iconography, the logo and typography. A tighter and cheaper brief.
- If the palette is **open**, the token sheet's colour rows are genuinely yours, and the marketing site will eventually need to follow the app rather than lead it.

Either is a legitimate answer and the pack works both ways. But it changes what the pilot is really testing, so it should be settled before you start rather than discovered at review. Raise it in the kick-off.

10. Logistics and next steps

Files. The `design/` folder is the structure. Work in whatever tool suits you and export into it. If you would rather work in a shared drive, mirror this exact folder structure and we will bring it into the repository — but the structure and the naming need to survive the trip, because they are what makes the handback buildable.

Access. You will be given a beta login. Use it — several screens read very differently with a real account than they do in the screenshots, and the five screens after the payment cannot be captured at all. Ask for a walkthrough of the play flow before designing those.

Questions. Anything ambiguous in this brief is a defect in the brief. Ask, and it gets amended rather than guessed at.

Next steps

1. Kick-off call. Settle the palette question in section 9.
2. Read `design/README.md`, then `design/02-screens/_EXAMPLE.md`.
3. Look through `design/00-reference/current-app/`.
4. Deliver the pilot: two screens, the logo set, the icon set, both token sheets.
5. Format retro, brief amended, remaining 25 screens released in waves.