

INFLURIOS

COLLABORATION COMMISSION & PROTECTED PAYMENT ENGINE

Technical Development Addendum

Addendum to Influrios Development Specification v2.2 | Version 1.1

NON-NEGOTIABLE: No commission percentage, fee amount, review window, milestone release rule, provider assignment, funding threshold, attribution period or jurisdiction permission may be hard-coded. All such behavior must come from versioned admin configuration and immutable transaction snapshots.


0. How Development AI Must Use This Addendum

This addendum is mandatory when implementing paid collaborations. It supplements Development Specification v2.2. Where this addendum is more specific about collaboration fees, funding, milestones, payouts or provider controls, this addendum governs those areas.

- PA001** Never hard-code fee percentages, fixed charges, payer allocations, review windows, milestone templates, attribution periods or funding thresholds.
- PA002** Treat every accepted collaboration as an immutable commercial snapshot plus mutable operational state.
- PA003** Do not store protected collaboration funds in the ordinary Influrios operating balance. Use an approved payment-provider architecture for the jurisdiction.
- PA004** Do not label a flow “escrow” in UI or generated contracts unless the jurisdiction/provider configuration explicitly authorizes the term.
- PA005** All payment webhooks and release/refund operations must be idempotent, auditable and ledger-backed.
- PA006** A future Admin rule change must never recalculate an already accepted collaboration unless a documented amendment is accepted by the affected parties.
- PA007** Jurisdiction capability flags override feature availability even if the application technically supports the feature.

1. Architecture Overview

Implement the collaboration transaction system as separate but connected services/modules: Collaboration Service, Commercial Rules Engine, Milestone Service, Payment Orchestrator, Ledger, Dispute Service, Notification Service and Admin Control Plane. Provider integrations must be behind adapters.



2. Core Data Model

Entity	Required responsibility / key fields
collaboration	id, parties, jurisdiction, service_level, type, currency, gross_value, status, accepted_at, agreement_version
collaboration_party	collaboration_id, user/org id, role, authority, payout/pay-in account reference
collaboration_fee_rule	versioned admin rule definition, priority, effective dates, jurisdiction, plan/service/value conditions
collaboration_fee_rule_condition	normalized condition rows for rule matching
collaboration_fee_snapshot	rule id/version, fee type, payer, basis, percent/fixed/min/max, calculated amount, accepted amount
collaboration_milestone	title, sequence, amount, deliverable, due_date, review_window, revision_limit, auto_approval flag, status
milestone_submission	submission version, files/links, submitted_at, notes
milestone_review	approve/revise/dispute decision, actor, reason, created_at
collaboration_funding	provider, provider intent/order id, required_amount, funded_amount, funding_mode, status
collaboration_payment	pay-in transaction, amount, currency, provider status, fees, reconciled_at
collaboration_payout	milestone, creator/payee, gross, platform_fee, processor_fee, tax/withholding, net, provider reference, status
collaboration_refund	source funding, reason, amount, provider reference, status
financial_ledger_entry	double-entry style debit/credit references, amount, currency, event id, immutable timestamp
collaboration_dispute	milestone, opener, reason, disputed_amount, status, resolution, resolver
dispute_evidence	file/link/message reference, submitting party, timestamp
relationship_attribution	source, introduction timestamp, attribution expiry, pre-existing claim status
jurisdiction_payment_capability	country/region, capability flags, approved providers, terminology flags, compliance status
payment_provider_config	provider, credentials ref, countries, currencies, methods, enabled, priority
payment_provider_capability	delayed_release, split_fee, refund, partial_refund, max_hold, connected_accounts, recurring, etc.
commercial_change_order	accepted amendment to value/milestones/fees; before/after snapshot; signatories

3. Collaboration Fee Rules Engine

The engine resolves a fee from versioned rules. Rules may use multiple conditions and priorities. The result must be deterministic and explainable in Admin.

```

resolve_fee(context):
    candidates = active_rules(context.jurisdiction, context.date)
    candidates = filter_by_conditions(candidates, context)
    winner = highest_priority_then_most_specific(candidates)
    calculation = apply_fee_method(winner, context.commission_basis_amount)
    return immutable_fee_snapshot(winner, calculation, context)

```

Supported condition key	Examples
jurisdiction	country, state/region, currency
service_level	DISCOVERY, PLATFORM_MATCH, CONTRACTED, MANAGED_INTRO, MANAGED_CAMPAIGN
collaboration_type	SPONSORED_CONTENT, EVENT, REVIEW, AMBASSADOR, CREATOR_TO_CREATOR
creator_plan	STARTER, PLUS, PRO, ANY
business_plan	STANDARD, PRO, AGENCY, ENTERPRISE, ANY
relationship_source	AI_MATCH, SEARCH, ADMIN_INTRO, BRAND_INVITE, PRE_EXISTING
value_band	min/max gross or milestone amount
funding_mode	FULL, STAGED, RECURRING
promotion	promo code/rule id/effective window

4. Fee Methods and Calculation Fields

- PERCENTAGE
- FLAT
- PERCENT_PLUS_FLAT
- TIERED_PERCENTAGE
- MINIMUM_FEE
- MAXIMUM_FEE
- WAIVED / ZERO
- CUSTOM_ENTERPRISE

Every snapshot must record the commission basis. Supported basis values should include GROSS_CONTRACT_VALUE, MILESTONE_AMOUNT, AMOUNT_ACTUALLY_PAID, CREATOR_COMPENSATION, NET_OF_REFUNDS and CUSTOM where explicitly configured.

5. Admin Commission Matrix

Admin must be able to create, clone, stage, activate, expire and disable rules without deployment. Provide a rule tester that accepts a sample collaboration context and explains which rule would win and why.

Admin field/control	Requirement
Rule name + version	Human-readable identity and immutable version once used.
Status	Draft / scheduled / active / expired / disabled.
Priority	Explicit numeric priority plus specificity tie-break.
Conditions	Jurisdiction, plans, service level, type, source, value band, currency, dates.
Fee type	Platform, collaboration, managed intro, managed campaign, success, etc.
Calculation	Method, percent/fixed, min, max, basis.
Payer allocation	Creator / business / split / custom.
Effective dates	Start/end with timezone.

Admin field/control	Requirement
Preview/test	Display resolved fee for a sample context.
Usage report	Number/GMV/revenue of collaborations using that rule.

6. Protected Payment Terminology and Jurisdiction Gate

Add capability flags to the country/state configuration. UI and contract terminology must derive from the jurisdiction record. Default user-facing term is “Protected Collaboration Payment.”

```
jurisdiction_payment_capability:
  protected_payment_enabled: bool
  escrow_term_allowed: bool
  full_prefunding_enabled: bool
  staged_prefunding_enabled: bool
  recurring_funding_enabled: bool
  managed_introduction_enabled: bool
  managed_negotiation_enabled: bool
  approved_provider_ids: []
  legal_review_status: APPROVED | PENDING | BLOCKED
  notes / effective dates
```

7. Funding Model and State Machine

```
DRAFT
-> AWAITING_PARTY_ACCEPTANCE
-> AWAITING_FUNDING
-> FUNDING_PENDING
-> FUNDED | PARTIALLY_FUNDED
-> ACTIVE
-> COMPLETED
Exceptions: FUNDING_FAILED, CANCELLED, PAYMENT_RISK, DISPUTED, REFUND_PENDING, REFUNDED
```

A creator must not be shown “Protected / Fully Funded” until provider confirmation and ledger reconciliation meet the configured requirement.

8. Milestone State Machine

```
DRAFT
-> FUNDED
-> IN_PROGRESS
-> SUBMITTED
-> UNDER_REVIEW
-> APPROVED
-> RELEASE_SCHEDULED
-> RELEASED
Branches:
SUBMITTED -> REVISION_REQUESTED -> IN_PROGRESS
UNDER_REVIEW -> DISPUTED
any eligible state -> CANCELLED (subject to contract/rule)
```

- Store every transition with actor, timestamp, source event and before/after state.
- Revision count must be system-tracked and compared with the accepted revision limit.
- Review deadline is calculated from the accepted rule/template snapshot, not a current global setting.
- Auto-approval job must be idempotent and skip milestones with a valid dispute or permitted revision request.

9. Funding and Release Orchestration

1. Create provider funding intent/order for the required brand amount and configured business-side fees.
2. Receive provider webhook; verify signature; store raw event reference; process idempotently.

3. Reconcile provider amount/currency/status against collaboration funding requirement.
4. Activate eligible milestones only after funding condition is satisfied.
5. On milestone approval/auto-approval, calculate payout from the immutable fee snapshot and applicable taxes/provider costs.
6. Create release/transfer/payout via provider adapter.
7. Update payout and ledger only from provider-confirmed outcome; never infer success from a front-end redirect.

10. Payment Provider Adapter Contract

```
interface CollaborationPaymentProvider {
    createFundingIntent(...)
    getFundingStatus(...)
    cancelFunding(...)
    createReleaseOrTransfer(...)
    createPartialRefund(...)
    createFullRefund(...)
    getPayoutStatus(...)
    verifyWebhook(...)
    parseWebhook(...)
    reconcileTransaction(...)
    getCapabilities(country, currency, method)
}
```

Capability flag	Meaning
supports_marketplace_payments	Provider supports platform/connected-account style transactions.
supports_delayed_release	Funds can be released later under provider-approved flow.
supports_split_payment	Provider can allocate platform fee and payee amount.
supports_partial_refund	Partial unused funding can be returned.
supports_recurring	Recurring ambassador cycles can be funded.
max_hold_period	Maximum provider-supported delay before release/refund action.
supports_connected_accounts	Creator/payee account model available.
supports_local_method	e.g., local mobile money method/country rail.
supports_fx	Provider supports required settlement/currency conversion.

11. Ledger and Financial Integrity

Implement an append-only financial ledger. Do not rely on mutable collaboration rows as the accounting source of truth.

- Every pay-in, platform fee, creator payable, payout, refund, reversal and adjustment produces ledger entries.
- Each entry references the collaboration, milestone, provider transaction and idempotency/event key.
- Balances shown in UI are derived from reconciled ledger state.
- Admin may create controlled adjustment entries but must never edit or delete historical ledger records.

12. Immutable Commercial Snapshot

At final acceptance, persist a hashable snapshot that includes at minimum: collaboration value, milestones, fee rule/version, fee calculation, payer allocation, review windows, revision limits, funding mode, cancellation rule references, attribution period, provider/jurisdiction references and accepted legal-document versions.

Any later commercial change must create a Change Order with a new before/after snapshot and new party acceptance. Do not silently mutate the accepted deal.

13. Dispute Service

Field/behavior	Requirement
Scope	Default dispute target is a specific milestone and disputed amount.
Reason codes	Non-delivery, quality/scope, missed deadline, unauthorized revision, publication issue, payment/fraud, other.
Evidence	Files, URLs, messages, brief/version, milestone submissions, review history.
Hold behavior	Pause only affected release where provider/legal rules allow.
Resolution	Creator release, brand refund, split amount, mutual settlement, provider/legal escalation.
Audit	Resolver, rationale, timestamps, amount allocation and provider operations are immutable.
Appeal	Optional admin-configured appeal period/status for internal policy.

14. Cancellation and Refund Engine

Cancellation policy must be represented as structured rule/template data where possible. It must support completed-milestone protection, current-milestone kill/partial fee, and future-milestone refund.

```
calculate_cancellation(collaboration, at_time):
    payable_completed = sum(approved_or_released_milestones)
    current_adjustment = apply_kill_fee_or_partial_rule(current_milestone)
    refundable_future = remaining_funded_amount - payable_completed - current_adjustment
    return payout/refund instructions + audit explanation
```

15. Relationship Attribution and Repeat Deals

- Store relationship_source at first qualifying interaction.
- Support PRE_EXISTING_RELATIONSHIP claim before or during collaboration acceptance.
- Store configurable attribution_expiry; never infer “forever.”
- Repeat collaboration rule resolution must consider original relationship source and attribution status.
- Admin dispute workflow must exist for contested pre-existing relationship claims.

16. API Surface

Endpoint	Purpose
POST /collaborations/quote	Return service level, fee preview, funding requirement and jurisdiction availability.
POST /collaborations	Create draft collaboration.
POST /collaborations/{id}/accept	Accept snapshot; requires current version token.
POST /collaborations/{id}/funding-intent	Create brand funding transaction.
GET /collaborations/{id}/funding	Funding/reconciliation status.
POST /collaborations/{id}/milestones	Create/edit milestones before acceptance.
POST /milestones/{id}/submit	Creator submits deliverable/evidence.
POST /milestones/{id}/approve	Brand approves eligible milestone.
POST /milestones/{id}/revision	Request allowed revision.
POST /milestones/{id}/disputes	Open dispute.
POST /collaborations/{id}/change-orders	Create commercial amendment.
POST /collaborations/{id}/cancel	Invoke cancellation rules.
GET /collaborations/{id}/ledger-summary	Authorized financial summary.
POST /webhooks/payments/{provider}	Provider webhook ingress.
GET/POST /admin/collaboration-fee-rules	Admin rule matrix.
GET/POST /admin/jurisdiction-payment-capabilities	Country/state capability management.

17. Background Jobs

- Funding reconciliation / stale pending transactions.
- Milestone review deadline and auto-approval processing.
- Scheduled release queue and payout reconciliation.
- Provider hold-period warnings and mandatory action alerts.
- Failed payout retry according to provider-safe rules.
- Dispute SLA/escalation reminders.
- Recurring funding-cycle creation for ambassador plans.
- Financial reconciliation reports and ledger/provider mismatch alerts.

18. Notifications

Event	Notify
Funding required / funding successful / funding failed	Business + creator as appropriate
Milestone due / submitted	Creator / business
Review deadline approaching	Business
Revision requested	Creator
Milestone approved / auto-approved	Both
Payout initiated / completed / failed	Creator; admin on failure
Dispute opened / evidence requested / resolved	Both + admin
Cancellation / refund	Both
Provider or jurisdiction limitation	Affected party + admin

19. Admin Portal Requirements

- Commission/Fee Rules: CRUD, versioning, priority, test simulator, activation schedule, usage analytics.
- Jurisdiction Matrix: enable/disable service levels, protected payments, approved terminology and providers.
- Provider Health: credentials status, webhook health, capabilities, country/currency routes, reconciliation alerts.
- Collaboration Operations: funding, milestones, submissions, reviews, payouts, refunds, disputes, audit trail.
- Financial Reports: GMV, platform fee revenue, creator payable, payouts, refunds, disputes, provider fees, FX where known.
- Risk Controls: manual review flags, payout holds only where authorized, suspicious transaction escalation, account restrictions.

20. RBAC and Security

- Separate permissions for viewing sensitive financial data, editing fee rules, triggering refunds, resolving disputes and changing jurisdiction/provider configuration.
- Require step-up authentication for high-risk admin actions such as large refunds, provider key changes and rule activation.
- Store payment-provider secrets in encrypted secret storage; Admin UI may update/rotate but must never display full secrets after save.
- Verify webhook signatures and use replay protection/idempotency keys.
- KYC/AML/payment identity data should be minimized in Influrios and delegated to the payment provider where possible.
- Use least-privilege access to collaboration evidence and financial records.

21. Analytics and Events

```

collaboration_quoted
collaboration_accepted
funding_started
funding_completed
funding_failed
milestone_started
milestone_submitted
milestone_revision_requested
milestone_approved
milestone_auto_approved
payout_started
payout_completed
payout_failed
dispute_opened

```

```

dispute_resolved
collaboration_cancelled
refund_completed
change_order_accepted
preexisting_relationship_claimed

```

22. Acceptance Tests / Definition of Done

1. Admin creates two overlapping fee rules; simulator resolves the expected rule using documented priority/specificity logic.
2. An accepted collaboration retains its original fee even after Admin changes the active rule.
3. Brand fully funds a collaboration; provider webhook confirms funding; creator sees Fully Funded only after reconciliation.
4. Creator submits milestone; brand approves; exact creator net and Influrios fee are released according to the accepted snapshot.
5. Brand does nothing through the configured review window; eligible milestone auto-approves once and only once.
6. Brand requests revisions until limit is reached; an extra request cannot silently expand scope and instead requires a change order or dispute.
7. A dispute on milestone 3 blocks milestone 3 funds but does not reverse already released milestone 1 unless explicitly required.
8. Cancellation after partially completed work calculates completed payout, configured kill fee and future refund correctly.
9. Provider sends duplicate webhook; the same financial action is not applied twice.
10. Jurisdiction disables protected payments; API/UI do not offer the protected funding flow even though a provider adapter exists.
11. Admin attempts to call the flow “escrow” where escrow_term_allowed=false; generated UI/contract uses the approved protected-payment term instead.
12. Ledger total reconciles to provider pay-in, payouts, fees, refunds and adjustments.
13. Change order modifies collaboration value and milestone schedule only after both affected parties accept the new snapshot.

23. Implementation Phasing

Phase	Scope
P0 - Core model	Entities, rule engine, snapshotting, milestone workflow, ledger abstractions, jurisdiction flags.
P1 - Launch provider	One approved marketplace provider; full prefunding; milestone release; partial refund; fee collection; reconciliation.
P2 - Operations	Disputes, cancellation engine, admin simulator, reports, change orders, notifications.
P3 - Expansion	Staged/recurring funding, additional countries/providers, local payment rails, advanced repeat-deal attribution.
P4 - Advanced	Revenue sharing, more complex split payouts, agency/enterprise negotiated rules, automated risk tooling where approved.

24. Legal/Compliance Integration Hooks

- Each accepted collaboration stores the applicable Terms/Creator/Business/Marketplace/Collaboration Agreement version identifiers.
- Fee disclosure acceptance must be explicit and timestamped.
- Country/state capability status must support legal_review_status and effective dates.
- Provider terms/KYC requirements must be surfaced before funding/payout when applicable.
- Do not implement managed introduction/negotiation simply because a fee rule exists; require jurisdiction feature enablement.
- Legal text should reference the live transaction fee schedule/snapshot rather than embedding a mutable percentage where possible.

25. Integration With Existing v2.2 Platform Architecture

This addendum uses the existing multi-provider payment, country configuration, subscription entitlement, admin portal, notification, audit and RBAC architecture defined in v2.2. The collaboration system must reuse those platform services rather than creating parallel provider keys, country tables, email settings or user-role systems.

Development AI must treat the Commission Matrix, Provider Capability Matrix, Subscription Entitlement Engine and Country/Jurisdiction Matrix as coordinated configuration layers. None of them may override another silently.

23. Homepage Value Proposition Strip — Mandatory Implementation

DEV AI DIRECTIVE: replace the existing homepage statistics component with a reusable, CMS-managed Value Proposition Strip. Do not simply change the numeric text inside the current stats cards.

23.1 Component Scope

- Create a dedicated component/module, recommended name: HomepageValuePropositionStrip (or equivalent project naming convention).
- Remove the current placeholder-statistics component from the launch homepage composition. Preserve it as a separate reusable SocialProofStats component only if useful for future verified metrics.
- Render all copy, icons, links and labels as live semantic UI. The supplied image is visual reference only; do not bake text into a background image.
- Component content must be supplied from Admin CMS/configuration rather than hard-coded JSX/HTML strings.

23.2 Default Content Model

Key	Title	Default Description	Default Micro-label
influrios_card	Influrios Card	One professional identity for your socials, specialty, contact details and opportunities.	Showcase Yourself
influence_intelligence	Influence Intelligence	Discover creators by what they truly influence — not just follower count.	Find the Right Match
collaboration_network	Collaboration Network	Connect creators, complementary specialists and businesses around real opportunities.	Create Opportunities
protected_payments	Protected Payments	Fund collaborations securely and release payments as agreed milestones are completed.	Collaborate with Confidence

23.3 CMS / Admin Schema

```
homepage_value_proposition_strip:
  enabled: boolean
  eyebrow: string
  headline: string
  headline_highlight: string | null
  subtitle: string | null
  closing_tagline_line_1: string
  closing_tagline_line_2: string
  background_variant: enum
  items: [
    {
      key: string,
      enabled: boolean,
      sort_order: integer,
      icon_asset_or_icon_key: string,
      title: string,
      description: string,
      micro_label: string | null,
      link_url: string | null,
      accent_token: string,
      visibility_rule: object | null
    }
  ]
```

- Admin must be able to enable/disable the section, reorder the four items, edit copy, change approved icons, manage links and schedule publication.

INFLURIOS | DEVELOPMENT SPECIFICATION v2.2

- Keep a system/default version so Admin can restore approved launch copy.
- Content revisions should be auditable with updated_by and updated_at metadata.
- Protected Payments should support a visibility/disclaimer rule so the claim can be adjusted for unsupported jurisdictions without a code deployment.

23.4 Desktop / Tablet / Mobile Behavior

Viewport	Layout	Tagline	Interaction
Desktop >= 1200px	Four equal pillar columns plus a separated closing-tagline area; optional centered section heading above.	Visible at right or below depending container width.	Entire pillar may be clickable only if a destination exists; preserve clear focus state.
Tablet 768–1199px	2 × 2 pillar grid; headline/subtitle centered or left aligned by design system.	Full-width below grid.	Touch targets >= 44px.
Mobile < 768px	Single-column stacked cards or horizontal snap carousel if usability testing supports it.	Below cards; do not reduce to illegible decorative text.	No hover-only affordances; maintain readable copy and focus order.

23.5 Visual Tokens

- Use Influrios core navy/blue/violet system for headings and interactive elements. Keep backgrounds predominantly white/light to match the landing-page direction.
- Influrios Card accent: violet/lavender.
- Influence Intelligence accent: electric blue / pale blue.
- Collaboration Network accent: violet-to-pink / pale rose-lavender.
- Protected Payments accent: trust green/teal may be used sparingly for the shield/payment icon while retaining Influrios blue-purple brand framing.
- Use CSS/design-system gradients and SVG/icon components in production; do not ship the reference PNG as the source of text or icons.

23.6 Accessibility and Content Requirements

- Use a semantic section heading (H2/H3 according to page hierarchy) and structured list/grid markup for pillars.
- Decorative icons should be aria-hidden; meaningful linked icons require accessible names.
- Do not communicate pillar meaning solely through color.
- Maintain WCAG-compliant text/background contrast and keyboard-visible focus states.
- Do not place critical copy inside images. Text must remain selectable, translatable and responsive.
- If Protected Payments is not active in a user's market, apply configured copy/visibility treatment instead of making an unavailable promise.

23.7 Analytics

homepage_value_strip_view
homepage_value_pillar_click
homepage_value_pillar_impression
homepage_value_strip_cta_click
homepage_value_strip_variant_view

- Event properties should include pillar_key, destination, placement, experiment_variant if applicable, device class and anonymous/authenticated state where privacy rules permit.
- Do not send unnecessary profile or sensitive personal information in analytics events.

23.8 Future Social-Proof Statistics Component

- Do not permanently delete the concept of a statistics strip. Implement verified metrics later as a separate SocialProofStats component.

INFLURIOS | DEVELOPMENT SPECIFICATION v2.2

- Stats must be sourced from approved analytics/warehouse data or admin-approved values with source/as-of metadata.
- Admin must be able to disable a metric whose source is stale or unavailable.
- Never display placeholder numbers in production as factual platform scale.

23.9 Acceptance Tests

1. Launch homepage no longer shows placeholder 50K+/100+/12K+/5K+ statistics unless independently enabled as verified SocialProofStats data.
2. The four default pillars render in the approved order with exact launch copy and accessible icons.
3. Admin changes a pillar description and reorder; published homepage updates without deployment.
4. Disabling one pillar produces a balanced responsive layout without an empty gap.
5. Protected Payments visibility/copy can be altered by configured market availability without modifying code.
6. Mobile view remains readable, keyboard/touch accessible and free of horizontal overflow.
7. Analytics emit one view event per rendered strip and click events with the correct pillar_key.
8. The UI uses live text/SVG/CSS rather than rasterized text from the design reference.

23.10 Design Reference

Use the following image as the approved visual direction for the homepage replacement. Recreate it with the application design system; do not use the complete raster as the production component.



24. v1.1 Non-Negotiable Dev Instructions

- VP001 Replace the placeholder statistics launch component with HomepageValuePropositionStrip; do not relabel fake numbers.
- VP002 Store strip content and item order in Admin-managed CMS/configuration with a restorable approved default.
- VP003 Render copy/icons as live accessible UI, not raster artwork.
- VP004 Treat Influrios Card, Influence Intelligence, Collaboration Network and Protected Payments as the default four launch pillars.
- VP005 Keep future real statistics in a separate SocialProofStats component with verified data provenance.
- VP006 Apply jurisdiction-aware treatment to Protected Payments claims and never substitute “escrow” unless explicitly authorized.
- VP007 Instrument section/pillar analytics without collecting unnecessary personal data.
- VP008 Preserve responsive, accessible presentation across desktop, tablet and mobile.