构型概览


这是基线构型参照，不能证明你现在的体验或处境。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Configuration Overview

This is a baseline configuration reference; it does not establish your present experience or circumstances.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.



出生与 Design

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Birth / Design

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

Personality / Design	Body	Longitude °	Gate.Line
PERSONALITY	SUN	279.519960	38.1
PERSONALITY	MOON	213.257054	28.2
PERSONALITY	MERCURY	270.594932	10.3
PERSONALITY	VENUS	240.558939	34.1
PERSONALITY	MARS	327.318052	30.4
PERSONALITY	JUPITER	25.221439	42.5
PERSONALITY	SATURN	40.413360	24.3
PERSONALITY	URANUS	314.764341	13.2
PERSONALITY	NEPTUNE	303.165901	41.2
PERSONALITY	PLUTO	251.425381	5.1
PERSONALITY	EARTH	99.519960	39.1
PERSONALITY	NORTH_NODE	123.993253	31.3
PERSONALITY	SOUTH_NODE	303.993253	41.3
DESIGN	SUN	191.519960	48.3
DESIGN	MOON	140.275473	4.2
DESIGN	MERCURY	209.996474	50.4
DESIGN	VENUS	148.222142	29.4
DESIGN	MARS	261.569893	26.5
DESIGN	JUPITER	32.340519	27.1
DESIGN	SATURN	46.068949	2.4
DESIGN	URANUS	312.993705	19.6
DESIGN	NEPTUNE	301.611943	60.6
DESIGN	PLUTO	248.339453	9.3
DESIGN	EARTH	11.519960	21.3
DESIGN	NORTH_NODE	131.307604	33.4
DESIGN	SOUTH_NODE	311.307604	19.4

行星驱动

基线驱动场不等于当前驱动优先级。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Planetary Drivers

The baseline driver field is not a current priority ranking.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

D1 ["SUN"] CALCULATED	**D2** ["MOON"] CALCULATED	**D3** ["MERCURY"] CALCULATED
D4 ["VENUS"] CALCULATED	**D5** ["MARS"] CALCULATED	**D6** ["JUPITER"] CALCULATED
D7 ["SATURN"] CALCULATED	**D8** ["URANUS"] CALCULATED	**D9** ["NEPTUNE"] CALCULATED
D10 ["PLUTO"] CALCULATED	**D11** ["EARTH"] CALCULATED	**D12** ["NORTH_NODE","SOUTH_NODE"] CALCULATED

Current priority / 当前优先级: UNKNOWN · K4 evidence required

Gate 与 Line

天文坐标属于计算输出。Gate 与 Line 来源、Driver 与 Personality / Design roles、Semantic Tags、组合规则及 Runtime Owner 规则属于受治理的解释 authority，并不是生物因果证明，也不是必然结果。个人化 C1–C5 或 Current Reality 数值仍需要已获准的个案证据。未解决字段继续保持未知，完整 unknown 记录保留在技术证据附录。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Gate & Line

Astronomical coordinates are calculated outputs. Gate and Line sources, Driver and Personality/Design roles, Semantic Tags, composition rules and Runtime Owner rules are governed interpretation authorities; they are not evidence of biological causation or guaranteed outcomes. Personal C1–C5 or Current Reality values require admitted case-specific evidence. Unresolved fields remain unknown, with the complete unknown record retained in the technical evidence appendix.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

Gate
基础结构 / Base → Line
修饰 / Modifier → Driver
角色 / Role → Personality / Design
层 / Layer

MEANING_NOT_ADMITTED

四因素均需来源、版本与人工准入。 / All four factors require source, version and human admission.

现实语法与问题

V4.1 现已具备经过 Owner ACCEPT 的 Driver、Personality / Design、Semantic Tag、组合规则与 Runtime Owner 规则。只有当本案例存在已获准的 Gate + Line + Driver + Layer 组合，并具有明确 tag evidence 时，才发布个人化的问题 / 能力方向。已计算的基线结构仍保留；若缺少该个案绑定，方向继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Reality Grammar & Questions

V4.1 now has owner-accepted Driver, Personality/Design, Semantic Tag, compositional and Runtime Owner rules. A personal Question / Capability orientation is published only when this case has an admitted Gate + Line + Driver + Layer composition with explicit tag evidence. The calculated baseline remains available; without that case-specific binding, orientation remains unknown.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

G • 16

content/embodied-configuration/ecr-book-core-theory-projection-v1.json#grammar

Personal selection / 个人选择: UNKNOWN

Q • 16

content/embodied-configuration/ecr-book-core-theory-projection-v1.json#questions

Personal selection / 个人选择: UNKNOWN

能力与激活

V4.1 现已具备经过 Owner ACCEPT 的 Driver、Personality / Design、Semantic Tag、组合规则与 Runtime Owner 规则。只有当本案例存在已获准的 Gate + Line + Driver + Layer 组合，并具有明确 tag evidence 时，才发布个人化的问题 / 能力方向。已计算的基线结构仍保留；若缺少该个案绑定，方向继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Capability & Activation

V4.1 now has owner-accepted Driver, Personality/Design, Semantic Tag, compositional and Runtime Owner rules. A personal Question / Capability orientation is published only when this case has an admitted Gate + Line + Driver + Layer composition with explicit tag evidence. The calculated baseline remains available; without that case-specific binding, orientation remains unknown.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

R • 9

content/embodied-configuration/ecr-book-core-theory-projection-v1.json#capabilities

Personal selection / 个人选择: UNKNOWN

A • 8

content/embodied-configuration/ecr-activation-registry-v1.json

Personal selection / 个人选择: UNKNOWN

载体与环境

Figure 4A–4B 已定义载体架构，R7 Runtime Owner 规则也已规定组合语义何时可以进入 K2A / Carrier。个人化的层级、容量、约束、完整性、连接或恢复基线，只有在本案例具备已获准的组合与证据时才发布；否则架构已知，但个人结果继续保持未知。

Figure 4C 已定义 C1 载体运行字段，R7 也已建立受治理的语义与 owner 规则。个人化摄取、环境、感知、认知、生物运行、调节、连接、运行成本或载体运行方式，只有当已获准的个案组合在充分证据下解析至 C1 时才显示；否则这些数值继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Carrier & Environment

Figures 4A–4B define the Carrier architecture and the R7 owner rules now govern how semantic composition may become K2A / Carrier evidence. Personal hierarchy, capacity, constraint, integrity, connectivity or recovery-baseline values are published only when the case supplies admitted composition and evidence; otherwise the architecture is known while the personal result remains unknown.

Figure 4C defines the C1 Carrier Runtime fields, and R7 now provides governed semantic and owner rules for resolving them. Personal intake, environment, perception, cognition, biology, regulation, connectivity, cost or Carrier Runtime Style is shown only when an admitted case-specific composition resolves to C1 with sufficient evidence; otherwise those values remain unknown.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

体验与表达

Figure 5A 已定义 C2 体验引擎。只有当已获准组合明确描述体验、注意、价值权重、选择或视角，并具备充分个案证据时，R7 才可把语义对象归属 C2。若不足以支持该 owner，体验过滤、稳定模式、视角、动机、情绪权重与意义方向继续保持未知。

Figure 5B 已定义 C3 表达引擎。只有当个案证据明确支持翻译、压缩、外化、媒介或表达阈值时，R7 才可把已获准组合归属 C3。若缺少这些个案证据，表达驱动力、转换方式、压缩、表达架构、阈值、媒介与表达风格继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Experience & Expression

Figure 5A defines the C2 Experience engine. R7 may route an admitted composition to C2 when the semantic object is explicitly about experience, attention, valuation, selection or perspective. Without sufficient case-specific evidence for that ownership, experience filter, stability, perspective, motivation, emotional weighting and meaning orientation remain unknown.

Figure 5B defines the C3 Expression engine. R7 may route an admitted composition to C3 only when translation, compression, externalization, medium or expression threshold is explicitly supported. Without that case-specific evidence, expression drive, translation, compression, architecture, threshold, medium and expression style remain unknown.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

行动与身份

Figure 5C 已定义 C4 行动引擎。当已获准组合的语义对象明确涉及方向、评估、排除、承诺、资源配置、选择或执行准备时，R7 才可归属 C4。若个案证据不足，方向、决策策略、选择、冲突、责任、承诺与执行准备度继续保持未知。

Figure 5D 已定义 C5 身份引擎。只有当个案证据明确支持身份稳定、自我模型或角色连续、身份边界、身份漂移或身份重组时，R7 才可把已获准组合归属 C5。Personality layer 本身绝不能直接指定 C5，也不会推断固定身份类型；未获证据支持的个人身份数值继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Agency & Identity

Figure 5C defines the C4 Agency engine. R7 may route an admitted composition to C4 when the semantic object concerns direction, evaluation, exclusion, commitment, resource allocation, choice or execution readiness. Without sufficient case-specific evidence, direction, decision strategy, choice, conflict, responsibility, commitment and execution readiness remain unknown.

Figure 5D defines the C5 Identity engine. R7 may route an admitted composition to C5 only when identity stabilization, self-model or role continuity, identity boundary, drift or identity reconfiguration is explicitly supported. Personality layer alone never assigns C5, and no fixed identity type is inferred; unsupported personal identity values remain unknown.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

贡献与资源

持续架构描述可比较的状态，不预测人生阶段。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Contribution & Resources

The continuity architecture describes states for comparison, not a predicted life sequence.

Synthetic review sample. Unadmitted personal interpretation remains unknown; this is not a purchased or issued customer report.

MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

完整材料范围与缺口 / Complete packet scope and gaps

前十页保留原合成审阅报告。以下逐字呈现全部现有草稿，不删节、不用无来源扩写补齐。 / The first ten pages retain the original synthetic review report. Every available draft follows verbatim; no omissions or unsourced expansion.

三条现有 Story 目前只有问题及十项字段草稿，尚无完整叙事原稿。本包完整收录已有文字，但不宣称完整 Story 已交付；该项仍阻断，需作者提供原稿。 / The three Stories currently contain a question and ten editorial fields, not complete narrative manuscripts. This packet includes all available wording but does not claim the missing Stories are complete; author manuscripts are required.


```
{
  "newPersonalizedInterpretations": 0,
  "availableOriginalStoryDrafts": 3,
  "completeOriginalStoryManuscripts": 0,
  "contractFixtures": 1,
  "unknownIsNotZero": true
}
```


独立版权审计未完成。没有引入或改写 Gene Keys 商业文案。 / Independent rights review is unfinished. No Gene Keys commercial text has been imported or rewritten.

Full source: full-existing-drafts.json · factor-policy-readonly-copy.json · author-source-manifest.json

能力与运行形成 / Capability & runtime formation • 1/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

structuralMeaning

连接所列 PHI 结构的原创编辑问题；本草稿不准入任何个人化意义。

relevance

只有用户选择此问题并提供实际处境时才有相关性。

supportConditions

有日期的观察、明确角色、可用资源以及处境中的反馈。

tensions

有用的整理工作也可能消耗注意力，或把成本转移给他人。

alternatives

结果也可能来自训练、激励、时机或支持，而非基线构型。

structuralMeaning

An original editorial question linking the named PHI structures; no personal meaning is admitted by this draft.

relevance

Relevant only if the user chooses this question and supplies an actual situation.

supportConditions

A dated observation, an explicit role, available resources and feedback from the situation.

tensions

A useful organizing effort can consume attention or shift costs to someone else.

alternatives

The result may reflect training, incentives, timing or support rather than baseline configuration.

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

能力与运行形成 / Capability & runtime formation • 2/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

realSignals

比较明确期间的可观察行为与结果；不从坐标推断特质。

counterexamples

记录拟议模式不符合经历的一次情况，包括改变了的条件。

unknowns

个人贡献、职业、当前优先级与因果解释保持未知。

reflectionQuestion

哪些条件让一项资源可重复使用？什么情况下它不再可用？

sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

realSignals

Compare observable behavior and outcomes in a defined period; do not infer a trait from a coordinate.

counterexamples

Record an occasion when the proposed pattern did not fit, including changed conditions.

unknowns

Personal contribution, profession, current priority and causal explanation remain unknown.

reflectionQuestion

Which conditions let you use a resource repeatedly, and when does it stop being usable?

sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

关系与反馈 / Relationship & feedback • 1/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

structuralMeaning

连接所列 PHI 结构的原创编辑问题；本草稿不准入任何个人化意义。

relevance

只有用户选择此问题并提供实际处境时才有相关性。

supportConditions

有日期的观察、明确角色、可用资源以及处境中的反馈。

tensions

有用的整理工作也可能消耗注意力，或把成本转移给他人。

alternatives

结果也可能来自训练、激励、时机或支持，而非基线构型。

structuralMeaning

An original editorial question linking the named PHI structures; no personal meaning is admitted by this draft.

relevance

Relevant only if the user chooses this question and supplies an actual situation.

supportConditions

A dated observation, an explicit role, available resources and feedback from the situation.

tensions

A useful organizing effort can consume attention or shift costs to someone else.

alternatives

The result may reflect training, incentives, timing or support rather than baseline configuration.

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

关系与反馈 / Relationship & feedback • 2/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

realSignals

比较明确期间的可观察行为与结果；不从坐标推断特质。

counterexamples

记录拟议模式不符合经历的一次情况，包括改变了的条件。

unknowns

个人贡献、职业、当前优先级与因果解释保持未知。

reflectionQuestion

对方实际说了或做了什么？哪一部分仍是你的解释?

sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

realSignals

Compare observable behavior and outcomes in a defined period; do not infer a trait from a coordinate.

counterexamples

Record an occasion when the proposed pattern did not fit, including changed conditions.

unknowns

Personal contribution, profession, current priority and causal explanation remain unknown.

reflectionQuestion

What did another person actually say or do, and which part is still your interpretation?

sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

贡献与资源持续 / Contribution & resource continuity • 1/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

structuralMeaning

连接所列 PHI 结构的原创编辑问题；本草稿不准入任何个人化意义。

relevance

只有用户选择此问题并提供实际处境时才有相关性。

supportConditions

有日期的观察、明确角色、可用资源以及处境中的反馈。

tensions

有用的整理工作也可能消耗注意力，或把成本转移给他人。

alternatives

结果也可能来自训练、激励、时机或支持，而非基线构型。

structuralMeaning

An original editorial question linking the named PHI structures; no personal meaning is admitted by this draft.

relevance

Relevant only if the user chooses this question and supplies an actual situation.

supportConditions

A dated observation, an explicit role, available resources and feedback from the situation.

tensions

A useful organizing effort can consume attention or shift costs to someone else.

alternatives

The result may reflect training, incentives, timing or support rather than baseline configuration.

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

贡献与资源持续 / Contribution & resource continuity • 2/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

realSignals

比较明确期间的可观察行为与结果；不从坐标推断特质。

counterexamples

记录拟议模式不符合经历的一次情况，包括改变了的条件。

unknowns

个人贡献、职业、当前优先级与因果解释保持未知。

reflectionQuestion

明确责任、时间与资源以后，这项拟议贡献是否仍有用?

sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

realSignals

Compare observable behavior and outcomes in a defined period; do not infer a trait from a coordinate.

counterexamples

Record an occasion when the proposed pattern did not fit, including changed conditions.

unknowns

Personal contribution, profession, current priority and causal explanation remain unknown.

reflectionQuestion

Does a proposed contribution remain useful when responsibility, time and resources are made explicit?

sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

Design Jupiter 15.6 • CONTRACT FIXTURE


```
{
  "fixtureType": "CONTRACT_FIXTURE",
  "astronomyAcceptance": false,
  "layer": "DESIGN",
  "bodyCode": "JUPITER",
  "driverId": "D6",
  "gate": 15,
  "line": 6,
  "status": "AUTHOR_REVIEW_REQUIRED",
  "fourFactors": {
    "gate": {
      "value": 15,
      "meaning": "MEANING_NOT_ADMITTED"
    },
    "line": {
      "value": 6,
      "meaning": "MEANING_NOT_ADMITTED"
    },
    "driver": {
      "value": "D6",
      "binding": "JUPITER"
    },
    "layer": {
      "value": "DESIGN",
      "role": "SOURCE_ROLE_ONLY"
    }
  },
  "candidate": "System contribution / 系统性贡献",
  "verifiedTalent": false,
  "professionalConclusion": false,
  "storyDraftRef": "CONTRIBUTION_RESOURCE_CONTINUITY",
  "note": "Contract position only; not derived from the synthetic birth fixture or claimed as an astronomical replay."
}
```


这不是天文重放，不构成已验证天赋、职业或系统性贡献。 / This is not an astronomical replay or a verified talent, profession, or system contribution.

四因素完整来源字段 / Complete four-factor source fields • gateBases


```
{
  "factorId": "BASE:15",
  "key": 15,
  "sourceRefs": [
    "content/embodied-configuration/ecr-environment-first-configuration-v1.json#ECR-H06",
    "GATE-15-BASE"
  ],
  "status": "ACCEPTED",
  "meaningRef": "ECR-R6:GATE_BASE:15",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-28

Exact full human-review binding: factor-policy-readonly-copy.json → gateBases → BASE:15

Base structure; not a personality conclusion

四因素完整来源字段 / Complete four-factor source fields • lineModifiers


```
{
  "factorId": "LINE:6",
  "key": 6,
  "sourceRefs": [
    "content/interpretation/source/gate-line-source-registry-v1.json"
  ],
  "status": "ACCEPTED",
  "meaningRef": "ECR-R6:LINE_MODIFIER:6",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-28

Exact full human-review binding: factor-policy-readonly-copy.json → lineModifiers → LINE:6

Modifier of the selected structure; not a maturity or superiority score

四因素完整来源字段 / Complete four-factor source fields • planetaryDriverRoles


```
{
  "factorId": "DRIVER:D6",
  "key": "D6",
  "sourceRefs": [
    "content/embodied-configuration/ecr-founder-reference-authority-v1.json#BOOK1-FIGURE-3A",
    "content/embodied-configuration/ecr-book-core-theory-projection-v1.json#drivers",
    "OWNER_MANUSCRIPT_AUTHORITY:BOOK1_PART4_DRIVER_SEQUENCE"
  ],
  "status": "ACCEPTED",
  "meaningRef": "content/embodied-configuration/v4-1/semantic-admission-r2/driver-role-canon-r7-v1.json#D6",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-26

Exact full human-review binding: factor-policy-readonly-copy.json → planetaryDriverRoles → DRIVER:D6

Planetary role in the PHI source convention; D6 is Jupiter

四因素完整来源字段 / Complete four-factor source fields • layerRoles


```
{
  "factorId": "LAYER:DESIGN",
  "key": "DESIGN",
  "sourceRefs": [
    "content/interpretation/source/book-2-conscious-runtime-source-inventory-v1.json#IR-B2-P5-004",
    "content/interpretation/source/book-2-conscious-runtime-source-inventory-v1.json#IR-B2-P5-018",
    "content/interpretation/source/book-2-conscious-runtime-source-inventory-v1.json#IR-B2-P5-019",
    "content/interpretation/source/activation-role-source-registry-v1.json"
  ],
  "status": "ACCEPTED",
  "meaningRef": "content/embodied-configuration/v4-1/semantic-admission-r2/personality-design-layer-canon-r7-v1.json#DESIGN",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-28

Exact full human-review binding: factor-policy-readonly-copy.json → layerRoles → LAYER:DESIGN

Calculation layer distinct from Personality; not verified behavior or career

所有已保存位置的绑定 / All saved position bindings

Layer	Body	Gate.Line	Driver / Four-factor refs	Status
PERSONALITY	SUN	38.1	D1 BASE:38 · LINE:1 · DRIVER:D1 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	MOON	28.2	D2 BASE:28 · LINE:2 · DRIVER:D2 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	MERCURY	10.3	D3 BASE:10 · LINE:3 · DRIVER:D3 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	VENUS	34.1	D4 BASE:34 · LINE:1 · DRIVER:D4 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	MARS	30.4	D5 BASE:30 · LINE:4 · DRIVER:D5 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	JUPITER	42.5	D6 BASE:42 · LINE:5 · DRIVER:D6 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	SATURN	24.3	D7 BASE:24 · LINE:3 · DRIVER:D7 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	URANUS	13.2	D8 BASE:13 · LINE:2 · DRIVER:D8 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	NEPTUNE	41.2	D9 BASE:41 · LINE:2 · DRIVER:D9 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	PLUTO	5.1	D10 BASE:5 · LINE:1 · DRIVER:D10 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	EARTH	39.1	D11 BASE:39 · LINE:1 · DRIVER:D11 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	NORTH_NODE	31.3	D12 BASE:31 · LINE:3 · DRIVER:D12 · LAYER:PERSONALITY	CALCULATED
PERSONALITY	SOUTH_NODE	41.3	D12 BASE:41 · LINE:3 · DRIVER:D12 · LAYER:PERSONALITY	CALCULATED

Source SHA256: 745445e126fae8213270be384850f50fe31600e041ee02cc839c00955e141fe3

仅绑定既有保存资料，未重算 Gate Wheel。 / Bindings use the existing saved data; the Gate Wheel was not recalculated.

所有已保存位置的绑定 / All saved position bindings

Layer	Body	Gate.Line	Driver / Four-factor refs	Status
DESIGN	SUN	48.3	D1 BASE:48 · LINE:3 · DRIVER:D1 · LAYER:DESIGN	CALCULATED
DESIGN	MOON	4.2	D2 BASE:4 · LINE:2 · DRIVER:D2 · LAYER:DESIGN	CALCULATED
DESIGN	MERCURY	50.4	D3 BASE:50 · LINE:4 · DRIVER:D3 · LAYER:DESIGN	CALCULATED
DESIGN	VENUS	29.4	D4 BASE:29 · LINE:4 · DRIVER:D4 · LAYER:DESIGN	CALCULATED
DESIGN	MARS	26.5	D5 BASE:26 · LINE:5 · DRIVER:D5 · LAYER:DESIGN	CALCULATED
DESIGN	JUPITER	27.1	D6 BASE:27 · LINE:1 · DRIVER:D6 · LAYER:DESIGN	CALCULATED
DESIGN	SATURN	2.4	D7 BASE:2 · LINE:4 · DRIVER:D7 · LAYER:DESIGN	CALCULATED
DESIGN	URANUS	19.6	D8 BASE:19 · LINE:6 · DRIVER:D8 · LAYER:DESIGN	CALCULATED
DESIGN	NEPTUNE	60.6	D9 BASE:60 · LINE:6 · DRIVER:D9 · LAYER:DESIGN	CALCULATED
DESIGN	PLUTO	9.3	D10 BASE:9 · LINE:3 · DRIVER:D10 · LAYER:DESIGN	CALCULATED
DESIGN	EARTH	21.3	D11 BASE:21 · LINE:3 · DRIVER:D11 · LAYER:DESIGN	CALCULATED
DESIGN	NORTH_NODE	33.4	D12 BASE:33 · LINE:4 · DRIVER:D12 · LAYER:DESIGN	CALCULATED
DESIGN	SOUTH_NODE	19.4	D12 BASE:19 · LINE:4 · DRIVER:D12 · LAYER:DESIGN	CALCULATED

Source SHA256: 745445e126fae8213270be384850f50fe31600e041ee02cc839c00955e141fe3

仅绑定既有保存资料，未重算 Gate Wheel。 / Bindings use the existing saved data; the Gate Wheel was not recalculated.