
# 构型概览

这是基线构型参照，不能证明你现在的体验或处境。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。



# 出生与 Design

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

| Personality / Design | Body | Longitude ° | Gate.Line |
|---|---|---|---|
| PERSONALITY | SUN | 279.519960 | 38.1 |
| PERSONALITY | MOON | 213.257054 | 28.2 |
| PERSONALITY | MERCURY | 270.594932 | 10.3 |
| PERSONALITY | VENUS | 240.558939 | 34.1 |
| PERSONALITY | MARS | 327.318052 | 30.4 |
| PERSONALITY | JUPITER | 25.221439 | 42.5 |
| PERSONALITY | SATURN | 40.413360 | 24.3 |
| PERSONALITY | URANUS | 314.764341 | 13.2 |
| PERSONALITY | NEPTUNE | 303.165901 | 41.2 |
| PERSONALITY | PLUTO | 251.425381 | 5.1 |
| PERSONALITY | EARTH | 99.519960 | 39.1 |
| PERSONALITY | NORTH_NODE | 123.993253 | 31.3 |
| PERSONALITY | SOUTH_NODE | 303.993253 | 41.3 |
| DESIGN | SUN | 191.519960 | 48.3 |
| DESIGN | MOON | 140.275473 | 4.2 |
| DESIGN | MERCURY | 209.996474 | 50.4 |
| DESIGN | VENUS | 148.222142 | 29.4 |
| DESIGN | MARS | 261.569893 | 26.5 |
| DESIGN | JUPITER | 32.340519 | 27.1 |
| DESIGN | SATURN | 46.068949 | 2.4 |
| DESIGN | URANUS | 312.993705 | 19.6 |
| DESIGN | NEPTUNE | 301.611943 | 60.6 |
| DESIGN | PLUTO | 248.339453 | 9.3 |
| DESIGN | EARTH | 11.519960 | 21.3 |
| DESIGN | NORTH_NODE | 131.307604 | 33.4 |
| DESIGN | SOUTH_NODE | 311.307604 | 19.4 |

# 行星驱动

基线驱动场不等于当前驱动优先级。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

**D1**

["SUN"]

CALCULATED

**D2**

["MOON"]

CALCULATED

**D3**

["MERCURY"]

CALCULATED

**D4**

["VENUS"]

CALCULATED

**D5**

["MARS"]

CALCULATED

**D6**

["JUPITER"]

CALCULATED

**D7**

["SATURN"]

CALCULATED

**D8**

["URANUS"]

CALCULATED

**D9**

["NEPTUNE"]

CALCULATED

**D10**

["PLUTO"]

CALCULATED

**D11**

["EARTH"]

CALCULATED

**D12**

["NORTH_NODE","SOUTH_NODE"]

CALCULATED

Current priority / 当前优先级: UNKNOWN · K4 evidence required

# Gate 与 Line

天文坐标属于计算输出。Gate 与 Line 来源、Driver 与 Personality / Design roles、Semantic Tags、组合规则及 Runtime Owner 规则属于受治理的解释 authority，并不是生物因果证明，也不是必然结果。个人化 C1–C5 或 Current Reality 数值仍需要已获准的个案证据。未解决字段继续保持未知，完整 unknown 记录保留在技术证据附录。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

Gate
基础结构 / Base
→
Line
修饰 / Modifier
→
Driver
角色 / Role
→
Personality / Design
层 / Layer

MEANING_NOT_ADMITTED

四因素均需来源、版本与人工准入。 / All four factors require source, version and human admission.

# 现实语法与问题

V4.1 现已具备经过 Owner ACCEPT 的 Driver、Personality / Design、Semantic Tag、组合规则与 Runtime Owner 规则。只有当本案例存在已获准的 Gate + Line + Driver + Layer 组合，并具有明确 tag evidence 时，才发布个人化的问题 / 能力方向。已计算的基线结构仍保留；若缺少该个案绑定，方向继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

## G • 16

content/embodied-configuration/ecr-book-core-theory-projection-v1.json#grammar

Personal selection / 个人选择: UNKNOWN

## Q • 16

content/embodied-configuration/ecr-book-core-theory-projection-v1.json#questions

Personal selection / 个人选择: UNKNOWN

# 能力与激活

V4.1 现已具备经过 Owner ACCEPT 的 Driver、Personality / Design、Semantic Tag、组合规则与 Runtime Owner 规则。只有当本案例存在已获准的 Gate + Line + Driver + Layer 组合，并具有明确 tag evidence 时，才发布个人化的问题 / 能力方向。已计算的基线结构仍保留；若缺少该个案绑定，方向继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

### R • 9

content/embodied-configuration/ecr-book-core-theory-projection-v1.json#capabilities

Personal selection / 个人选择: UNKNOWN

### A • 8

content/embodied-configuration/ecr-activation-registry-v1.json

Personal selection / 个人选择: UNKNOWN

# 载体与环境

Figure 4A–4B 已定义载体架构，R7 Runtime Owner 规则也已规定组合语义何时可以进入 K2A / Carrier。个人化的层级、容量、约束、完整性、连接或恢复基线，只有在本案例具备已获准的组合与证据时才发布；否则架构已知，但个人结果继续保持未知。

Figure 4C 已定义 C1 载体运行字段，R7 也已建立受治理的语义与 owner 规则。个人化摄取、环境、感知、认知、生物运行、调节、连接、运行成本或载体运行方式，只有当已获准的个案组合在充分证据下解析至 C1 时才显示；否则这些数值继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

## MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

# 体验与表达

Figure 5A 已定义 C2 体验引擎。只有当已获准组合明确描述体验、注意、价值权重、选择或视角，并具备充分个案证据时，R7 才可把语义对象归属 C2。若不足以支持该 owner，体验过滤、稳定模式、视角、动机、情绪权重与意义方向继续保持未知。

Figure 5B 已定义 C3 表达引擎。只有当个案证据明确支持翻译、压缩、外化、媒介或表达阈值时，R7 才可把已获准组合归属 C3。若缺少这些个案证据，表达驱动力、转换方式、压缩、表达架构、阈值、媒介与表达风格继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

## MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

# 行动与身份

Figure 5C 已定义 C4 行动引擎。当已获准组合的语义对象明确涉及方向、评估、排除、承诺、资源配置、选择或执行准备时，R7 才可归属 C4。若个案证据不足，方向、决策策略、选择、冲突、责任、承诺与执行准备度继续保持未知。

Figure 5D 已定义 C5 身份引擎。只有当个案证据明确支持身份稳定、自我模型或角色连续、身份边界、身份漂移或身份重组时，R7 才可把已获准组合归属 C5。Personality layer 本身绝不能直接指定 C5，也不会推断固定身份类型；未获证据支持的个人身份数值继续保持未知。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

## MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

# 贡献与资源

持续架构描述可比较的状态，不预测人生阶段。

合成资料审阅样本。未准入的个人解释保持未知；不是已购买或已发行的客户报告。

## MEANING_NOT_ADMITTED

保留结构，不推断个人结论。
Architecture retained; no personal conclusion inferred.

Support conditions · tensions · alternatives · real signals · counterexamples: UNKNOWN

# 完整材料范围与缺口

前十页保留原合成审阅报告。以下逐字呈现全部现有草稿，不删节、不用无来源扩写补齐。

三条现有 Story 目前只有问题及十项字段草稿，尚无完整叙事原稿。本包完整收录已有文字，但不宣称完整 Story 已交付；该项仍阻断，需作者提供原稿。


```
{
  "newPersonalizedInterpretations": 0,
  "availableOriginalStoryDrafts": 3,
  "completeOriginalStoryManuscripts": 0,
  "contractFixtures": 1,
  "unknownIsNotZero": true
}
```


独立版权审计未完成。没有引入或改写 Gene Keys 商业文案。

Full source: full-existing-drafts.json · factor-policy-readonly-copy.json · author-source-manifest.json

# 能力与运行形成 · 1/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

### structuralMeaning

连接所列 PHI 结构的原创编辑问题；本草稿不准入任何个人化意义。

### relevance

只有用户选择此问题并提供实际处境时才有相关性。

### supportConditions

有日期的观察、明确角色、可用资源以及处境中的反馈。

### tensions

有用的整理工作也可能消耗注意力，或把成本转移给他人。

### alternatives

结果也可能来自训练、激励、时机或支持，而非基线构型。

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

# 能力与运行形成 · 2/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

### realSignals

比较明确期间的可观察行为与结果；不从坐标推断特质。

### counterexamples

记录拟议模式不符合经历的一次情况，包括改变了的条件。

### unknowns

个人贡献、职业、当前优先级与因果解释保持未知。

### reflectionQuestion

哪些条件让一项资源可重复使用？什么情况下它不再可用？

### sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

# 关系与反馈 • 1/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

### structuralMeaning

连接所列 PHI 结构的原创编辑问题；本草稿不准入任何个人化意义。

### relevance

只有用户选择此问题并提供实际处境时才有相关性。

### supportConditions

有日期的观察、明确角色、可用资源以及处境中的反馈。

### tensions

有用的整理工作也可能消耗注意力，或把成本转移给他人。

### alternatives

结果也可能来自训练、激励、时机或支持，而非基线构型。

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

# 关系与反馈 · 2/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

### realSignals

比较明确期间的可观察行为与结果；不从坐标推断特质。

### counterexamples

记录拟议模式不符合经历的一次情况，包括改变了的条件。

### unknowns

个人贡献、职业、当前优先级与因果解释保持未知。

### reflectionQuestion

对方实际说了或做了什么？哪一部分仍是你的解释？

### sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

# 贡献与资源持续 • 1/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

### structuralMeaning

连接所列 PHI 结构的原创编辑问题；本草稿不准入任何个人化意义。

### relevance

只有用户选择此问题并提供实际处境时才有相关性。

### supportConditions

有日期的观察、明确角色、可用资源以及处境中的反馈。

### tensions

有用的整理工作也可能消耗注意力，或把成本转移给他人。

### alternatives

结果也可能来自训练、激励、时机或支持，而非基线构型。

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

# 贡献与资源持续 • 2/2

AUTHOR_REVIEW_REQUIRED · FIELD DRAFT, NOT COMPLETE MANUSCRIPT

### realSignals

比较明确期间的可观察行为与结果；不从坐标推断特质。

### counterexamples

记录拟议模式不符合经历的一次情况，包括改变了的条件。

### unknowns

个人贡献、职业、当前优先级与因果解释保持未知。

### reflectionQuestion

明确责任、时间与资源以后，这项拟议贡献是否仍有用?

### sourceVersionAdmission

{"version":"ECR-DEEP-R2-ORIGINAL-DRAFT-1","source":"Local original editorial candidate","admission":"AUTHOR_REVIEW_REQUIRED","humanAcceptance":null}

functions/ecr-full-report/ecr-deep-reading-r2.js · functions/embodied-configuration/ecr-semantic-composition-r2.js

# Design Jupiter 15.6 • CONTRACT FIXTURE


```
{
  "fixtureType": "CONTRACT_FIXTURE",
  "astronomyAcceptance": false,
  "layer": "DESIGN",
  "bodyCode": "JUPITER",
  "driverId": "D6",
  "gate": 15,
  "line": 6,
  "status": "AUTHOR_REVIEW_REQUIRED",
  "fourFactors": {
    "gate": {
      "value": 15,
      "meaning": "MEANING_NOT_ADMITTED"
    },
    "line": {
      "value": 6,
      "meaning": "MEANING_NOT_ADMITTED"
    },
    "driver": {
      "value": "D6",
      "binding": "JUPITER"
    },
    "layer": {
      "value": "DESIGN",
      "role": "SOURCE_ROLE_ONLY"
    }
  },
  "candidate": "System contribution / 系统性贡献",
  "verifiedTalent": false,
  "professionalConclusion": false,
  "storyDraftRef": "CONTRIBUTION_RESOURCE_CONTINUITY",
  "note": "Contract position only; not derived from the synthetic birth fixture or claimed as an astronomical replay."
}
```


这不是天文重放，不构成已验证天赋、职业或系统性贡献。

# 四因素完整来源字段 • gateBases


```
{
  "factorId": "BASE:15",
  "key": 15,
  "sourceRefs": [
    "content/embodied-configuration/ecr-environment-first-configuration-v1.json#ECR-H06",
    "GATE-15-BASE"
  ],
  "status": "ACCEPTED",
  "meaningRef": "ECR-R6:GATE_BASE:15",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-28

Exact full human-review binding: factor-policy-readonly-copy.json → gateBases → BASE:15

Base structure; not a personality conclusion

# 四因素完整来源字段 • lineModifiers


```
{
  "factorId": "LINE:6",
  "key": 6,
  "sourceRefs": [
    "content/interpretation/source/gate-line-source-registry-v1.json"
  ],
  "status": "ACCEPTED",
  "meaningRef": "ECR-R6:LINE_MODIFIER:6",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-28

Exact full human-review binding: factor-policy-readonly-copy.json → lineModifiers → LINE:6

Modifier of the selected structure; not a maturity or superiority score

# 四因素完整来源字段 • planetaryDriverRoles


```
{
  "factorId": "DRIVER:D6",
  "key": "D6",
  "sourceRefs": [
    "content/embodied-configuration/ecr-founder-reference-authority-v1.json#BOOK1-FIGURE-3A",
    "content/embodied-configuration/ecr-book-core-theory-projection-v1.json#drivers",
    "OWNER_MANUSCRIPT_AUTHORITY:BOOK1_PART4_DRIVER_SEQUENCE"
  ],
  "status": "ACCEPTED",
  "meaningRef": "content/embodied-configuration/v4-1/semantic-admission-r2/driver-role-canon-r7-v1.json#D6",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-26

Exact full human-review binding: factor-policy-readonly-copy.json → planetaryDriverRoles → DRIVER:D6

Planetary role in the PHI source convention; D6 is Jupiter

# 四因素完整来源字段 • layerRoles


```
{
  "factorId": "LAYER:DESIGN",
  "key": "DESIGN",
  "sourceRefs": [
    "content/interpretation/source/book-2-conscious-runtime-source-inventory-v1.json#IR-B2-P5-004",
    "content/interpretation/source/book-2-conscious-runtime-source-inventory-v1.json#IR-B2-P5-018",
    "content/interpretation/source/book-2-conscious-runtime-source-inventory-v1.json#IR-B2-P5-019",
    "content/interpretation/source/activation-role-source-registry-v1.json"
  ],
  "status": "ACCEPTED",
  "meaningRef": "content/embodied-configuration/v4-1/semantic-admission-r2/personality-design-layer-canon-r7-v1.json#DESIGN",
  "semanticTags": []
}
```


Human decision: ACCEPT · OWNER · 2026-09-28

Exact full human-review binding: factor-policy-readonly-copy.json → layerRoles → LAYER:DESIGN

Calculation layer distinct from Personality; not verified behavior or career

# 所有已保存位置的绑定

| Layer | Body | Gate.Line | Driver / Four-factor refs | Status |
|---|---|---|---|---|
| PERSONALITY | SUN | 38.1 | D1<br>BASE:38 · LINE:1 · DRIVER:D1 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | MOON | 28.2 | D2<br>BASE:28 · LINE:2 · DRIVER:D2 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | MERCURY | 10.3 | D3<br>BASE:10 · LINE:3 · DRIVER:D3 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | VENUS | 34.1 | D4<br>BASE:34 · LINE:1 · DRIVER:D4 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | MARS | 30.4 | D5<br>BASE:30 · LINE:4 · DRIVER:D5 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | JUPITER | 42.5 | D6<br>BASE:42 · LINE:5 · DRIVER:D6 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | SATURN | 24.3 | D7<br>BASE:24 · LINE:3 · DRIVER:D7 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | URANUS | 13.2 | D8<br>BASE:13 · LINE:2 · DRIVER:D8 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | NEPTUNE | 41.2 | D9<br>BASE:41 · LINE:2 · DRIVER:D9 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | PLUTO | 5.1 | D10<br>BASE:5 · LINE:1 · DRIVER:D10 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | EARTH | 39.1 | D11<br>BASE:39 · LINE:1 · DRIVER:D11 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | NORTH_NODE | 31.3 | D12<br>BASE:31 · LINE:3 · DRIVER:D12 · LAYER:PERSONALITY | CALCULATED |
| PERSONALITY | SOUTH_NODE | 41.3 | D12<br>BASE:41 · LINE:3 · DRIVER:D12 · LAYER:PERSONALITY | CALCULATED |

Source SHA256: 745445e126fae8213270be384850f50fe31600e041ee02cc839c00955e141fe3

仅绑定既有保存资料，未重算 Gate Wheel。

# 所有已保存位置的绑定

| Layer | Body | Gate.Line | Driver / Four-factor refs | Status |
|---|---|---|---|---|
| DESIGN | SUN | 48.3 | D1<br>BASE:48 · LINE:3 · DRIVER:D1 · LAYER:DESIGN | CALCULATED |
| DESIGN | MOON | 4.2 | D2<br>BASE:4 · LINE:2 · DRIVER:D2 · LAYER:DESIGN | CALCULATED |
| DESIGN | MERCURY | 50.4 | D3<br>BASE:50 · LINE:4 · DRIVER:D3 · LAYER:DESIGN | CALCULATED |
| DESIGN | VENUS | 29.4 | D4<br>BASE:29 · LINE:4 · DRIVER:D4 · LAYER:DESIGN | CALCULATED |
| DESIGN | MARS | 26.5 | D5<br>BASE:26 · LINE:5 · DRIVER:D5 · LAYER:DESIGN | CALCULATED |
| DESIGN | JUPITER | 27.1 | D6<br>BASE:27 · LINE:1 · DRIVER:D6 · LAYER:DESIGN | CALCULATED |
| DESIGN | SATURN | 2.4 | D7<br>BASE:2 · LINE:4 · DRIVER:D7 · LAYER:DESIGN | CALCULATED |
| DESIGN | URANUS | 19.6 | D8<br>BASE:19 · LINE:6 · DRIVER:D8 · LAYER:DESIGN | CALCULATED |
| DESIGN | NEPTUNE | 60.6 | D9<br>BASE:60 · LINE:6 · DRIVER:D9 · LAYER:DESIGN | CALCULATED |
| DESIGN | PLUTO | 9.3 | D10<br>BASE:9 · LINE:3 · DRIVER:D10 · LAYER:DESIGN | CALCULATED |
| DESIGN | EARTH | 21.3 | D11<br>BASE:21 · LINE:3 · DRIVER:D11 · LAYER:DESIGN | CALCULATED |
| DESIGN | NORTH_NODE | 33.4 | D12<br>BASE:33 · LINE:4 · DRIVER:D12 · LAYER:DESIGN | CALCULATED |
| DESIGN | SOUTH_NODE | 19.4 | D12<br>BASE:19 · LINE:4 · DRIVER:D12 · LAYER:DESIGN | CALCULATED |

Source SHA256: 745445e126fae8213270be384850f50fe31600e041ee02cc839c00955e141fe3

仅绑定既有保存资料，未重算 Gate Wheel。