# molex

Part Number: 5025780600

Product Description: CLIK-Mate Plug Housing, 1.50mm Pitch, Single Row, Positive Lock, 6

Circuits, Natural

Series Number: 502578

**Status**: Active

**Product Category:** Connector Housings



#### **Documents & Resources**

#### **Drawings**

5025780600\_sd.pdf

#### 3D Models and Design Files

5025780600.dxf 5025780600.pdf

5025780600\_stp.zip

#### **Specifications**

AS-502578-001-001.pdf

AS-503395-001-001.pdf

SPK-502578-001-001.pdf

5025780000-PS-000.pdf

5025780001-PS-000.pdf

5025780002-PS-000.pdf

5025780003-PS-000.pdf

5025781000-PS-000.pdf

5025781000-PS-CHI-000.pdf

5025781000-PS-JAP-000.pdf

5025781002-PS-000.pdf

5025781003-PS-000.pdf

5025781004-PS-000.pdf

5025780004-PS-000.pdf

## **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Compliant per 2000/53/EC

Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

# Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

#### **Part Details**

#### General

Status	Active
Category	Connector Housings
Series	502578
Description	CLIK-Mate Plug Housing, 1.50mm Pitch, Single Row, Positive Lock, 6 Circuits, Natural
Application	Signal, Wire-to-Board
Product Name	CLIK-Mate
UPC	800756700229

## Agency

UL	E29179
----	--------

## Physical

Circuits (maximum)	6
Color - Resin	Natural
Flammability	SC-0
Gender	Plug

Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	334.300/mg
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	1.50mm
Pitch - Termination Interface	1.50mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
1.50mm Pitch CLIK-Mate Bottom Entry Single Row PCB Receptacles	503395
1.50mm Pitch CLIK-Mate Right- Angle Single Row PCB Receptacles	<u>213226</u>
1.50mm Pitch CLIK-Mate Right- Angle Single Row PCB Receptacles	502585
1.50mm Pitch CLIK-Mate Right- Angle Single Row PCB Receptacles	<u>503175</u>
1.50mm Pitch CLIK-Mate Vertical Single Row PCB Receptacles	<u>213225</u>
1.50mm Pitch CLIK-Mate Vertical Single Row PCB Receptacles	502584
1.50mm Pitch CLIK-Mate Vertical Single Row PCB Receptacles	<u>503159</u>

# Use with Part(s)

Description	Part Number
Pre-Crimped Lead CLIK-Mate 1.50mm Male-to-CLIK-Mate 1.50mm Male, Tin (Sn) Plating, 300.00mm Length, 24 AWG, Black	<u>797581011</u>

1.50mm Pitch CLIK-Mate Male Crimp Terminals	<u>502579</u>
1.50mm Pitch CLIK-Mate Male Crimp Terminals	503429
CLIK-Mate 1.50mm Pitch Male Crimp Terminals	213028
CLIK-Mate 1.50mm Pitch Male Crimp Terminals	213029
Pre-Crimped Lead Clik-Mate Male- to-Clik-Mate Male	<u>215710</u>
Pre-Crimped Lead Clik-Mate Male- to-Pigtail	<u>215711</u>

This document was generated on Dec 26, 2024