Batch Log

Acq/Data Batch D:\Agilent\ICPMH\1\DATA\Rachel Johnson\TE_20240422_1.b

Batch Log

#	Acq. Date-Time	Sample Type	Sample Name	Vial#	File Name	Acquisition Result	Error Message	Dilution Result	Comment	Operator	Replicates	Level
1	2024-04-22 13:33:47	Sample	TEAA_TEAB_TEAC_TEAE		TEAA_TEAB_TEAC_TEAE.d	Fail	Aborted by operator.	1		Admin		
2	2024-04-22 13:53:39	Sample	TEAA_TEAB_TEAC_TEAE	<Manual>	TEAA_TEAB_TEAC_TEAE.d	Error	Specified data file name D:\Agilent\ICPMH\1\DATA\Rachel Johnson\TE_20240422_1.b\TEAA_TEAB_TEAC_TEAE.d already exists. Please enter a different data file name.			Admin		
3	2024-04-22 13:54:33	Sample	TEAA_TEAB_TEAC_TEAE		TEAA_TEAB_TEAC_TEAE.d	Pass		1		Admin		

#	ISTD Conc	Auto Dilution (ISIS 2)	Total Dil.	Final Weight or Volume	Sample Weight or Volume	Dilution Multiplier	Sublist	Total Acq Time [sec]	Max. Daily Dose	%J	User Def. 1	User Def. 2	User Def. 3
1													
2													
3													

#	QC Failed Criteria	QC Failed Elements
1		
2		
3		