

actions

anchors

source

target

copy

anchors

source

foreground

target

Publica 955A

foreground

background

copy

anchorsCopy

anchors

name

y pos

x alignment

☒ overwrite

☐ preview

anchors

name

y pos

x alignment

☒ overwrite

☒ preview

anchorsCreate

gridfit

grid

50

- ☒ bPoints
- ☒ points
- ☒ margins
- ☒ width
- ☒ anchors
- ☒ components

apply

- ☐ preview
- ☐ show grid

gridfit

grid 30

- ☒ bPoints
- ☐ points
- ☐ margins
- ☒ width
- ☒ anchors
- ☐ components


apply

- ☒ preview
- ☒ show grid


gridfit

condense


regular



bold



factor



☐ preview

condense

regular



bold



factor

☒ preview

interpolationCondense

interpolate

master 1

master 2

target

x factor

50

y factor

50

☐ proportional

interpolate

☐ preview

interpola...

master 1

Publica 555A

foreground

master 2

Publica 955A

foreground

target

foreground

x factor 0.50

y factor 0.70

☐ proportional

interpolate

☒ preview

interpolationMasters

layers

get ufo...

source layer

target layer

☐ font name

☒ custom

☒ decompose

import

layers

get ufo...

source layer

foreground

target layer

☐ font name

☒ custom

temp

import

layersImport

mask

main layer

mask layer

copy

flip

clear

☒ copy width

mask

main layer

foreground

mask layer

background

copy

flip

clear

☒ copy width

layersMask

margins

source

target

left

right

copy

margins

source

foreground

target

Publica 955A

background

left

right

copy

marginsCopy

● ● ● margins

left

☒ =
☐ +
☐ -

50

right

☒ =
☐ +
☐ -

50

☐ use beam

50

☒ left
☒ right

☒ preview

● ● ● margins

☐ = ☒ + ☐ -

left 30

☐ = ☒ + ☐ -

right 50

☐ use beam

beam 400

☒ left ☒ right

☒ preview

marginsSet



markSelect

move

x delta

50

y delta

50

apply

☒ preview

move

x delta

70

y delta

20

apply

☒ preview

move

replace

find

replace

apply

☒ overwrite

☒ duplicate

replace

find

replace

apply

☒ overwrite

☐ duplicate

namesFindReplace

suffix

add

☐ prefix
☒ suffix

apply

☒ overwrite
☒ duplicate

suffix

add

☐ prefix ☒ suffix

apply

☒ overwrite
☒ duplicate

namesPrefixSuffix

☐ ☐ ☐ print

glyph mode

☒ glyph names

☐ unicode chars

print mode

☒ plain string

☐ plain list

☐ Python string

☐ Python list

☒ sorted

☐ ☐ ☐ print

☒ glyph names

☐ unicode chars

☒ plain string

☐ plain list

☐ Python string

☐ Python list

☐ sorted list

namesPrint

outline

source layer

target layer

stroke

50

join style

☒ square

☐ round

☐ butt

cap style

☒ square

☐ round

☐ butt

edges

☒ inner

☒ outer

apply

☒ preview

outline

source layer

foreground

target layer

background

stroke

18.0

join style

☒ S ☐ R ☐ B

cap style

☐ S ☒ R ☐ B

edges

☐ inner ☒ outer

apply

☒ preview

outline

rotate

angle

50

apply

preview

rotate

angle

12.5

apply

preview

rotate

scale

factor

50

proportional

horizontal

vertical

side bearings

vertical metri

apply

preview

scale

factor

1.10

proportional

horizontal

vertical

side bearings

vertical metrics

apply

preview

scale

shift

pos

50

axis

x

y

side

-

+

delta

50

shift

-

+

apply

preview

shift

pos

270

axis

x

y

side

-

+

delta

55

shift

-

+

apply

preview

shift

skew

angle

50

origin

50

☒ set slant angle

apply

☒ preview

skew

angle 11.0

origin 210

☐ set slant angle

apply

☒ preview

skew

width

source

target

copy

width

source

foreground

target

Publica 555A

foreground

background

copy

widthCopy

width

width

☒ =
☐ +
☐ -

50

☒ do not move
☐ center glyph
☐ split margins
☐ relative split

apply

☒ preview

width

☐ = ☒ + ☐ -


width 95

☐ do not move
☐ center glyph
☐ split margins
☒ relative split



apply

☒ preview

widthSet



curvature



interpolation

links

☒ length

☐ angle

link

unlink



caption size

☐ projections

clear all

☒ show preview


links

☒ length

☐ angle

link

unlink




caption size

☐ projections

clear all

☒ show preview

links



measurements

clear

☐

guidelines

☐

groups

☐

kerning

☐

features

☐

stems

☐

blue values

☐

layers

☐

template glyphs

☐

mark colors

clear

clear

☒

guidelines

☒

groups

☐

kerning

☒

features

☒

stems

☒

blue values

☐

layers

☐



template glyphs

☐


mark colors

clear



clearData



exportLayers



findComponents



setGlyphOrder

dimensions

xHeight

50

ascender

50

descender

50

capHeight

50

unitsPerEm

50



italicAngle



50

dimensions



xHeight	475
ascender	675
descender	190
capHeight	615
unitsPerEm	1000
italicAngle	0.00


verticalMetrics








BatchActions_1







BatchBuild_1



BatchBuild_2

batch build glyphs

▶ fonts

▶ new

▶ constructions

▼ duplicates

add current font selection

import glyph names from file...

source	target
A	a.sc
B	b.sc
C	c.sc
D	d.sc
E	e.sc
F	f.sc
G	g.sc

add new entry

☒ select all

export glyph names to file...

☐ overwrite existing glyphs

☐ mark duplicates

batch build duplicates

☐ preflight

batch build glyphs

▶ fonts

▶ new

▶ constructions

▼ duplicates

add current font selection

import glyph names from file

source	target
A	a.sc
B	b.sc
C	c.sc
D	d.sc
E	e.sc
F	f.sc
G	g.sc

add new entry

☒ select all

export glyph names to file...


☐ overwrite existing glyphs



☐ mark duplicates

batch build duplicates



☐ preflight

BatchBuild_3









BatchClear_1



BatchClear_2





BatchCopy_1

batch copy

▶ fonts

▶ font info

▼ glyphs

☐ font selection

☒ glyph names list

a A ampersand period

glyph data:

contours

components

anchors

width

mark color

☐ remove source glyphs

☒ clear target contours

☒ select target glyphs

☒ mark target glyphs

copy glyph data

☐ preflight

▶ kerning

▶ groups

▶ features

batch copy

▶ fonts

▶ font info

▼ glyphs

☐ font selection

☒ glyph names list

a A ampersand period

glyph data:

contours

components

anchors

width

mark color

☐ remove source glyphs

☒ clear target contours

☒ select target glyphs

☒ mark target glyphs



copy glyph data



☐ preflight

▶ kerning



▶ groups

▶ features





BatchCopy_4



BatchCopy_5



BatchFindReplace_0

batch find & replace

find

Publica

replace

My Custom Family

▶ fonts

▼ font info

familyName
styleName
styleMapFamilyName
styleMapStyleName
copyright
trademark
openTypeNameLicense
openTypeNameLicenseURL
openTypeNameDesigner
openTypeNameDesignerURL

☐ select all

find & replace

☐ preflight

batch find & replace

find

Publica

replace

My Custom Family

▶ fonts

▼ font info



familyName
styleName
styleMapFamilyName
styleMapStyleName
copyright
trademark
openTypeNameLicense
openTypeNameLicenseURL
openTypeNameDesigner
openTypeNameDesignerURL



☐ select all

find & replace



☐ preflight

BatchFindReplace_1





BatchSetData_1



batch set

▶ fonts

▼ font info

import info from UFO...

import info from json file...

attribute	value
familyName	Publica
unitsPerEm	1000
xHeight	500
ascender	680.0
descender	-150.0
capHeight	680.0

☐ select all attributes

export info to json file...

apply selected info

☐ preflight

▶ glyph set

▶ unicones

batch set

▶ fonts

▼ font info

import info from UFO...

import info from json file...

attribute	value
familyName	Publica
unitsPerEm	1000
xHeight	500
ascender	680.0
descender	-150.0
capHeight	680.0

☐ select all attributes

export info to json file...

apply selected info

☐ preflight

▶ glyph set

▶ unicones

BatchSet_1

