

with 5 user axes

Optical Size wght wdhth slnt GRAD XTRA XOPQ YOPQ YTLC YTUC YTAS YTDE

ABCDEFGHIJKLMNPQRSTUVWXYZ

Size (opsz)	GRAD (GRAD)	XOUC (XOUC)	XOLC (XOLC)
90	0	96	96
Weight (wght)	XTSP (XTSP)	XTUC (XTUC)	XTLC (XTLC)
400	0	463	463
Width (wdth)	XOPQ (XOPQ)	XTUR (XTUR)	YOLC (YOLC)
115	96	463	79
Slant (slnt)	YOPQ (YOPQ)	XTUD (XTUD)	YTLC (YTLC)
0	79	463	526
	XTRA (XTRA)	YOUC (YOUC)	YTOS (YTOS)
	463	79	30
		YTUC (YTUC)	728
		YOPE (YOPE)	79

size 14 weight 400 width 100 slant 0 grade 0 space 0 stem 96 stem 79 counter 463

ABCDEFGHIJKLMNPQRSTUVWXYZ

size14 weight700 width50 slant 0 grade0 space0 stem96 stem79 counter463

xouc youc xtuc xtur xtud ytuc yope

ABCDEFGHIJKLMNPQRSTUVWXYZ

size14 weight700 width50 slant 0 grade0 space0 stem96 stem79 counter463

xouc youc xtuc xtur xtud ytuc yope

ABCDEFGHIJKLMNPQRSTUVWXYZ

size14 weight700 width50 slant 0 grade0 space0 stem96 stem79 counter463

xouc youc xtuc xtur xtud ytuc yope