

Towards Continuous Benchmarking:

An Automated Performance Evaluation Framework for High Performance Software


Anzt, Chen, Cojean, Dongarra, Flegar, Nayak, Quintana-Ortí, Tsai, Wang

A Healthy Software Development Cycle




Developer

A Healthy Software Development Cycle




- Version control system for tracking changes and coordinating collaborative development.


A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle




A Healthy Software Development Cycle



A Healthy Software Development Cycle



A Healthy Software Development Cycle



Ginkgo Performance Explorer (GPE)

Data Selection Tab

Transformation
Script Editor

Ginkgo Performance Explorer

Step 1: Select benchmark results

Select raw benchmark results to import and view.

Select result files

Result Summary

Result files to use in the next steps.

Performance data root URL (advanced) *

<https://raw.githubusercontent.com/ginkgo-project/ginkgo-data/master/data>

URL to a folder containing a list.json file.

Step 2: Transform results

For plotting, create a [Chart.js config object](#). Use [JSONata](#) to extract interesting parts of raw data.

Select an example

Use an example transformation script as a starting point

```
7 {
8   "type": "bar",
9   "data": {
10     "labels": $formats,
11     "datasets": [{
12       "data": $counts,
13       "backgroundColor": $formats~>$map( function
14         "hsl(" & 360 * $i / ($a~>$count()) & ",40
15     })
16   }]
17 },
18 "options": {
19   "legend": { "display": false },
20   "title": {
21     "display": true,
```

Step 3: View transformed results

View the resulting plot, or raw transformed data.

Results Transformed Plot

Best SpMV format

Format	# Problems
csr	250
coo	850
hybrid	350
sellp	950
ell	100

Data and Plot
Viewer

Ginkgo Performance Explorer (GPE)

Data Selection Tab

1.
Select Data in Git repository.

Transformation Script Editor

Ginkgo Performance Explorer

Step 1: Select benchmark results
Select raw benchmark results to import and view.

Select result files

Result Summary

Result files to use in the next steps.

Performance data root URL (advanced) *

<https://raw.githubusercontent.com/ginkgo-project/ginkgo-data/master/data>

URL to a folder containing a list.json file.

Step 2: Transform results
For plotting, create a [Chart.js config object](#). Use [JSONata](#) to extract interesting parts of raw data.

Select an example

Use an example transformation script as a starting point

```
7 {
8   "type": "bar",
9   "data": {
10     "labels": $formats,
11     "datasets": [{
12       "data": $counts,
13       "backgroundColor": $formats~>$map( function
14         "hsl(" & 360 * $i / ($a~>$count()) & ",40
15       })
16     }]
17   },
18   "options": {
19     "legend": { "display": false },
20     "title": {
21       "display": true,
```

Step 3: View transformed results
View the resulting plot, or raw transformed data.

Results Transformed Plot

Best SpMV format

Format	# Problems
csr	~250
coo	~850
hybrid	~350
sellp	~1000
ell	~100

Data and Plot Viewer

Ginkgo Performance Explorer (GPE)

Data Selection Tab

1. *Select Data in Git repository.*

Transformation Script Editor

2. *Write JSONata script to visualize data (examples are provided).*

Ginkgo Performance Explorer

Step 1: Select benchmark results
Select raw benchmark results to import and view.
Select result files
Result Summary
Result files to use in the next steps.
Performance data root URL (advanced) *
<https://raw.githubusercontent.com/ginkgo-project/ginkgo-data/master/data>
URL to a folder containing a list.json file.

Step 2: Transform results
For plotting, create a [Chart.js config object](#). Use [JSONata](#) to extract interesting parts of raw data.
Select an example
Use an example transformation script as a starting point

```
7 {  
8   "type": "bar",  
9   "data": {  
10     "labels": $formats,  
11     "datasets": [{  
12       "data": $counts,  
13       "backgroundColor": $formats~>$map( function  
14         "hsl(" & 360 * $i / ($a~>$count()) & ",40  
15     })  
16   }  
17 },  
18 "options": {  
19   "legend": { "display": false },  
20   "title": {  
21     "display": true,
```

Step 3: View transformed results
View the resulting plot, or raw transformed data.
Results Transformed Plot
Best SpMV format

Format	# Problems
csr	~250
coo	~850
hybrid	~350
sellp	~1000
ell	~100

Data and Plot Viewer

Ginkgo Performance Explorer (GPE)

Data Selection Tab

1. *Select Data in Git repository.*

Transformation Script Editor

2. *Write JSONata script to visualize data (examples are provided).*

Ginkgo Performance Explorer

Step 1: Select benchmark results
Select raw benchmark results to import and view.
Select result files
Result Summary
Result files to use in the next steps.
Performance data root URL (advanced) *
<https://raw.githubusercontent.com/ginkgo-project/ginkgo-data/master/data>
URL to a folder containing a list.json file.

Step 2: Transform results
For plotting, create a [Chart.js config object](#). Use [JSONata](#) to extract interesting parts of raw data.
Select an example
Use an example transformation script as a starting point

```
7 {  
8   "type": "bar",  
9   "data": {  
10    "labels": $formats,  
11    "datasets": [{  
12     "data": $counts,  
13     "backgroundColor": $formats~>$map( function  
14       "hsl(" & 360 * $i / ($a~>$count()) & ",40  
15     })  
16   }  
17 },  
18 "options": {  
19   "legend": { "display": false },  
20   "title": {  
21     "display": true,
```



Step 3: View transformed results
View the resulting plot, or raw transformed data.
Results Transformed Plot
Best SpMV format

Format	# Problems
csr	~250
coo	~850
hybrid	~350
sellp	~1000
ell	~100




Data and Plot Viewer

3. *Analyze data visually.*


Ginkgo Performance Explorer (GPE)



Ginkgo Performance Explorer (GPE)



Ginkgo Performance Explorer (GPE)



Dolan & More: Benchmarking optimization software with performance profiles

Ginkgo's Performance Evaluation Framework

Continuous Benchmarking Benefits

- Archiving performance data along with execution parameters ensures **full benchmark reproducibility**.
- **Comparing** the performance results over the code lifetime identifies **performance degradations**.
- **Ease of use**: the setup allows to launch benchmark with few clicks.

Ginkgo's Performance Evaluation Framework

Continuous Benchmarking Benefits

- Archiving performance data along with execution parameters ensures **full benchmark reproducibility**.
- **Comparing** the performance results over the code lifetime identifies **performance degradations**.
- **Ease of use**: the setup allows to launch benchmark with few clicks.

Ginkgo Performance Explorer (GPE) Benefits

- The design of GPE efficiently realizes the analysis as **web service**, removing the need for downloading performance data to local disk or installing additional software.
- **External developers** without access to HPC systems can test and engineer **their codes on HPC resources**.
- **Extensibility**: Option to **compare** performance with **other software** libraries.